

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau




(43) International Publication Date
4 September 2003 (04.09.2003)

PCT

(10) International Publication Number
WO 03/072041 A2

- (51) International Patent Classification⁷: **A61K** NJ 07065-0907 (US). SIMON, Adam, J. [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). ZUCK, Paul, D. [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US).
- (21) International Application Number: PCT/US03/05458
- (22) International Filing Date: 23 February 2003 (23.02.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/360,274 27 February 2002 (27.02.2002) US
- (71) Applicant (for all designated States except US): **MERCK & CO., INC.** [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **ESPESETH, Amy, S.** [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). **FERRER, Marc** [ES/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). **FLORES, Osvaldo, A.** [CL/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). **HAZUDA, Daria, J.** [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). **INGLESE, James** [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). **MILLER, Michael, D.** [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). **REGISTER, Bruce** [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). **SHI, Xiao-Ping** [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:
— without international search report and to be republished upon receipt of that report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: ASSAYS TO MONITOR AMYLOID PRECURSOR PROTEIN PROCESSING



(57) Abstract: The present invention provides DNA constructs, genetically engineered host cells, and methods for identifying inhibitors of amyloid precursor protein (APP) processing. The methods provide for the convenient identification, in a single assay, of inhibitors of β -secretase and γ -secretase as well as other forms of APP processing. The methods rely on fusion proteins of APP and transcription factors in which APP processing releases the transcription factors, allowing the transcription factors to activate transcription of a reporter gene. Inhibitors are identified as substances that block or diminish transcription factor release from the fusion protein, thereby causing a diminution of reporter gene readout.

WO 03/072041 A2

TITLE OF THE INVENTION

ASSAYS TO MONITOR AMYLOID PRECURSOR PROTEIN PROCESSING

CROSS-REFERENCE TO RELATED APPLICATIONS

5 This application claims the benefit of U.S. Provisional Application No. 60/360,274, filed February 27, 2002, the contents of which are incorporated herein by reference in their entirety.

STATEMENT REGARDING FEDERALLY-SPONSORED R&D

10 Not applicable.

REFERENCE TO MICROFICHE APPENDIX

Not applicable.

15 FIELD OF THE INVENTION

 The present invention is directed to the field of Alzheimer's disease. In particular, the present invention provides novel methods of identifying substances that are specific inhibitors of various steps in the processing of amyloid precursor protein.

20

BACKGROUND OF THE INVENTION

 Alzheimer's disease is a common, chronic neurodegenerative disease, characterized by a progressive loss of memory and sometimes severe behavioral abnormalities, as well as an impairment of other cognitive functions that often leads to dementia and death. It ranks as the fourth leading cause of death in industrialized societies after heart disease, cancer, and stroke. The incidence of Alzheimer's disease is high, with an estimated 2.5 to 4 million patients affected in the United States and perhaps 17 to 25 million worldwide. Moreover, the number of sufferers is expected to grow as the population ages.

25

30 A characteristic feature of Alzheimer's disease is the presence of large numbers of insoluble deposits, known as amyloid plaques, in the brains of those affected. Autopsies have shown that amyloid plaques are found in the brains of virtually all Alzheimer's patients and that the degree of amyloid plaque deposition correlates with the degree of dementia (Cummings & Cotman, 1995, Lancet

326:1524-1587). While some opinion holds that amyloid plaques are a late stage by-product of the disease process, the consensus view is that amyloid plaques are more likely to be intimately, and perhaps causally, involved in Alzheimer's disease.

- A variety of experimental evidence supports this view. For example,
- 5 A β , a primary component of amyloid plaques, is toxic to neurons in culture and transgenic mice that overproduce A β in their brains show significant deposition of A β into amyloid plaques as well as significant neuronal toxicity (Yankner, 1990, *Science* 250:279-282; Mattson et al., 1992, *J. Neurosci.* 12:379-389; Games et al., 1995, *Nature* 373:523-527; LaFerla et al., 1995, *Nature Genetics* 9:21-29). Mutations in the
 - 10 APP gene, leading to increased A β production, have been linked to heritable forms of Alzheimer's disease (Goate et al., 1991, *Nature* 349:704-706; Chartier-Harlin et al., 1991, *Nature* 353:844-846; Murrel et al., 1991, *Science* 254:97-99; Mullan et al., 1992, *Nature Genetics* 1:345-347). Presenilin-1 (PS1) and presenilin-2 (PS2) related
 - 15 familial early-onset Alzheimer's disease (FAD) shows disproportionately increased production of A β 1-42, the 42 amino acid isoform of A β , as opposed to A β 1-40, the 40 amino acid isoform (Scheuner et al., 1996, *Nature Medicine* 2:864-870). The
 - longer isoform of A β is more prone to aggregation than the shorter isoform (Jarrett et al., 1993, *Biochemistry* 32:4693-4697). Injection of the insoluble, fibrillar form of A β into monkey brains results in the development of pathology (neuronal destruction, tau
 - 20 phosphorylation, microglial proliferation) that closely mimics Alzheimer's disease in humans (Geula et al., 1998, *Nature Medicine* 4:827-831). See Selkoe, 1994, *J. Neuropathol. Exp. Neurol.* 53:438-447 for a review of the evidence that amyloid plaques have a central role in Alzheimer's disease.

- A β , a 39-43 amino acid peptide derived by proteolytic cleavage of the
- 25 amyloid precursor protein (APP), is the major component of amyloid plaques (Glenner & Wong, 1984, *Biochem. Biophys. Res. Comm.* 120:885-890). APP is actually a family of polypeptides produced by alternative splicing from a single gene. Major forms of APP are known as APP695, APP751, and APP770, with the
 - subscripts referring to the number of amino acids in each splice variant (Ponte et al.,
 - 30 1988, *Nature* 331:525-527; Tanzi et al., 1988, *Nature* 331:528-530; Kitaguchi et al., 1988, *Nature* 331:530-532). APP is membrane bound and undergoes proteolytic cleavage by at least two pathways. In one pathway, cleavage by an enzyme known as α -secretase occurs while APP is still in the trans-Golgi secretory compartment
 - (Kuentzel et al., 1993, *Biochem. J.* 295:367-378). This cleavage by α -secretase

occurs within the A β portion of APP, thus precluding the formation of A β . In another proteolytic pathway, cleavage of the Met596-Asp597 bond (numbered according to the 695 amino acid protein) by an enzyme known as β -secretase occurs. This cleavage by β -secretase generates the N-terminus of A β . The C-terminus is formed
5 by cleavage by a second enzyme known as γ -secretase. The C-terminus is actually a heterogeneous collection of cleavage sites rather than a single site since γ -secretase activity occurs over a short stretch of APP amino acids rather than at a single peptide bond. Peptides of 40 or 42 amino acids in length (A β 1-40 and A β 1-42, respectively) predominate among the C-termini generated by γ -secretase. A β 1-42 is more prone to
10 aggregation than A β 1-40, is the major component of amyloid plaque (Jarrett et al., 1993, Biochemistry 32:4693-4697; Kuo et al., 1996, J. Biol. Chem. 271:4077-4081), and its production is closely associated with the development of Alzheimer's disease (Sinha & Lieberburg, 1999, Proc. Natl. Acad. Sci. USA 96:11049-11053). The bond
15 cleaved by γ -secretase appears to be situated within the transmembrane domain of APP. It is unclear as to whether the C-termini of A β 1-40 and A β 1-42 are generated by a single γ -secretase protease with sloppy specificity or by two distinct proteases. For a review that discusses APP and its processing, see Selkoe, 1998, Trends Cell. Biol. 8:447-453.

Much interest has focused on the possibility of inhibiting the
20 development of amyloid plaques as a means of preventing or ameliorating the symptoms of Alzheimer's disease. To that end, a promising strategy is to inhibit the activity of β - and γ -secretase, the two enzymes that together are responsible for producing A β . This strategy is attractive because, if the formation of amyloid plaques as a result of the deposition of A β is a cause of Alzheimer's disease, inhibiting the
25 activity of one or both of the two secretases would intervene in the disease process at an early stage, before late-stage events such as inflammation or apoptosis occur. Such early stage intervention is expected to be particularly beneficial (see, *e.g.*, Citron, 2000, Molecular Medicine Today 6:392-397).

To that end, various assays have been developed that are directed to the
30 identification of compounds that may interfere with the production of A β or its deposition into amyloid plaques. U.S. Patent No. 5,441,870 is directed to methods of monitoring the processing of APP by detecting the production of amino terminal fragments of APP. U.S. Patent No. 5,605,811 is directed to methods of identifying inhibitors of the production of amino terminal fragments of APP. U.S. Patent No.

5,593,846 is directed to methods of detecting soluble A β by the use of binding substances such as antibodies. Esler et al., 1997, *Nature Biotechnology* 15:258-263 described an assay that monitored the deposition of A β from solution onto a synthetic analogue of an amyloid plaque. The assay was suitable for identifying compounds
5 that could inhibit the deposition of A β . However, this assay is not suitable for identifying substances, such as inhibitors of β - or γ -secretase, that would prevent the formation of A β .

Various groups have cloned and sequenced cDNA encoding a protein that is believed to be β -secretase (Vassar et al., 1999, *Science* 286:735-741; Hussain
10 et al., 1999, *Mol. Cell. Neurosci.* 14:419-427; Yan et al., 1999, *Nature* 402:533-537; Sinha et al., 1999, *Nature* 402:537-540; Lin et al., 2000, *Proc. Natl. Acad. Sci. USA* 97:1456-1460) but the identity of γ -secretase has been more elusive. A pair of proteins known as presenilin-1 and presenilin-2 are viewed as possible candidates (Selkoe & Wolfe, 2000, *Proc. Natl. Acad. Sci. USA* 97:5690-5692).

15 Presenilin-1 (PS1) and presenilin-2 (PS2) are polytopic membrane proteins that are involved in γ -secretase-mediated processing of APP. The most common cause of familial early-onset Alzheimer's disease is the autosomal dominant inheritance of assorted mutations in the PS1 gene (Sherrington et al., 1995, *Nature* 375:754-760). These PS1 mutations lead to increased production of A β 1-42
20 (Scheuner et al., 1996, *Nature Medicine* 2:864-870; Duff et al., 1996, *Nature* 383:710-713; Borchelt et al., 1996, *Neuron* 17:1005-1013). Similarly, certain mutations in PS2 cause familial early-onset Alzheimer's disease and increased generation of A β 42 (Levy-Lahad et al., 1995, *Science* 269:970-973). Cultured isolated neurons from PS1-deficient mice exhibit reduced γ -secretase-mediated
25 cleavage of APP (De Strooper et al., 1998, *Nature* 391:387-390). It was suggested that PS1 might influence trafficking of APP and/or γ -secretase or it might play a more direct role in proteolytic cleavage of APP. Directed mutagenesis of two conserved transmembrane-situated aspartates in PS1 was shown to inactivate γ -secretase activity in cellular assays, suggesting that PS1 is either a required diasparyl cofactor for γ -
30 secretase or is itself γ -secretase (Wolfe et al., 1999, *Nature* 398:513-517). Moreover, Li et al., 2000, *Nature* 405:689-694 made photoactivatable derivatives of a highly specific and potent aspartyl protease transition state analog inhibitor and found that the inhibitor selectively labeled presenilin fragments.

Co-immunoprecipitation experiments have shown that PS1 and PS2 interact directly with the immature forms of APP in the endoplasmic reticulum where the disease-associated amyloid A β 1-42 peptide is probably generated (Xia et al., 1997 Proc. Natl. Acad. Sci. USA 94:8208-8213; Weidemann et al., 1997, Nat. Med. 3:328-332). Knock-out of PS1 activity greatly diminishes γ -secretase cleavage of APP (De Strooper et al., 1998, Nature 391:387-390). PS1 knock-outs do not exhibit total lack of γ -secretase activity but knock-out of both PS1 and PS2 activity does result in a total loss of γ -secretase activity (Herreman et al., 2000, Nat. Cell. Biol. 2:461-462; Zhang et al., 2000, Nat. Cell Biol. 2:463-465), suggesting that PS2 has a similar function to PS1 in the processing of APP.

Karlström et al., (Journal of Biological Chemistry papers in press, published on December 13, 2001 as Manuscript C100649200) describes an assay designed specifically to identify inhibitors of γ -secretase cleavage of APP. The authors inserted the GAL4 DNA binding domain fused to the VP16 transactivation domain into C99, a portion of APP containing the 99 carboxy-terminal amino acids. This fragment of APP contains the γ -secretase cleavage site but lacks the β -secretase cleavage site. Transaction of a UAS reporter plasmid by GAL4-VP16 confirmed cleavage of the Gal4-VP16/C99 substrate by γ -secretase only. Thus, the assay is capable of detecting γ -secretase inhibitors but not inhibitors of β -secretase or other modulators of APP processing requiring the N-terminal domain of APP.

Cao & Südhoff, 2001, Science 293:115-120 described work in which the GAL4 and LexA DNA binding domains were inserted into APP to demonstrate the potential of the cleaved C-terminus of APP for transcriptional co-activation. In this article, a transcriptional factor was not fused to APP and no attempt was made to develop an assay for the identification of APP processing inhibitors.

Sisodia, 1992, Proc. Natl. Acad. Sci. USA 89:6975-6979 described various changes in the amino acid sequence of APP in the region of the α -secretase cleavage site and the effect of those changes on cleavage by α -secretase. A change of K to V at position 612 of the 695 amino acid version of APP led to reduced cleavage by α -secretase.

U.S. Patent No. 6,333,167 B1 discloses an assay involving DNA constructs encoding portions of membrane proteins containing sites that are susceptible to cleavage by proteases that are fused to transcriptional repressors. Such constructs are introduced into cells that contain a reporter gene under the control of a

promoter that is sensitive to the repressor. In the absence of an inhibitor of the protease, the fusion protein is cleaved by the protease, releasing a membrane protein/repressor fusion protein that translocates to the nucleus and represses transcription from the reporter gene. In the presence of an inhibitor of the protease,
5 the membrane protein/repressor fusion protein is not released and thus cannot repress transcription from the reporter. An increase in reporter expression can therefore be used as a readout for the presence of an inhibitor.

SUMMARY OF THE INVENTION

10 The present invention is directed to methods of identifying inhibitors of the processing of amyloid precursor protein (APP) that are capable of identifying inhibitors of a number of steps of such processing. Unlike prior methods, the methods of the present invention can be used to screen for inhibitors of β -secretase cleavage, γ -secretase cleavage, APP extracellular signaling, or APP cytoplasmic signaling in a
15 single assay.

The methods employ a recombinant eukaryotic cell that is capable of processing APP. The cell has been engineered to express a fusion protein that contains amino acid sequences encompassing both the β -secretase cleavage site of APP and the γ -secretase cleavage site. The fusion protein also contains a transcription
20 factor fused in frame to the APP sequences.

When the recombinant cell is further engineered to contain a reporter gene, in which transcription of the reporter gene is driven by a regulatory DNA sequence that is inactive in the absence of the transcription factor but active in the transcription factor's presence, a system useful for screening for APP processing
25 inhibitors is provided. Since the recombinant cell has been selected so as to be capable of processing APP, the fusion protein will be processed, releasing the transcription factor and activating transcription of the reporter gene. The reporter gene has been preselected so that activation of the reporter gene leads to a detectable phenotype.

30 The system is utilized by exposing the recombinant cell to substances that are to be tested for the ability to inhibit APP processing. Those substances that are actually inhibitors of APP processing will cause diminished processing of the fusion protein, leading to smaller amounts of the transcription factor being released.

This leads to less transcription of the reporter gene. This results in a decrease in the phenotypic effect of the reporter gene that can be observed.

BRIEF DESCRIPTION OF THE DRAWINGS

5 Figure 1A-G shows a schematic diagram of several APP/transcription factor fusion constructs.

 Figure 2A-B shows the DNA sequence (SEQ ID NO:1) of the fusion protein APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695).

10 Figure 3 shows the amino acid sequence (SEQ ID NO:2) of the fusion protein APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695) with the various different regions of the fusion protein demarcated. 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = K612V mutation; 4 = region of γ -secretase cleavage; 5 = linker; 6 = TAT exon I; 7 = linker; 8 = amino acids 664-695 of APP.

15 Figure 4A-B shows the DNA sequence (SEQ ID NO:3) of the fusion protein APP(1-651)wt, K612V-TATexonI(M1L) APP (664-695).

 Figure 5 shows the amino acid sequence (SEQ ID NO:4) of the fusion protein APP(1-651)wt, K612V-TATexonI(M1L) APP (664-695) with the various different regions of the fusion protein demarcated. 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = K612V mutation; 4 = region of γ -secretase cleavage; 5 = linker; 6 = TAT exon I; 7 = linker; 8 = amino acids 664-695 of APP.

20 Figure 6A-C shows the DNA sequence (SEQ ID NO:5) of the fusion protein APP(1-651)SW, K612V, GAL4-VP16(delMet) APP (664-695).

 Figure 7 shows the amino acid sequence (SEQ ID NO:6) of the fusion protein APP(1-651)SW, K612V, GAL4-VP16(delMet) APP (664-695) with the various different regions of the fusion protein demarcated. 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = K612V mutation; 4 = region of γ -secretase cleavage; 5 = linker; 6 = GAL4-VP16; 7 = linker; 8 = amino acids 664-695 of APP.

30 Figure 8A-C shows the DNA sequence (SEQ ID NO:7) of the fusion protein APP(1-651)wt, K612V, GAL4-VP16(del Met) APP (664-695).

 Figure 9 shows the amino acid sequence (SEQ ID NO:8) of the fusion protein APP(1-651)wt, K612V, GAL4-VP16(del Met) APP (664-695) with the various different regions of the fusion protein demarcated. 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = K612V mutation; 4 = region of γ -

secretase cleavage; 5 = linker; 6 = GAL4-VP16; 7 = linker; 8 = amino acids 664-695 of APP.

Figure 10A-B shows the DNA sequence (SEQ ID NO:9) of the fusion protein APP(1-651)SW, TATexonI(M1L) APP (664-695).

5 Figure 11 shows the amino acid sequence (SEQ ID NO:10) of the fusion protein APP(1-651)SW, TATexonI(M1L) APP (664-695) with the various different regions of the fusion protein demarcated. 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = wild-type K at position 612; 4 = region of γ -secretase cleavage; 5 = linker; 6 = TAT exon I; 7 = linker; 8 = amino acids 664-695 of
10 APP.

Figure 12A-B shows the DNA sequence (SEQ ID NO:11) of the fusion protein APP(1-651)wt, TATexonI(M1L) APP (664-695).

Figure 13 shows the amino acid sequence (SEQ ID NO:12) of the fusion protein APP(1-651)wt, TATexonI(M1L) APP (664-695) with the various
15 different regions of the fusion protein demarcated. 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = wild-type K at position 612; 4 = region of γ -secretase cleavage; 5 = linker; 6 = TAT exon I; 7 = linker; 8 = amino acids 664-695 of APP.

Figure 14A-C shows the DNA sequence (SEQ ID NO:13) of the fusion
20 protein APP(1-651)SW, GAL4-VP16(delMet) APP (664-695).

Figure 15 shows the amino acid sequence (SEQ ID NO:14) of the fusion protein APP(1-651)SW, GAL4-VP16(delMet) APP (664-695) with the various different regions of the fusion protein demarcated. 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = wild-type K at position 612; 4 = region of γ -secretase cleavage; 5 = linker; 6 = GAL4-VP16; 7 = linker; 8 = amino acids 664-695
25 of APP.

Figure 16A-C shows the DNA sequence (SEQ ID NO:15) of the fusion protein APP(1-651)wt, GAL4-VP16(delMet) APP (664-695).

Figure 17 shows the amino acid sequence (SEQ ID NO:16) of the
30 fusion protein APP(1-651)wt, GAL4-VP16(delMet) APP (664-695) with the various different regions of the fusion protein demarcated. 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = wild-type K at position 612; 4 = region of γ -secretase cleavage; 5 = linker; 6 = GAL4-VP16; 7 = linker; 8 = amino acids 664-695 of APP.

Figure 18A-B shows the cDNA sequence (SEQ ID NO:17) and Figure 18C shows the amino acid sequence (SEQ ID NO:18) of the 695 amino acid splice variant of wild-type Alzheimer's precursor protein (APP). See GenBank accession no. Y00264 and Kang et al., 1987, Nature 325:733-736.

5 Figure 19 shows data from an embodiment in which the assay of the present invention was used to identify both a β -secretase inhibitor and a γ -secretase inhibitor. See Example 3 for details.

Figure 20 shows a schematic diagram of pCR2.1 Gal4-VP16.

10 Figure 21A shows a schematic diagram of pRBR121. Figure 21B shows a schematic diagram of pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695).

15 Figure 22A shows a schematic diagram of pRBR186. Figure 22B shows a schematic diagram of the viral plasmid pNL4-3. Figure 22C shows a schematic diagram of pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695) with additional details as compared to Figure 21B, which shows the same plasmid.

Figure 23 shows a schematic diagram of pRSV Kan/Neo res.

Figure 24 shows a schematic diagram of pUCd5TAT.

20 Figure 25A shows a schematic diagram of pMM321. Figure 25B-D shows the nucleotide sequence of pMM321. The upper strand is SEQ ID NO:19. The lower strand (SEQ ID NO:20) is the reverse complement of SEQ ID NO:19.

25 Figure 26A shows a schematic diagram of the expression vector pcDNA3.1 zeo (+)APP(1-651)SW, K612V-(M1L)TATexonI. This expression vector directs the expression of a fusion protein containing the first 651 amino acids of APP with the Swedish version of the β -secretase cleavage site and the K612V mutation fused to the first exon of HIV1 TAT. The methionine at position 1 of TAT has been changed to leucine. Figure 26B-G shows the nucleotide sequence of pcDNA3.1 zeo (+)APP(1-651)SW, K612V-(M1L)TATexonI. The upper strand is SEQ ID NO:21. The lower strand (SEQ ID NO:22) is the reverse complement of SEQ ID NO:21.

30 Figure 27A-B shows a schematic diagram depicting general features of the present invention. Figure 27A: The vertical bar represents a fusion protein with APP sequences represented as unfilled or lightly shaded portions of the bar. The lightly shaded portion represents A β . "BACE" indicates the β -secretase cleavage site. The dark shaded portion represents the transcription factor fused between APP

sequences. The horizontal bar represents a membrane in which the uncleaved fusion protein is embedded, e.g., the endoplasmic reticulum. Figure 27B: The transcription factor (plus small amounts of APP), having been released from the fusion protein and thus the membrane by APP processing, is shown in the nucleus binding to and
5 activating the regulatory DNA sequence ("Transcription Factor Response Element") that controls the expression of the reporter gene.

Figure 28A-B shows the DNA sequence (SEQ ID NO:23) of the fusion protein APP(1-651)NFEV, K612V-TATexonI(M1L) APP (664-695).

Figure 29 shows the amino acid sequence of a fusion protein (APP(1-
10 651)NFEV, K612V-TATexonI(M1L) APP (664-695)) (SEQ ID NO:24) containing the sequence NFEV at the β -secretase cleavage site (underlined at 2). The other portions of the fusion protein are indicated as follows: 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = K612V mutation; 4 = region of γ -secretase cleavage; 5 = linker; 6 = TAT exon I; 7 = linker; 8 = amino acids 664-695 of APP.

15 Figure 30A-C shows the DNA sequence (SEQ ID NO:25) of the fusion protein APP(1-651)NFEV, K612V, GAL4-VP16(delMet) APP (664-695).

Figure 31 shows the amino acid sequence of a fusion protein (APP(1-
651)NFEV, K612V, GAL4-VP16(delMet) APP (664-695)) (SEQ ID NO:26) containing the sequence NFEV at the β -secretase cleavage site (underlined at 2). The
20 other portions of the fusion protein are indicated as follows: 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = K612V mutation; 4 = region of γ -secretase cleavage; 5 = linker; 6 = GAL4-VP16; 7 = linker; 8 = amino acids 664-695 of APP.

Figure 32A shows a schematic diagram of pcDNA3.1 zeo (+), a
25 eukaryotic expression vector that is suitable for use in the present invention. Figure 32B-F shows the nucleotide sequence of pcDNA3.1 zeo (+). The upper strand is SEQ ID NO:27. The lower strand (SEQ ID NO:28) is the reverse complement of SEQ ID NO:27.

Figure 33 shows data from an embodiment of the present invention
30 utilizing a β -galactosidase reporter gene in which the assay of the present invention was used to identify both a β -secretase inhibitor and a γ -secretase inhibitor. See Example 8 for details.

Figure 34 shows data from an embodiment of the present invention in which a fusion protein having a wild-type β -secretase cleavage site and a fusion

protein having a Swedish β -secretase cleavage site are compared. See Example 9 for details.

Figure 35A-B shows the DNA sequence (SEQ ID NO:29) of the fusion protein APP(1-651)NFEV, TATexonI(M1L) APP (664-695).

5 Figure 36 shows the amino acid sequence of a fusion protein (APP(1-651)NFEV, TATexonI(M1L) APP (664-695)) (SEQ ID NO:30) containing the sequence NFEV at the β -secretase cleavage site (underlined at 2) and a wild-type K at position 612 (underlined at 3). The other portions of the fusion protein are indicated as follows: 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 =
10 wild-type K; 4 = region of γ -secretase cleavage; 5 = linker; 6 = TAT exon I; 7 = linker; 8 = amino acids 664-695 of APP.

Figure 37A-C shows the DNA sequence (SEQ ID NO:31) of the fusion protein APP(1-651)NFEV, GAL4-VP16(delMet) APP (664-695).

15 Figure 38 shows the amino acid sequence of a fusion protein (APP(1-651)NFEV, GAL4-VP16(delMet) APP (664-695)) (SEQ ID NO:32) containing the sequence NFEV at the β -secretase cleavage site (underlined at 2) and a wild-type K at position 612 (underlined at 3). The other portions of the fusion protein are indicated as follows: 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 =
20 wild-type K; 4 = region of γ -secretase cleavage; 5 = linker; 6 = GAL4-VP16; 7 = linker; 8 = amino acids 664-695 of APP.

DETAILED DESCRIPTION OF THE INVENTION

For the purposes of this invention:

25 A "fusion protein" is a protein that contains at least two polypeptide regions and, optionally, a linking peptide to operatively link the two polypeptides into one continuous polypeptide. The at least two polypeptide regions in a fusion protein are derived from different sources, and therefore a fusion protein comprises two polypeptide regions not normally joined together in nature.

30 A "linking sequence (or linker peptide)" contains one or more amino acid residues joined in peptide bonds. A linking sequence serves to join two polypeptide regions of differing origins in a fusion protein via a peptide bond between the linking sequence and each of the polypeptide regions.

Typically, a fusion protein is synthesized as a continuous polypeptide in a recombinant host cell which contains an expression vector comprising a

nucleotide sequence encoding the fusion protein where the different regions of the fusion protein are fused in frame on either side of a linker peptide's coding sequence. The chimeric coding sequence (encoding the fusion protein) is operatively linked to expression control sequences (generally provided by the expression vector) that are functional in the recombinant host cell.

"Reporter gene," as used in the present invention, does not mean a DNA sequence present on the chromosome of a cell, generally possessing introns, as is often meant by the word "gene" in the art. Rather "reporter gene" means any DNA sequence encoding a protein or polypeptide that can give rise to a signal that can be detected or measured. "Reporter gene" does not mean a portion of the amino acid sequence of APP. "Reporter gene" will usually mean a DNA sequence, generally a cDNA sequence (although in some cases a reporter gene may have introns) that encodes a protein or polypeptide that is commonly used in the art to provide a measurable phenotype that can be distinguished over background signals.

A "nuclear localization signal (NLS)" is a region of a polypeptide which targets the polypeptide to the nucleus of the cell. One such NLS is that from the SV40 large T antigen. See, e.g., U.S. Patent No. 5,589,392; Kalderon et al., 1984, Cell 39:499-509. The minimum region of the SV40 large T antigen with NLS activity is Pro-Lys-Lys-Lys-Arg-Lys-Val (SEQ ID NO:22). See also U.S. Patent No. 5,776,689.

"Substances" that are screened in the present invention can be any substances that are generally screened in the pharmaceutical industry during the drug development process. For example, substances may be low molecular weight organic compounds (*e.g.*, having a molecular weight of less than about 2,000 daltons and preferably less than about 1,000 daltons), RNA, DNA, antibodies, peptides, or proteins. Substances are often tested in the methods of the present invention as large collections of substances, *e.g.* libraries of low molecular weight organic compounds, peptides, or natural products.

The conditions under which substances are employed in the methods described herein are conditions that are typically used in the art for the study of protein-ligand interactions or enzyme inhibition studies: *e.g.*, salt conditions such as those represented by such commonly used buffers as PBS or in tissue culture media; a temperature of about 4°C to about 55°C; incubation times of from several seconds to several hours or even up to 24 or 48 hours. Screening for the identification of

enzyme-specific inhibitors is a well-known procedure in the pharmaceutical arts and the numerous conditions under which such screening has been done are available in the literature to guide the practitioner of the present invention.

5 A "conservative amino acid substitution" refers to the replacement of one amino acid residue by another, chemically similar, amino acid residue. Examples of such conservative substitutions are: substitution of one hydrophobic residue (isoleucine, leucine, valine, or methionine) for another; substitution of one polar residue for another polar residue of the same charge (*e.g.*, arginine for lysine; glutamic acid for aspartic acid); substitution of one aromatic amino acid (tryptophan, tyrosine,
10 or phenylalanine) for another.

"Transfection" refers to any of the methods known in the art for introducing DNA into a cell, *e.g.*, calcium phosphate or calcium chloride mediated transfection, electroporation, infection with a retroviral vector.

The present invention relates to the discovery of an assay system that
15 permits the simultaneous screening for inhibitors of several types of amyloid precursor protein (APP) processing or signaling (*e.g.*, β -secretase cleavage, γ -secretase cleavage, APP extracellular signaling, APP cytoplasmic signaling). In a preferred embodiment, this screening is accomplished without the concomitant identification of inhibitors of α -secretase. The assay system is carried out in a single
20 type of cell, using a single type of assay readout. Inhibitors discovered by means of the present invention are expected to be useful in the treatment of Alzheimer's disease since these inhibitors are likely to be capable of interfering with the production of A β .

Previous assays for identifying inhibitors of APP processing have focussed specifically on inhibition of either β -secretase or γ -secretase activity, or on
25 inhibition of some other single aspect of A β production. In contrast, the assays described herein are directed to inhibition of APP processing in general. Substances identified through these assays may target β -secretase, γ -secretase, modulators of β -secretase or γ -secretase activity, or even an as-yet-undiscovered ligand interaction with APP. In certain embodiments, these assays will also be free of the potentially
30 misleading or obscuring effects of α -secretase activity. In addition, unlike other assays currently in use, these assays are homogeneous assays; *i.e.*, they require no cumbersome or time-consuming steps such as column chromatography separations, immunoprecipitations, washing steps, etc. Therefore, the assays are very well adapted to a high throughput screening format.

In the present invention, novel recombinant DNA molecules are constructed in which nucleotide sequences encoding at least a portion of the luminal (i.e., N-terminal to the transmembrane region) and transmembrane regions of APP are fused to nucleotide sequences encoding a transcription factor. In a preferred
5 embodiment, the APP contains an α -secretase cleavage site that has been altered to reduce or eliminate α -secretase cleavage. This allows the assays of the present invention to avoid identifying inhibitors of α -secretase and permits the more efficient detection of β -secretase inhibitors since α -secretase and β -secretase compete for APP cleavage. The recombinant DNA molecules may be transfected, along with a reporter
10 gene, into a cell line that processes APP into A β , and stable clones may be generated. Alternatively, the recombinant DNA molecules and reporter plasmid may be utilized in transient transfections.

Upon expression in cells, the APP/transcription factor fusion protein localizes to a non-nuclear membrane of the cell (e.g., the endoplasmic reticulum) due
15 to the presence of the APP sequences in the fusion protein. In a manner similar to cleavage of APP, the fusion protein will then be cleaved, first by β -secretase and then by γ -secretase. γ -secretase cleavage releases the transcription factor from the membrane in which the APP/transcription factor fusion protein had been embedded, after which the transcription factor translocates to the nucleus and stimulates
20 transcription of the reporter gene. Assuming no α -secretase cleavage, cleavage by both β -secretase and γ -secretase is required for release of the transcription factor and transactivation of the reporter gene in this assay since γ -secretase cleavage of APP is dependent on a short luminal domain, such as that generated by β - or α -secretase cleavage. Detection of a signal from the reporter gene product will thus serve as
25 evidence of APP processing. In particular, since activation of the reporter gene requires both β -secretase and γ -secretase cleavage, the assay is capable of identifying inhibitors of both or either of these proteases.

Figure 27 is a schematic diagram depicting general features of the assay. The vertical bar in Figure 27A represents the fusion protein; the horizontal bar
30 represents the non-nuclear membrane in which the fusion protein is embedded before processing. Figure 27B shows how the transcription factor portion of the fusion protein (with small amounts of the APP portion flanking it) has moved to the nucleus following release from the fusion protein by APP processing. In the nucleus, the

transcription factor is shown binding to a regulatory DNA sequence ("Transcription Factor Response Element") and activating transcription of the reporter gene.

The recombinant DNA molecules encoding the APP/transcription factor fusion protein and the reporter gene can be used to develop novel homogenous cell-based assays for the identification and assessment of inhibitors of APP processing which will be readily amenable to high throughput technology.

In one embodiment, the recombinant DNA molecules used in this invention comprise sequences encoding the amino terminal 651 amino acids of the 695 amino acid version of APP (Kang et al., 1987, Nature 325:733-736), including all the sequences necessary for the production of A β , as well as the C-terminal 32 amino acids of APP. The transcription factor is placed between the N-terminal and C-terminal portions of APP. The APP sequence may include a modification to increase the amount of β -secretase cleavage of the fusion protein. This modification involves mutating the K at position 612 of the α -secretase cleavage site to a V (K612V). Since α -secretase and β -secretase compete for APP cleavage, reducing or eliminating APP cleavage by α -secretase results in increased β -secretase cleavage, and allows the assay to detect β -secretase inhibitors more readily. In addition, the β -secretase cleavage site within APP (KM↓DA) (SEQ ID NO:34) may be modified, e.g., to that of a naturally occurring mutation (termed the "Swedish" mutation or NL↓DA) (SEQ ID NO:38) which has been shown to enhance β -secretase cleavage six-fold in cultured cells. Another possible modification is to replace the (KM↓DA) (SEQ ID NO:34) wild-type β -secretase cleavage site with the sequence (NF↓EV) (SEQ ID NO:40). The presence of NFEV in an amino acid sequence has been shown to enhance β -secretase cleavage by an even larger amount than the Swedish sequence. See U.S. Provisional Patent Application Serial No. 60/292,591 and U.S. Provisional Patent Application Serial No. 60/316,115, the disclosures of which are incorporated herein, in their entirety.

In a preferred embodiment, HIV-1 TAT exon I has been fused between sequences encoding the first 651 amino acids of APP₆₉₅ and the last 32 amino acids of APP₆₉₅ (APP-TAT-APPct32). Co-transfection of an expression vector comprising this construct with a reporter gene plasmid containing an HIV-1 LTR promoter that controls the transcription of a reporter gene leads to enhanced expression of the reporter gene. Other transcription factors that could be fused to APP₁₋₆₅₁ include Gal4-VP16, the entire Gal4 protein, BIV TAT, HIV-2 TAT, SIV TAT, LexA-VP16, EBV Zta, Papillomavirus E2, or tissue or species specific homodimeric bHLH

transcription factors capable of activating transcription through specific DNA response elements, such as E12, E47, or Twist. The use of GAL4, BIV, HIV-2, or SIV TAT may be useful if it is desired to reduce the potency of the transactivator, thus reducing any background transactivation caused by non-specific cleavage of the fusion protein. To further reduce the potential for transactivation by TAT in the absence of β -secretase and γ -secretase cleavage, the TAT portion of the fusion protein may be altered to remove the N-terminal methionine and thus eliminate the possibility of aberrant translation of TAT through any potential internal ribosomal entry sites.

In some circumstances, high level expression of TAT has been found to be toxic to cells. Thus, when TAT is the transcription factor fused to APP in the methods of the present invention, it may be advantageous to utilize transient transfection with low amounts of the expression vector encoding the APP/TAT fusion protein. A set of preliminary experiments in which various amounts of the vector are transfected, in order to titrate acceptable levels of TAT, is recommended.

The reporter gene used will depend in large part upon the transcription factor fused to APP. The promoter used to drive the reporter gene will be LTR for TAT-based APP fusion proteins, or UAS (6x) for GAL4-VP16-based APP fusion proteins. In a particular embodiment, an LTR driving EGFP (enhanced green fluorescent protein, a brighter variant of GFP made by Aurora Biosciences, San Diego, CA) has been used to observe processing of an APP/TAT fusion protein. Under certain conditions, it may be desirable to use a less stable reporter, such as dsEGFP (a destabilized variant of EGFP made by Aurora Biosciences, San Diego, CA and marketed by Clontech, Palo Alto, CA) or a more potent reporter, such as β -lactamase. Alternatively, a stable HeLa cell line expressing LTR- β -galactosidase can be used. If the exquisite sensitivity of β -lactamase makes it less than optimal for a particular purpose, the LTR- β -galactosidase cell line may be exploited for this assay. Finally, under some circumstances Gal4-VP16 may prove to be optimal relative to TAT to reduce any inherent background problems associated with using the weakly but constitutively active LTR in the reporter plasmid, in which case the reporter plasmid could be UAS(6x)- β -lactamase (Aurora Biosciences, San Diego, CA).

A variety of cells are suitable for use in the methods of the present invention. Particularly preferred are eukaryotic, especially mammalian, cell lines. In particular embodiments, the cells are selected from the group consisting of: L cells L-M(TK-) (ATCC CCL 1.3), L cells L-M (ATCC CCL 1.2), HEK293 (ATCC CRL

1573), HEK293T, Raji (ATCC CCL 86), CV-1 (ATCC CCL 70), COS-1 (ATCC CRL 1650), COS-7 (ATCC CRL 1651), CHO-K1 (ATCC CCL 61), 3T3 (ATCC CCL 92), NIH/3T3 (ATCC CRL 1658), HeLa (ATCC CCL 2), C127I (ATCC CRL 1616), BS-C-1 (ATCC CCL 26), T24 (ATCC HTB-4), PC12 cells, Jurkat cells, H4 cells (ATCC HTB-148), and MRC-5 (ATCC CCL 171).

To make the assay more amenable for ultra-high throughput screening, a non-adherent cell line, such as Jurkat, can be used.

Generally, the assays of the present invention employ cells that naturally express β -secretase and γ -secretase. However, it is possible to practice the invention in cells that lack the expression of one, or both, of these enzymes. In such cases, β -secretase and γ -secretase activity can be provided by the recombinant expression of these enzymes in the cells.

In one embodiment, the present invention provides a recombinant cell, preferably a eukaryotic cell, even more preferably a mammalian cell, and most preferably a human cell, where the cell expresses a fusion protein of APP and a transcription factor and the cell contains a reporter gene that can be activated by the transcription factor. The fusion protein comprises a portion of APP where that portion includes the regions of the β -secretase and γ -secretase cleavage sites fused to a transcription factor. The region of APP including the β -secretase and γ -secretase cleavage sites can be, e.g., a portion of APP that includes amino acids 589-651 of the 695 amino acid version of APP. This region is shown below.

↓ ↓ ↓
 25 EEISEVKM DAEFRHDSGYEVHHQKLVFFAEDVGSNKGAIIGLMVGGVV IA
 TVIVITLVMMLKKK (SEQ ID NO:33)

The β -secretase cleavage site is shown at position 596-597 (KM DA) (SEQ ID NO:34).

Two predominant cleavage sites of γ -secretase are shown at positions 636-637 and 638-639

↓ ↓
(GVV IA TV) (SEQ ID NO>35).

35 The fusion protein will be anchored in the membrane by the APP sequences shown above. The N-terminal portion of APP must include at least the β -

secretase cleavage site, and possibly several amino-acids N-terminal to the β -secretase cleavage site to make the assay sensitive to both β -secretase and γ -secretase inhibitors. In many cases, the APP sequences will include sequences further N-terminal than those shown above, including the signal sequence at the N-terminus of APP. In cases, where the APP signal sequence is not used, another signal sequence may be incorporated in the fusion protein. Such other signal sequences are known in the art.

In a related embodiment, the present invention provides a recombinant cell, preferably a eukaryotic cell, even more preferably a mammalian cell, and most preferably a human cell, where the above-described APP portion of the fusion protein contains a K612V mutation. The APP portion of this embodiment is shown below.

↓ ↓ ↓
EEISEVKM DAEFRHDSGYEVHHQVLVFFAEDVGSNKGAIIGLMVGGVV IA
TVIVITLVMLKKK (SEQ ID NO:36)

The β -secretase cleavage site is shown at position 596-597 (KM DA) (SEQ ID NO:34).

Two predominant cleavage sites of γ -secretase are shown at positions 636-637 and 638-639

↓ ↓
(GVV IA TV) (SEQ ID NO:35).

The underlined V at position 612 shows the change in sequence in the present invention from the wild-type K to the mutant V, which change provides for reduced cleavage by α -secretase.

In a related embodiment, the present invention provides a recombinant cell, preferably a eukaryotic cell, even more preferably a mammalian cell, and most preferably a human cell, where the above-described APP portion of the fusion protein contains the Swedish version of the β -secretase cleavage site as well as a K612V mutation. The APP portion of this embodiment is shown below.

↓ ↓ ↓
EEISEVNL DAEFRHDSGYEVHHQVLVFFAEDVGSNKGAIGLMVGGVV IA
TVIVITLVMMLKKK (SEQ ID NO:37)

The β -secretase cleavage site is shown at position 596-597 (NL DA) (SEQ ID NO:38).

Two predominant cleavage sites of γ -secretase are shown at positions 636-637 and 638-639

↓ ↓

(GVV 1A TV) (SEQ ID NO:35).

5 The underlined V at position 612 shows the change in sequence in the present invention from the wild-type K to the mutant V, which change provides for reduced cleavage by α -secretase.

In a related embodiment, the present invention provides a recombinant cell, preferably a eukaryotic cell, even more preferably a mammalian cell, and most preferably a human cell, where the above-described APP portion of the fusion protein contains the NFEV version of the β -secretase cleavage site as well as a K612V mutation. The APP portion of this embodiment is shown below.

↓

15 EEISEVNF EVEFRHDSGYEVHHQVLVFFAEDVGSNKGAIIGLMVGGVV IA
TVIVITLVMLKKK (SEQ ID NO:39)

↓

The β -secretase cleavage site is shown at position 596-597 (NF EV) (SEQ ID NO:40).

20 Two predominant cleavage sites of γ -secretase are shown at positions 636-637 and 638-639

↓ ↓

(GVV 1A TV) (SEQ ID NO:35).

25 The underlined V at position 612 shows the change in sequence in the present invention from the wild-type K to the mutant V, which change provides for reduced cleavage by α -secretase.

The presence of both β -secretase and γ -secretase cleavage sites in the fusion proteins permits the assays of the present invention to detect inhibitors of both β -secretase and γ -secretase.

30 The recombinant host cells of the present invention can be further engineered to comprise a reporter gene construct. The reporter gene construct contains a reporter gene in operable linkage with a regulatory DNA sequence that confers on the reporter gene the property of being regulated by the transcription factor of the fusion protein. This regulation is such that expression of the reporter gene is
35 low or absent without binding of the transcription factor to the regulatory DNA

sequence but, when the transcription factor is released from the fusion protein by APP processing, the transcription factor can move into the nucleus of the cell and bind to the regulatory DNA sequence, thereby activating transcription from the reporter gene.

Reporter genes desirably give rise to gene products which can be
5 detected or quantitated, either in terms of amount of protein synthesized, enzymatic activity, fluorescence, luminescence, or some other phenotype. Suitable reporter gene products include firefly luciferase (de Wet et al., 1987, Mol. Cell. Biol. 7:725-737) or bacterial luciferase (Englebrecht et al., 1985, Science 227:1345-1347; Baldwin et al., 1984, Biochem. 23:3663-3667), β -lactamase, β -glucuronidase, β -galactosidase, green
10 fluorescent proteins, enhanced green fluorescent protein, destabilized enhanced green fluorescent protein, red fluorescent protein, yellow fluorescent protein, cyan fluorescent protein, destabilized yellow fluorescent protein, destabilized cyan fluorescent protein, aequorin, chloramphenicol acetyl transferase (Alton & Vapnek, 1979, Nature 282:864-869), rat liver alkaline phosphatase (Toh et al., 1989, Eur. J.
15 Biochem. 182:231-237), human placental secreted alkaline phosphatase (Cullen & Mallim, 1992, Meth. Enzymol. 216:362-368), and horseradish peroxidase, among others.

A preferred reporter gene is green fluorescent protein (GFP) or a modified GFP. Wild-type GFP has long been used in the art. Starting from green
20 fluorescent protein, many modified versions have been derived with altered or enhanced spectral properties as compared with wild-type GFP. See, e.g., U.S. Patent No. 5,625,048; International Patent Publication WO 97/28261; International Patent Publication WO 96/23810. Useful are the modified GFPs W1B and TOPAZ, available commercially from Aurora Biosciences Corp., San Diego, CA. W1B
25 contains the following changes from the wild-type GFP sequence: F64L, S65T, Y66W, N146I, M153T, and V163A (see Table 1, page 519, of Tsien, 1998, Ann. Rev. Biochem. 67:509-544). TOPAZ contains the following changes from the wild-type GFP sequence: S65G, V68L, S72A, and T203Y (see Table 1, page 519, of Tsien, 1998, Ann. Rev. Biochem. 67:509-544). Wild-type nucleotide and amino acid
30 sequences of GFP are shown in Figure 1 and SEQ ID NO: 1 of International Patent Publication WO 97/28261; in Figure 1 of Tsien, 1998, Ann. Rev. Biochem. 67:509-544; and in Prasher et al., 1992, Gene 111:229-233.

When expressing GFPs in mammalian cells, it may be advantageous to construct versions of the GFPs having altered codons that conform to those codons

preferred by mammalian cells (Zolotukhin et al., J. Virol. 1996, 70:4646-46754; Yang et al., 1996, Nucl. Acids Res. 24:4592-4593). Another way of improving GFP expression in mammalian cells is to provide an optimal ribosome binding site by the use of an additional codon immediately after the starting methionine (Cramer et al., 5 1996, Nature Biotechnology 14:315-319).

Transcription factors that are useful in the present invention are preferably those transcription factors that are not naturally expressed in the recombinant host cells. This is so the regulatory DNA sequence is not activated absent APP processing and release of the transcription factor from the fusion protein. 10 Preferably, the transcription factor contains, or is engineered to contain, a nuclear localization signal. This is so that, after release, the transcription factor will move into the nucleus of the genetically modified host cells where it can bind to, and activate, the regulatory DNA sequence, leading to expression of the reporter gene. Transcription factors, as used in the present invention, do not include proteins that, 15 after release from a fusion protein and translocation into the nucleus, repress transcription from a reporter gene.

Among the transcription factors that are useful in the present invention are: HIV1 TAT (in particular exon I of HIV1 TAT), Gal4-VP16, the entire Gal4 protein, BIV TAT, HIV-2 TAT, SIV TAT, LexA-VP16, EBV Zta, Papillomavirus E2, 20 or one of the bHLH homodimeric transcription factors, E12, E47, or Twist.

Expression vectors are generally used to express the fusion protein in the recombinant cells. An expression vector contains recombinant nucleic acid encoding a polypeptide (e.g., an APP/transcription factor fusion protein) along with regulatory elements for proper transcription and processing. Generally, the regulatory 25 elements that are present in an expression vector include a transcriptional promoter, a ribosome binding site, a transcriptional terminator, and a polyadenylation signal. Other elements may include an origin of replication for autonomous replication in a host cell, a selectable marker, a limited number of useful restriction enzyme sites, and a potential for high copy number.

30 A variety of expression vectors are known in the art and can be used in the present invention. Commercially available expression vectors which are suitable include, but are not limited to, pMC1neo (Stratagene), pSG5 (Stratagene), pcDNAI and pcDNAIamp, pcDNA3, pcDNA3.1, pCR3.1 (Invitrogen, San Diego, CA), EBO-pSV2-neo (ATCC 37593), pBPV-1(8-2) (ATCC 37110), pdBPV-MMTneo(342-12)

(ATCC 37224), pRSVgpt (ATCC 37199), pRSVneo (ATCC 37198), pCI.neo (Promega), pTRE (Clontech, Palo Alto, CA), pV1Jneo, pIRESneo (Clontech, Palo Alto, CA), pCEP4 (Invitrogen, San Diego, CA), pSC11, and pSV2-dhfr (ATCC 37146). The choice of vector will depend upon the cell type in which it is desired to
5 express the APP/transcription factor fusion protein, as well as on the level of expression desired, and the like.

The expression vectors can be used to transiently express or stably express the fusion protein. The transient expression or stable expression of transfected DNA is well known in the art. See, *e.g.*, Ausubel et al., 1995,
10 "Introduction of DNA into mammalian cells," in Current Protocols in Molecular Biology, sections 9.5.1-9.5.6 (John Wiley & Sons, Inc.).

The recombinant host cells of the present invention are useful in methods of screening substances for the ability to inhibit APP processing. In one embodiment, the methods of the present invention comprise adding a candidate
15 substance to a recombinant host cell comprising an APP/transcription factor fusion protein and a reporter gene and comparing the level of expression of the reporter gene protein in the presence and absence of the candidate substance, wherein the level of expression of the reporter gene protein is lower when the candidate substance inhibits processing of the APP/transcription factor fusion protein such that the transcription
20 factor is not released, or is released in a lower amount, than in the absence of the substance.

The level of expression of the reporter gene protein is generally not measured directly. Rather, an indirect method is used. For example, fluorescence given off by the reporter gene protein may be detected or measured as, *e.g.*, when the
25 reporter gene product is a green fluorescent protein; or, some enzymatic activity of the reporter gene product may be detected or measured, *e.g.*, when the reporter gene product is β -lactamase.

The candidate substance may be of any form suitable for entry into the cytoplasm of the recombinant cell or for contact with the cell's cytoplasmic
30 membrane. Under appropriate conditions, the candidate substance may be allowed to freely diffuse into the cell, or the delivery of the substance may be facilitated by techniques and substances which enhance cell permeability, a wide variety of which are known in the art. Methods for increasing cell permeability include, without limitation, the use of organic solvents such as dimethylsulfoxide, liposomes,

application of electrical current, and physical means such as substance-coated teflon pellets.

The present invention provides a method of identifying a substance that inhibits APP processing comprising:

- 5 (a) providing a recombinant eukaryotic cell which:
 - (i) expresses a fusion protein comprising amino acids 589-651 of APP₆₉₅ and a transcription factor where the transcription factor is fused in frame to the carboxyl terminus of amino acids 589-651 of APP₆₉₅; and
 - (ii) comprises a reporter gene operably linked to a regulatory
- 10 DNA sequence which is capable of being activated by the transcription factor;
- (b) measuring the level of reporter gene product in the cell in the absence of the substance;
- (c) adding the substance to the cell and measuring the level of reporter gene product in the cell in the presence of the substance;
- 15 where a decrease in the level of reporter gene product in the presence as compared to the absence of the substance indicates that the substance inhibits APP processing.

The manner in which the level of the reporter gene product is measured will be determined by the nature of the reporter gene and, often, the characteristics of the host cell. For example, if the reporter gene product itself is fluorescent, as for

20 example, when a green fluorescent protein is the reporter gene product, fluorescence from the cell can be measured directly. When the reporter gene product has enzymatic activity, for example, when the reporter gene product is β -lactamase, known methods of measuring that enzymatic activity can be used.

25 For the sake of clarity, the above method is described in terms of "a" cell. In actual practice, the method will generally be carried on a large number of cells at one time. For example, the method will often be carried out in a well of a tissue culture plate, where, depending on the number of wells in the plate (and thus their size), there can be up to hundreds, thousands, or even several million cells. The step

30 of "adding the substance to the cell" is generally carried out by simply adding the substance to the tissue culture medium in which the cells are present. After the substance is added to the cell, the cell and the substance are incubated for a period of time sufficient for the substance to inhibit APP processing, if the substance is actually

an inhibitor of APP processing. This period is usually from about 15 minutes to 48 hours, but may be somewhat more in unusual cases.

5 A convenient way of carrying out the method is to grow a population of the recombinant eukaryotic cells and then split the population into a portion that will be exposed to the substance and a portion that will not be exposed to the substance.

The recombinant eukaryotic cell is generally produced by transfection of an expression vector encoding the fusion protein and by transfection of a plasmid containing the reporter gene.

10 One skilled in the art would recognize that what is sought in terms of "a decrease in the level of reporter gene product in the presence as compared to the absence of the substance" is a non-trivial decrease. For example, if in the method described above there is found a 1% decrease, this would not indicate that the substance is an inhibitor of APP processing. Rather, one skilled in the art would
15 attribute such a small decrease to normal experimental variance. What is looked for is a significant decrease. For the purposes of this invention, a significant decrease fulfills the usual requirements for a statistically valid measurement of a biological signal. For example, depending upon the details of the embodiment of the invention, a significant decrease might be a decrease of at least 10%, preferably at least 20%,
20 more preferably at least 50%, and most preferably at least 90%.

In particular embodiments, amino acids 589-651 of APP₆₉₅ contain a K612V mutation.

In particular embodiments, the cell is a mammalian cell. In particular embodiments, the cell is a human cell.

25 In particular embodiments, the method is used to screen a library of more than 1,000 substances. In other embodiments, the method is used to screen a library of more than 50,000 substances at a rate of more than 1,000 substances per 24 hours.

30 In particular embodiments, the fusion protein comprises a portion of APP that is selected from the group consisting of: amino acids 1-651 of APP₆₉₅, amino acids 50-651 of APP₆₉₅, amino acids 100-651 of APP₆₉₅, amino acids 150-651 of APP₆₉₅, amino acids 200-651 of APP₆₉₅, amino acids 250-651 of APP₆₉₅, amino acids 300-651 of APP₆₉₅, amino acids 350-651 of APP₆₉₅, amino acids 400-

651 of APP₆₉₅, amino acids 450-651 of APP₆₉₅, amino acids 500-651 of APP₆₉₅, and amino acids 550-651 of APP₆₉₅.

In related embodiments, the fusion protein does not comprise all of amino acids 589-651 of APP₆₉₅. Rather, the fusion protein comprises slightly fewer amino acids from APP. For example, the fusion protein might comprise slightly fewer amino acids of the β -secretase cleavage site: e.g., amino acids 590-651 of APP₆₉₅. Or the fusion protein might comprise slightly fewer amino acids of the γ -secretase cleavage site: amino acids 589-650 of APP₆₉₅; amino acids 589-649 of APP₆₉₅; amino acids 589-648 of APP₆₉₅; or amino acids 589-647. The fusion protein may even comprise slightly fewer amino acids from both ends, e.g., amino acids 590-647 of APP₆₉₅. What is important is that the portion of APP included in the fusion protein contains both the β -secretase cleavage site and the γ -secretase cleavage site.

In particular embodiments, the transcription factor is selected from the group consisting of: HIV-1 TAT, Gal4-VP16, the entire Gal4 protein, LexA-VP16, EBV Zta, Papillomavirus E2, one of the bHLH homodimeric transcription factors, including E12, E47, or Twist, or BIV TAT, HIV-2 TAT, or SIV TAT. A particular version of HIV-1 TAT suitable for use in the present invention is HIV-1 TAT exon I.

Fusion proteins suitable for use in the present invention can be selected from the group consisting of: APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695) (SEQ ID NO:2); APP(1-651)wt, K612V-TATexonI(M1L) APP (664-695) (SEQ ID NO:4); APP(1-651)SW, K612V, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:6); APP(1-651)wt, K612V, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:8); APP(1-651)SW, TATexonI(M1L) APP (664-695) (SEQ ID NO:10); APP(1-651)wt, TATexonI(M1L) APP (664-695) (SEQ ID NO:12); APP(1-651)SW, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:14); APP(1-651)wt, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:16); APP(1-651)NFEV, K612V-TATexonI(M1L) APP (664-695) (SEQ ID NO:23); and APP(1-651)NFEV, K612V, GAL4-VP16(M1L) APP (664-695) (SEQ ID NO:25).

In some embodiments of the present invention, the amino acid sequences contributed to the fusion protein by the transcription factor constitute the carboxy terminal amino acid sequences of the fusion protein. In other embodiments, the transcription factor has other sequences fused to its carboxy terminus, as in the examples herein where amino acids 664-695 of APP₆₉₅ are fused to the carboxy terminus of the transcription factor and therefore constitute the carboxy terminal

amino acid sequences of the fusion protein. Other portions of APP (e.g., amino acids 652-695 of APP₆₉₅) could be used instead of amino acids 664-695 of APP₆₉₅. In fact, it should be possible to extend the carboxy terminus of the transcription factor with almost any amino acid sequences, providing such sequences do not interfere with the ability of the transcription factor to move into the nucleus and activate transcription of the reporter gene once the transcription factor has been released from the fusion protein by the action of γ -secretase.

The present invention includes a method of identifying a substance that inhibits APP processing comprising:

- 10 (a) providing a recombinant eukaryotic cell which:
 - (i) expresses a fusion protein comprising an amino acid sequence from APP that is capable of being cleaved by both β -secretase and γ -secretase and a transcription factor where the transcription factor is fused in frame to the amino acid sequence from APP; and
 - 15 (ii) comprises a reporter gene operably linked to a regulatory DNA sequence which capable of being activated by the transcription factor;
- (b) measuring the level of reporter gene product in the cell in the absence of the substance;
- (c) adding the compound to the cell and measuring the level of reporter gene product in the cell in the presence of the substance;
- 20 where a decrease in the level of reporter gene product in the presence as compared to the absence of the substance indicates that the substance inhibits APP processing.

In particular embodiments, the amino acid sequence from APP comprises:

- 25 589-651 of APP₆₉₅;
- 590-651 of APP₆₉₅;
- 589-650 of APP₆₉₅;
- 590-650 of APP₆₉₅;
- 30 589-649 of APP₆₉₅;
- 590-649 of APP₆₉₅;
- 589-648 of APP₆₉₅;
- 590-648 of APP₆₉₅;
- 589-647 of APP₆₉₅; or

590-647 of APP₆₉₅.

In related embodiments, the amino acid sequence from APP contains the amino acid sequence NLDA (SEQ ID NO:38) at the β -secretase cleavage site instead of the wild-type sequence KMDA (SEQ ID NO:34).

5 In related embodiments, the amino acid sequence from APP contains the amino acid sequence NFEV (SEQ ID NO:40) at the β -secretase cleavage site instead of the wild-type sequence KMDA (SEQ ID NO:34).

The portion of the fusion protein that is derived from APP may contain mutations that are known in the art. Of particular interest are mutations that result in an increased proportion of A β being made in the form of A β ₁₋₄₂ rather than A β ₁₋₄₀. Such mutations are disclosed in the following publications (numbering is from the 770 amino acid version of APP):

- Swedish (K670N, M671L): Mullan et al., 1992, Nature Genet. 1:345-347.
 Flemish (A692G): Hendriks et al., 1992, Nature Genet. 1:218-221; Cras et al., 1998,
 15 Acta Neuropathol. (Berlin) 96:253-260.
 Dutch (E693Q): Levy et al., 1990, Science 248:1124-1126.
 Arctic (E693G): Nilsberth et al., 2001, Nature Neuroscience 4: 887-893.
 Austrian (T714I): Kumar-Singh et al., 2000, Hum. Mol. Genet. 9:2589-2598.
 French (V715M): Ancolio et al., 1999, Proc. Natl. Acad. Sci. (USA) 96:4119-4124.
 20 Florida (I716V): Eckman et al., 1997, Hum. Mol. Genet. 6:2087-2089.
 V717F: Murrell et al., 1991, Science 254:97-99.
 V717G: Chartier-Harlin et al., 1991, Nature 353:844-846.
 London (V717I): Goate et al., 1991, Nature 349:704-706.
 L723P: Kwok et al., 2000, Ann. Neurol. 47:249-253.
 25 I716F (also called I45F, referring to the position relative to the β -secretase cleavage site): This mutation in APP changes processing of A β almost exclusively to A β ₁₋₄₂.
 Lichtenthaler et al., 1999, Proc. Natl. Acad. Sci. (USA) 96:3053-3058.

As with many proteins, it may be possible to modify many of the amino acids of the fusion proteins described above and still retain substantially the same biological activity in terms of APP processing as for the original fusion protein. Thus, the present invention includes modified fusion proteins which have amino acid deletions, additions, or substitutions but that still retain substantially the same properties with respect to APP processing as the fusion proteins described herein. It is generally accepted that single amino acid substitutions do not usually alter the

biological activity of a protein (see, *e.g.*, Molecular Biology of the Gene, Watson *et al.*, 1987, Fourth Ed., The Benjamin/Cummings Publishing Co., Inc., page 226; and Cunningham & Wells, 1989, Science 244:1081-1085). Accordingly, the present invention includes fusion proteins where one amino acid substitution has been made
5 in the fusion proteins described herein where the fusion proteins still retain substantially the same properties with respect to APP processing as the fusion proteins described herein. The present invention also includes fusion proteins where two or more amino acid substitutions have been made in the fusion proteins described herein where the fusion proteins still retain substantially the same properties with respect to
10 APP processing as the fusion proteins described herein. In particular, the present invention includes embodiments where the substitutions are conservative substitutions.

With the exception of Figure 18, the nucleotide and amino acid sequences of APP disclosed herein contain a minor difference compared to APP
15 sequences that are usually reported in the literature. For the sequences disclosed herein with such a difference, the nucleotide at position 367 is an A rather than a G, as in most published APP sequences. This change results in a conservative substitution in the corresponding APP amino acid sequence. Thus, the amino acid sequences disclosed herein with such a difference have an I rather than a V at position 123. This
20 difference does not affect the properties of the fusion proteins for the purposes of the present invention. Therefore, fusion proteins having the APP sequence reported in the literature with an G at nucleotide position 367 and a V at amino acid position 123 and the fusion proteins disclosed herein with an A at nucleotide position 367 and an I at amino acid position 123 are to be considered equivalents for the purposes of the
25 present invention.

The Gal-VP16 sequences disclosed herein contain two changes from the usual published sequences. There is T to C change at nucleotide position 2131 that causes a S to P change at amino acid position 712; there is A to C change at nucleotide position 2301 that does not change the amino acid sequence. It is expected
30 that Gal-VP16 proteins containing the usual sequences reported in the literature will also be suitable for use in the present invention.

The methods of the present invention can be used to screen libraries of substances or other sources of substances to identify substances that are inhibitors of β -secretase or γ -secretase. Such identified inhibitory substances can serve as "leads"

for the development of pharmaceuticals that can be used to treat patients having Alzheimer's disease or in a prophylactic manner to prevent or delay the development of Alzheimer's disease. Such leads can be further developed into pharmaceuticals by, for example, subjecting the leads to sequential modifications, molecular modeling, and other routine procedures employed in the pharmaceutical industry. The inhibitors of APP processing identified by the present invention may also be tested in animal models of Alzheimer's disease such as the various transgenic mouse models that are known in the art.

Although a wide variety of substances can be screened by the methods of the present invention, preferred substances for screening are libraries of small molecule compounds. Small molecule compounds are preferred because they are more readily absorbed after oral administration, have fewer potential antigenic determinants, and are more likely to cross the blood/brain barrier than larger molecules such as nucleic acids or proteins.

Once identified by the methods of the present invention, the candidate small molecule compounds may then be produced in quantities sufficient for pharmaceutical testing and formulated in a pharmaceutically acceptable carrier (see, e.g., Remington's Pharmaceutical Sciences, Gennaro, A., ed., Mack Publishing, 1990, for suitable methods). The candidate compounds may be administered to cell lines relevant to Alzheimer's disease, animal models of Alzheimer's disease, or Alzheimer's disease patients.

The numbering of the amino acids in APP used herein is based on the 695 amino acid version of APP described in Kang et al., 1987, Nature 325:733-736. There are two other major versions of APP, having 751 amino acids and 770 amino acids (see, Ponte et al., 1988, Nature 331:525-527 for the 751 amino acid version and Kitaguchi et al., 1988, Nature 331:530-532 for the 770 amino acid version). One skilled in the art will understand how to translate the numbering used herein, based on the 695 amino acid version of APP, into the corresponding numbering for other versions of APP. For example, some of the APP/transcription factor fusion proteins of the present invention contain the K612V mutation, based on the numbering of the 695 amino acid version. This mutation would correspond to a K668V mutation in the 751 amino acid version and a K687V mutation in the 770 amino acid version.

Therefore, when a "K612V" mutation is referred to herein, it will be understood that such reference also includes a K668V mutation of the 751 amino acid version of APP as well as a K687V mutation of the 770 amino acid version of APP.

Similarly, the portion of APP referred to as APP₁₋₆₅₁ herein, based on
5 the 695 amino acid version, will be understood to mean also APP₁₋₇₀₇ of the 751 amino acid version and APP₁₋₇₂₆ of the 770 amino acid version.

If desired, inhibitors that are identified by the methods of the present invention can be further tested to determine which step in APP processing they affect. Assays that are known to be specific for the various steps of APP processing can be
10 used for this purpose. For example, the assay of Karlström et al., (Journal of Biological Chemistry papers in press, published on December 13, 2001 as Manuscript C100649200) is only capable of detecting inhibitors of γ -secretase and cannot also detect inhibitors of other steps of APP processing such as, e.g., inhibitors of β -secretase. If an inhibitor identified by the methods of the present invention is found to
15 also be an inhibitor when tested in the assay of Karlström et al., then that inhibitor is at least a γ -secretase inhibitor. It is still possible that that inhibitor could inhibit other steps in APP processing as well. Further tests known in the art can determine this.

The present invention may be modified so as to provide methods of determining at which step of APP processing a known inhibitor of APP processing
20 exerts its effect. The known inhibitor may be one that has been identified by the methods of the present invention or by some other method. The modification to the present invention consists in mutating the β -secretase site in a fusion protein so that β -secretase cleavage can no longer occur at the site or occurs at a very much reduced level. Providing that the fusion protein contains a cleavable α -secretase site, the
25 fusion protein can still be used in the methods of the present invention. However, this fusion protein (with a mutated β -secretase site) can no longer detect β -secretase inhibitors. Therefore, if the known APP processing inhibitor still functions as an APP processing inhibitor in this modified version of the invention, then the known inhibitor cannot be a β -secretase site inhibitor but instead must exert its effect
30 downstream of β -secretase.

Suitable mutations of the β -secretase site include the following. All the sequences are for amino acid positions 594-598 of APP₆₉₅.

VNFAV (SEQ ID NO:41): This mutation shows decreased β -secretase cleavage relative to the wild type, KMDA (SEQ ID NO:34), sequence.

VKVDA (SEQ ID NO:42): Vassar et al., 1999, Science 286:735-741. This mutant was tested in vitro only, but purified β -secretase failed to cleave a 30-amino acid peptide containing this sequence.

- WKMDA (SEQ ID NO:43), VKADA (SEQ ID NO:44), VKKDA (SEQ ID NO:45),
5 VKEDA (SEQ ID NO:46), VKIDA (SEQ ID NO:47), VKMIA (SEQ ID NO:48),
VKMNA (SEQ ID NO:49), VKMEA (SEQ ID NO:50), VKMDE (SEQ ID NO:51),
VKMDK (SEQ ID NO:52): Citron et al., 1995. Neuron 14:661-670. These mutations decreased A β production 4-20X relative to p3 production in cultured cells.

- Fusion proteins can be constructed by use of the polymerase chain
10 reaction (PCR) to amplify desired portions of APP and transcription factors, which can be then be cloned into expression vectors by methods well known in the art. Primers for PCR will generally include a small part of the APP or transcription factor as well as convenient cloning sites and/or linker peptide sequences. The PCR primers can be used to amplify the desired APP or transcription factor fragments from sources
15 such as previously cloned APP or transcription factors, cDNA libraries, or genomic libraries. The amplified APP and transcription factor sequences can be cloned into suitable expression vectors. Methods of PCR and cloning are well known in the art and can be found in standard reference materials such as those listed below.

- Standard techniques for cloning, DNA isolation, amplification and
20 purification, for enzymatic reactions involving DNA ligase, DNA polymerase, restriction endonucleases and the like, and various separation techniques are known and commonly employed by those skilled in the art. A number of standard techniques are described in Sambrook et al. (1989) Molecular Cloning, Second Edition, Cold Spring Harbor Laboratory, Plainview, N.Y.; Maniatis et al. (1982) Molecular Cloning,
25 Cold Spring Harbor Laboratory, Plainview, N. Y.; Wu (ed.) (1993) Meth. Enzymol. 218, Part I; Wu (ed.) (1979) Meth. Enzymol. 68; Wu et al. (eds.) (1983) Meth. Enzymol. 100 and 101; Grossman and Moldave (eds.) Meth. Enzymol. 65; Miller (ed.) (1972) Experiments in Molecular Genetics, Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.; Old and Primrose (1981) Principles of Gene Manipulation,
30 University of California Press, Berkeley; Schleif and Wensink (1982) Practical Methods in Molecular Biology; Glover (ed.) (1985) DNA Cloning Vol. I and II, IRL Press, Oxford, UK; Hames and Higgins (eds.) (1985) Nucleic Acid Hybridization, IRL Press, Oxford, UK; Setlow and Hollaender (1979) Genetic Engineering: Principles

and Methods, Vols. 1-4, Plenum Press, New York, and Ausubel et al. (1992) Current Protocols in Molecular Biology, Greene/Wiley, New York, N.Y..

PCR reactions can be carried out with a variety of thermostable enzymes including but not limited to AmpliTaq, AmpliTaq Gold, or Vent polymerase. For AmpliTaq, reactions can be carried out in 10 mM Tris-Cl, pH 8.3, 2.0 mM MgCl₂, 200 μ M of each dNTP, 50 mM KCl, 0.2 μ M of each primer, 10 ng of DNA template, 0.05 units/ μ l of AmpliTaq. The reactions are heated at 95°C for 3 minutes and then cycled 35 times using suitable cycling parameters, including, but not limited to, 95°C, 20 seconds, 62°C, 20 seconds, 72°C, 3 minutes. In addition to these conditions, a variety of suitable PCR protocols can be found in PCR Primer, A Laboratory Manual, edited by C.W. Dieffenbach and G.S. Dveksler, 1995, Cold Spring Harbor Laboratory Press; or PCR Protocols: A Guide to Methods and Applications, Michael et al., eds., 1990, Academic Press.

It is desirable to sequence the DNA encoding the fusion proteins, or at least the junction regions of the various portions (APP, transcription factor, linkers) of the fusion protein in order to verify that the desired portions have in fact been obtained, joined properly, and that no unexpected changes have been introduced into the sequences by the PCR reactions.

Suitable PCR primers for amplification of DNA sequences for use in the present invention can be readily designed by those of skill in the art. Examples of such primers are shown below.

5'-GGA GAG GAT ATC ATG GAG CCA GTA GAT CC-3' (SEQ ID NO:53) can be used to amplify the 5' portion of HIV-1 TAT exon I.

5'-TAC ATG GCG GCC GCC TAC TTA CTG CTT TG-3' (SEQ ID NO:54) can be used to amplify the 3' portion of HIV-1 TAT exon I.

5'-GGA TGT GAT ATC TTT CTT CTT CAG CAT CAC CAA GG-3' (SEQ ID NO:55) can be used to amplify the 3' portion of DNA encoding amino acids 1-651 of APP, i.e., the transmembrane region of APP.

The following non-limiting examples are presented to better illustrate the invention.

EXAMPLE 1

Transfection of pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI with
pMM321

5 The following example demonstrated that an APP/TAT fusion
construct will transactivate a reporter gene in which the HIV1 LTR regulatory DNA
sequence controls the expression of enhanced green fluorescent protein (EGFP). The
following also serves as an example of the kind of preliminary routine variations of
fusion protein levels and inhibitor levels that may be advantageous to test in the
10 practice of the present invention. Such routine variations are often helpful in
validating the assays before a large scale screening project is undertaken.

 The APP/TAT fusion construct is referred to as "pcDNA3.1 zeo (+)
APP(1-651)SW, K612V-(M1L)TATexonI" (see Figure 26) and contains the HIV1
TAT exon 1 fused just after the transmembrane domain of APP. This construct is also
15 shown in outline form in Figure 1B. "pMM321" refers to a reporter gene plasmid
consisting of the HIV1 LTR driving the transcription of enhanced green fluorescent
protein (see Figure 25). As a positive control for TAT expression, a construct in
which TAT was under the control of a strong, constitutive promoter (referred to as
"pUCd5TAT"; see Figure 24) was used.

20

METHODS:

1. Day 1: Pass HEK 293T cells into 2 x 6 well dishes at 1×10^5 cells/well.
2. Day 2: Transfect cells with 9 μ L Fugene and 0.125 μ g pMM321 and various
25 amounts of pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI.

- Plate 1:
1. 5 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
 2. 2.5 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-
(M1L)TATexonI
 - 30 3. 1.25 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-
(M1L)TATexonI

4. 0.625 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
5. 0.312 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
- 5 6. 0.156 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
- Plate 2: 1. 0.08 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
2. 0.04 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
- 10 3. no pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
4. 0.625 pUCd5TAT
5. 0.625 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI and 1 μ g pMM321
- 15 6. 1 μ g pMM321

Six hours post-transfection, green cells were only observed in plate 2, #5.

3. Day 3: The fluorescence intensity of the transfected cells was observed and recorded.
- 20
4. Day 4: The fluorescence intensity of transfected cells was observed and recorded.

RESULTS:

- 25 Co-transfection with pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI increased GFP expression in the cells.

Day 3:

- 5 μ g – no green cells
- 30 • 2.5 μ g – no green cells (too much DNA for these two transfections?)
- 1.25 μ g - many bright and dim green cells (see photographs and figure in ancillary data)
- 0.625 μ g - bright and dim green cells but fewer than at 1.25 μ g
- 0.312 μ g - no difference obvious between 0.625 μ g and 0.312 μ g

- 0.156 µg - very few green cells
- 0.08 µg - very few green cells
- 0.04 µg - very few green cells
- no pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI - extremely few
5 (if any) green cells
- 0.625 µg pUCd5TAT - cells were extremely bright, not necessarily more in
number than with pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
- 0.625 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 1 µg
pMM321 - many bright and dim green cells.
- 10 • 1 µg pMM321 many-fold fewer green cells, some bright, most dim.

Day 3 - changed media (saved 1 mL conditioned media from wells Plate 1- 3, 4, 5, 6;
Plate 2 - 1, 2, 3, 5, 6). Added fresh media with 10 µM of L-685,458 (a potent, cell
permeable γ - secretase inhibitor) to wells Plate 1 - 3, 4, 5, 6; Plate 2 - 3, 4, 5, 6.

- 15 Waited 48 hours to observe loss of fluorescence since GFP is so stable.

- After 48 hours, all wells appeared brighter than at 24 hour time point. This does not
necessarily mean that the inhibitor was ineffective, or that the assay did not work,
since there were no controls run where the inhibitor was not added. However, it does
20 suggest that under these conditions it may be preferable to add the inhibitor at the time
of transfection to shut down γ -secretase as soon as possible and avoid release of TAT
and induction of GFP.

EXAMPLE 2

- 25 Transfection of APP(1-651)SW, K612V-(M1L)TATexonI into HEK293T and H4
cells accompanied by inhibition of γ -secretase activity with L-685,458

- The following example demonstrates the operation of the invention in
HEK293T cells and H4 cells and shows inhibition of APP processing (and thus TAT
release) by treatment with a known γ -secretase inhibitor. "pcDNA3.1 zeo (+) APP(1-
30 651)SW, K612V-(M1L)TATexonI," "pMM321," and "pUCd5TAT" are the same as
in Example 1. H4 cells (ATCC HTB-148) are a neuronal cell line.

METHODS:

Day1: Plated out 2 x 6 well plates of HEK293T cells and 2 x 6 well plates of H4 cells at 1×10^5 cells/well.

- 5 Day 2: Transfected cells with 2 μ g total DNA - pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI and carrier (a pET-IN plasmid).

Plate1:

1,2: 1 μ g pMM321 + 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI

- 10 3,4: 1 μ g pMM321 + 0.1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 0.9 μ g carrier

5: 1 μ g pMM321 + 1 μ g carrier (added too much carrier to this well in H4 cells)

6: 1 μ g pMM321 + 0.1 μ g pUCd5TAT + 0.9 μ g carrier

- 15 Plate 2:

1,2: 0.1 μ g pMM321 + 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 0.9 μ g carrier

3,4: 0.1 μ g pMM321 + 0.1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI +

- 20 1.8 μ g carrier (added too 0.5X carrier to this mix in 293T cells)

5: 0.1 μ g pMM321 + 1.9 μ g carrier

6: 0.1 μ g pMM321 + 0.1 μ g pUCd5TAT + 1.8 μ g carrier

Transfections for HEK293T cells: 9 μ L Fugene/well. Combined with DNA in

- 25 Optimem and incubated and added to cells according to manufacturer's instructions.

Transfections for H4 cells: 6 μ L Fugene/well. Combined with DNA in Optimem and incubated and added to cells according to manufacturer's instructions.

- 30 Added 10 μ M L-685,458 to Plates 1 and 2, wells 2 and 4 for both cell types within 1 hour of transfection. Observed cells periodically.

Took pictures at 24, 46 hours after transfection, using AE lock to keep exposures constant between wells.

RESULTS:

Both H4 and 293T cells turned much brighter green in the presence of pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI

5 At 24 hours:

H4 cells:

Plate 1: 1 ug pMM321

1. 1 ug pMM321 + 1 ug pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI: Many

10 bright and dim green cells (good transfection efficiency as well)

2. 1 ug pMM321 + 1 ug pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 10 μ M L-685,458: Also many bright and dim green cells, but reduced compared with well #1

15 3. Very few green cells (a few per field)

4. Very few green cells

5. A few dimly green cells

6. Some induction with 0.1 μ g pUCd5TAT but still relatively few cells.

20 Plate 2: 0.1 μ g pMM321

1. 0.1 μ g pMM321 + 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI:

~10 bright green cells/field and the rest are dim green

2. 0.1 μ g pMM321 + 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-

25 (M1L)TATexonI + 10 μ M L-685,458: ~3-5 bright green cells/field, some dim green, and some not green.

3. No green cells

4. No green cells

5. No green cells

30 6. A few bright green cells

HEK293T cells:

Plate 1: 1 μ g pMM321

1. + 1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI: of 15 cells:
6 dim, 4
medium, 5 bright
2. + 1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 10 µM L-
5 685,458:
of 15 cells: 6 very dim, 5 dim, 1 medium, 3 bright
3. +0.1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI: many more
green
cells than 1 µg, lots of strong, bright green cells
- 10 4. + 0.1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 10 µM L-
685,458:
Fewer bright green cells/field but intensity does not appear strongly diminished
5. 1 µg pMM321 alone: Most cells in the field expressing dim to medium levels of
GFP
- 15 6. enhancement by 0.1 µg pUCd5TAT

Plate 2: 0.1 µg pMM321

1. + 1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI: Bright and
medium
20 green cells
2. + 1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 10 µM L-
685,458:
Bright, medium, and dim green cells
3. + 0.1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI: Bright,
25 medium,
and dim green cells
4. + 0.1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 10 µM L-
685,458:
Bright, medium, and dim green cells
- 30 5. 0.1 µg pMM321 alone: Most expressing cells have dim GFP, a few medium to
bright
cells
6. Enhancement by 0.1 µg pUCd5TAT

Changed media on cells at 24 hours past transfection. Kept 10 μ M L-685,458 on cells in wells 2 and 4.

At 46 hours after transfection, examined the wells again. Lots of floating cells in all wells, all cell types. Highest number of floaters in 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI lanes.

Took some photographs under fluorescent and white light (white light at low intensity) to reveal fluorescent and non-fluorescent cells. Conducted a subjective analysis of the photographs to see if the amount of inhibition by 10 μ M L-685,458 was in any way quantifiable. Counted bright (white in the middle), strong (blue middle), medium (green) and dim/non-fluorescent cells and determined the approximate fraction of each level of expression. Results follow:

TABLE 1

293T cells transfected with X μ g pMM321 (first number in left column) and X μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI (second number in left column)

Transfection	# Bright	# Strong	# Med	# Non	% Bright	%Strong	% Med	%Non
1 μ g + 1 μ g	none	8	81	316		2	20	78
1 + 1 + cmpd	none	5	66	521		0.8	11	88
1 + 0.1	41	77	143	61	12	24	44	19
1+ 0.1+cmpd	23	32	149	194				

The results shown in Table 1 indicate that the presence of L-685,458 ("cmpd") caused fewer strong and medium fluorescing cells as well as more non-fluorescent cells in the first run; in the second run, L-685,458 caused fewer bright and strong fluorescing cells as well as more non-fluorescent cells (with slightly more medium fluorescing cells). Overall, these data clearly indicate that the presence of an inhibitor of APP processing such as L-685,458 can be identified by the present invention.

1 mL of conditioned media from each well was analyzed for production of A β . Higher than background levels of A β were observed in 293T cells after transfection

- with 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI and 0.1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI and higher than background levels of A β in H4 cells after transfection with 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI, but not 0.1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI (no enhancement of GFP was observed with 0.1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI either). A β was completely inhibited to background levels by 10 μ M L-685,458. Surprisingly, substantial inhibition of GFP was not observed with 10 μ M L-685,458.
- 10 100,000 cells from each well were trypsinized and placed in 0.1 mL phenol red-free media in a Costar 96-well dish and read using the fluorometer. The results are shown below:

TABLE 2

A			1 μ gAPPTAT	10 μ M 458	0.1 μ gAPPtat	10 μ M458	no tat	0.1 μ g pUCd5TAT				
B	293T	1 μ g LTRGFP	17670	14321	65535	65535	14890	65535				
C		0.1 μ g LTRGFP	9976	10491	17677	14790	9624	25735				
D	H4	1 μ g LTRGFP	21307	25307	7175	7136	7147	7277				
E		0.1 μ g LTRGFP	9574	10031	7317	6957	6946	7247				
F		Blank	7498	7124	7570	7454	5774	7638				
G												
H												
	1	2	3	4	5	6	7	8	9	10	11	12

- 15 In Table 2, "APPtat" is pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI. "458" is L-685,458. "LTRGFP" is pMM321.

0.1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI with and without compound exceeded the maximum reading of the fluorometer, as did the addition of 0.1 µg pUCd5TAT to cells transfected with 1 µg pMM321.

- 1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 1 µg pMM321
5 incrementally increased the amount of fluorescence relative to 1 µg pMM321 alone, and this was reduced to background levels by 10 µM L-685,458. Inhibition of fluorescence was also observed in 293T cells transfected with 0.1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 0.1 µg pMM321. No inhibition of fluorescence was observed in H4 cells under any transfection conditions.


10

EXAMPLE 3

Use of APP(1-651)SW, K612V-TATexonI in H4 cells

L-875,532 is a known γ-secretase inhibitor having the structure shown below. It is described and details of its synthesis are disclosed in Seiffert et al., 2000, J. Biol.

- 15 Chem. 275:34086-34091.



L-875532

Compound X is a β-secretase inhibitor.

20

pRBR186 (Figure 22A) is an expression vector containing DNA sequences encoding full-length APP containing the Swedish mutation and the K612V mutation. pRBR186 does not contain a transcription factor fused to the APP sequences.

pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI is an expression vector that directs the expression of a the fusion protein APP(1-651)SW, K612V-(M1L)TATexonI in mammalian cells. This fusion protein contains the first 651 amino acids of APP (with a Swedish version of the β -secretase cleavage site as well as the K612V mutation) fused in frame to exon I of HIV1 TAT, which has been modified with a Met1-Leu mutation. A schematic diagram of pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI is shown in Figure 26A. The nucleotide sequence of pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI (SEQ ID NO:22) is shown in Figure 26B-G.

METHODS:

1. H4 cells (ATCC HTB-148) were transfected with the various constructs listed below using 6 μ L Fugene per 100 μ L Optimem and 100 μ L Optimem per well (6-well dishes). Transfection reactions were incubated for 30 minutes prior to adding 100 μ L dropwise onto wells.

Transfections were done as follows:

1. 1 μ g pMM321 (Figure 25A-D) and 1 μ g pcDNA3.1 backbone

1a. 1 μ g pMM321 and 1 μ g pcDNA3.1 (Invitrogen, San Diego, CA) backbone. Prior to

transfection, 10 μ M L-875,532 (γ -secretase inhibitor) was added to the well.

2. 1 μ g pMM321 and 1 μ g pRBR186 (Figure 22A; APP expression vector; processing

and inhibition of processing control)

2a. 1 μ g pMM321 and 1 μ g pRBR186. Prior to transfection, 10 μ M L-875,532 was added to cells

(transfection solution for 3-5 were prepared in bulk)

3. and 3a. 1 μ g pMM321 and 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI

4. and 4a. 1 μ g pMM321 and 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI. Prior to transfection, 10 μ M L-875,532 was added to the two wells.

5. and 5a. 1 μ g pMM321 and 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-

(M1L)TATexonI. Prior to transfection, 10 μ M Compound X was added to the two wells

6. 1 μ g pMM321 and 1 μ g pUCd5TAT (Figure 24).

7. 1 μ g pMM321 and 1 μ g pUCd5 TAT. Prior to transfection, 10 μ M L-875,532 was added to the cells.

RESULTS:

Cells were assessed by eye under a fluorescence microscope the morning following transfection (~20 hrs).

1 and 1a, 2 and 2a. Weak fluorescence

3 and 3a. Much stronger fluorescence

4 and 4a. Clear inhibition of fluorescence

5 and 5a. Possible inhibition of fluorescence, but doesn't look that great

6 and 7. Almost blindingly fluorescent.

At approximately 48 hours, cells were trypsinized, spun down, and resuspended in 100 μ L PBS. The cellular contents of each well of the transfection plates were placed into one well of a 96-well fluorescence plate. Fluorescence was analyzed using the FLUOstar (485 excitation/538 emission). The results are shown in Table 3.

TABLE 3

Transient transfections in H4 cells	Fluor Units
pMM321	4484
pMM321 + L-875,532	3443
pMM321 + pRBR186	2735
pMM321 + pRBR186 + L-875,532	2161
pMM321 + APP-TAT-ct32	20177
pMM321 + APP-TAT-ct32 + L-875,532	8283
pMM321 + APP-TAT-ct32 + Compound X	11946
pMM321 + pucd5-TAT	61102

In Table 3, "APP-TAT-ct32" refers to pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI.

For a graphical presentation of these results, see Figure 19. In Figure 19, "LTR-GFP" refers to pMM321; "APP-TAT-ct32" refers to pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI. Compare the bar labeled "LTR-GFP + APP-TAT-ct32" with the bars labeled "LTR-GFP + APP-TAT-ct32 + L-875,532" and "LTR-GFP + APP-TAT-ct32 + Compound X." Inhibition by both the β -secretase inhibitor (Compound X) and the γ -secretase inhibitor (L-875,532) is easily identified by the present invention.

10 Conclusions:

- The data indicate that the expression of the fusion protein APP(1-651)SW, K612V-(M1L)TATexonI enhances transactivation through the LTR of pMM321 in a manner that depends on APP processing.
- APP(1-651)SW, K612V-(M1L)TATexonI expressing cells were 6X brighter than pMM321 cells alone.
- Treatment with L-875,532 decreased fluorescence 2.5X.
- Treatment with Compound X decreased fluorescence 1.7X.
- Expression of TAT via pucd5-TAT was almost blinding and was 19X above pMM321 alone, indicating that APP(1-651)SW, K612V-(M1L)TATexonI expression did not lead to levels of GFP as high as TAT alone. Despite the decreased activation shown by TAT when provided by the fusion protein, as compared with TAT driven by the AMLP (adenovirus major late promoter) in pucd5-TAT, the assay was easily able to identify both the β -secretase and the γ -secretase inhibitors.
- Control plasmids (pMM321 and pMM321 + pRBR186) were dimly fluorescent and were not inhibited by L-875,532.

A lower level of inhibition by the β -secretase inhibitor is to be expected since the K612V mutation decreases alpha-secretase activity by 95% and thus some alpha-secretase cleavage is to be expected.

EXAMPLE 4

Construction of pcDNA3.1 (+) zeo APP(1-651)SW, K612V, GAL4-VP16(M1L) APP
(664-695)

1. The GAL4-VP16 insert was prepared by PCR from pCR2.1 GAL4VP16 (Figure
20) (Invitrogen, San Diego, CA). The PCR was performed to eliminate the N-
terminal methionine by changing this methionine into a leucine.

40 ng pCR2.1 GAL4-VP16
0.2 μ L GAL4VP16 5' oligo at 250 μ M:
10 5'-CTGAGATATCAAGCTACTGTCTTCTATCGAACAAGC-3' (SEQ ID NO:56)
EcoRV site underlined
0.2 μ L GAL4VP16 3' oligo (at 250 μ M): 5'-
GCGCGATATCCCCACCGTACTCGTCAATTCC-3' (SEQ ID NO:57)
EcoRV site underlined
15 5 μ L 10X Buffer
8 μ L 25 mM MgCl₂
4 μ L PCR dNTPs
0.25 μ L AmpliTaq Gold
27.35 μ L water

20

Cycle:

Purified reactions using a Qiaquick column
Digested entire reaction using EcoRV
25 Ran the DNA on a 1% gel. Excised the band and purified using a QiaQuick gel
purification kit

2. Digested pcDNA3.1 APP(1-651)/APP(664-695) with EcoRV and SAP treated.
pcDNA3.1 APP(1-651)/APP(664-695) is an intermediate plasmid formed in the
30 procedure described in Example 6. pcDNA3.1 APP(1-651)/APP(664-695) the first
651 amino acids of APP (with a Swedish version of the β -secretase cleavage site as
well as the K612V mutation) fused in frame to the last 32 amino acids of APP.

3. Ligated pcDNA3.1 APP(1-651)/APP(664-695) –EcoRV digested to GAL4VP16 (EcoRV digested)

- 5 4. At this point, it was realized that the 3' PCR primer for GAL4-VP16 put the APP(664-695) fragment out of frame. The APP(664-695) fragment was then re-PCR'd using the following protocol:

- 1 µL pcDNA3.1 APP(1-651)-Gal4VP16-APP(664-695)
10 50 nM APP NotI 5' ct32 in frame with GAL4-VP16
50 nM APP NotI 3' ct32 (5'
(p)CTGCTGTGGCGGCCGCCTAGTTCTGCATCTGCTC) (SEQ ID NO:58)
NotI site underlined
1 µL PCR dNTPs (10 mM each dNTP, Roche)
15 5 µL 10X Expand Buffer with MgCl₂
40 µL water
1 µL Expand polymerase (Roche)

- The PCR fragment was run on a 4% agarose gel and gel-purified using a QiaQuick gel
20 purification column
The fragment was digested with NotI and purified using a QiaQuick PCR purification column.

5. APP(1-651)-Gal4VP16-APP(664-695) was re-minipreped. Miniprep #1 was
25 digested with NotI, run on a 1% gel, the upper band was then isolated and SAP-treated.

6. APP(1-651)-Gal4VP16/NotI digested/SAP-treated was ligated to APP(664-695).

- 30 7. Minipreps containing inserts were sequenced to verify the orientation of the insert.

EXAMPLE 5

Construction of pcDNA3.1 zeo (+) APP(1-651)wt, K612V-TATexonI(M1L)
APP(664-695)

5 This procedure replaced a fragment of APP in pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695) that contained the Swedish mutation with a corresponding fragment from pRBR121 containing the wild-type β -secretase cleavage site rather than the Swedish β -secretase cleavage site.

- 10 1. pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695) (Figure 21B) was digested with SnaBI and then EcoRI
- 17 μ L miniprep DNA
 - 2 μ L 10X buffer
 - 1 μ L SnaBI (NEB)

15 Digest was purified using Qiaquick PCR purification kit. Entire digest was then cleaved with EcoRI for 2 hours.

- 20 2. pRBR121 (Figure 21A) was digested with SnaBI and then EcoRI
- 5 μ g pRBR121
 - 5 μ L 10X buffer
 - 2.5 μ L SnaBI (NEB)
 - q.s. 50 μ L with water

25 The digest was purified using a Qiaquick PCR purification kit. The entire digest was then cleaved with EcoRI for 2 hours.

30 3. Both digests were run out on a 1% agarose gel. From the pRBR121 lane, the 2.4 kb SnaBI-EcoRI fragment containing the wild-type β -secretase cleavage site was isolated.

From pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695) digest, BOTH the 5 kb SnaBI-EcoRI backbone fragment AND the 200 bp EcoRI-EcoRI fragment were isolated (see Figure 21B).

- 5 4. A three-part ligation using equal molar ratios of the three fragments was carried out:

The assumption was made that, since the starting plasmids were of similar sizes and the same amount was digested for each plasmid, the recovered fragments would be in approximately equal molar ratios.

10

Vector alone:

1 µL APP-TAT-ct32 SnaBI/EcoRI 5Kb fragment

7 µL water

2 µL 5X buffer

- 15 10 µL 2X buffer (Roche rapid ligation kit)

1 µL T4 ligase

1+1+1

1 µL pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695)

- 20 SnaBI/EcoRI 5KB fragment

1 µL pRBR121 SnaBI/EcoRI 2.4 Kb insert

1 µL pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695)

EcoRI/EcoRI 200 bp insert

5 µL water

- 25 2 µL 5X buffer

10 µL 2X buffer

1 µL T4 ligase

- 30 1+1+...1 (in this 3-pt ligation, the ligation of two of the fragments together was done 1st, then the third fragment was added)

1 µL pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695)

SnaBI/EcoRI 5Kb backbone

1 µL pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695)

EcoRI/EcoRI 200 bp insert

- 5 μ L water
2 μ L 5X buffer
10 μ L 2X buffer
1 μ L T4 ligase
5 waited 5 minutes
then added 1 μ L pRBR121 *Sna*BI/*Eco*RI 2.4 kb insert
- 1+1+3
1 μ L pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695)
10 *Sna*BI/*Eco*RI 5 kb backbone
1 μ L pRBR 121 *Sna*BI/*Eco*RI 2.4 kb insert
3 μ L pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695)
*Eco*RI/*Eco*RI 200 bp insert
3 μ L water
15 2 μ L 5X buffer
10 μ L 2X buffer
1 μ L T4 ligase
- Transformed and plated out 200 μ L. The number of colonies in the vector + insert
20 ligations far exceeded the number of colonies in the vector alone ligation. Picked 12 colonies from 1+ 1+...1.
Picked 6 colonies from 1+3.
Miniprep
Digested with *Eco*RI to ensure that small 200 bp fragment was incorporated.
25 RESULTS
Minipreps #10 and 15 contained 200 bp *Eco*RI fragment.
- Oriented with Bam HI digestion.
- 30 Sequenced with sAPPb F2 and F3 primers. Miniprep #15 contains both inserts in the correct orientation.

EXAMPLE 6

Construction of pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L)
APP(664-695)

1. PCR of APP (664-695):

- 5 The starting material was the pRBR186 plasmid (Figure 22A).

PCR of APP (664-695)

1 ng pRBR186

50 nM 5' oligo (5'-TGCCCCGCGCGGCCGCGCGATGCTGCCCCGG-3') (SEQ ID

- 10 NO:59) NotI site underlined

50 nM 3' oligo (5'-(p)ATGGTGTGGCGGCCGCGAGACGCCGCTGTCACC-3')

(SEQ ID NO:60) NotI site underlined

1 µL Roche PCR nucleotides

5 µL 10X Expand buffer

- 15 40 µL water

1 µL Expand

Cycle: (94°C, 5 min) – 25X (94°C, 30 sec; 42°C, 1 min; 72°C, 2 min) – 72°C x 6 min
 – 4°C hold.

- 20

The ~100 bp fragment was gel purified (4% agarose, 1X TBE gel)

The gel-purified fragment was ligated into NotI digested, Shrimp Alkaline
 Phosphatase-treated pcDNA3.1 zeo (+) (Invitrogen). The presence of the insert and
 25 its orientation was confirmed by sequencing.

2. PCR of APP(1-651):

1 ng pRBR186

50 nM 5' oligo (5'-(p)AGCGCACAAAGCTTCCCCGCGCAGGGTCGCGATGCTG-
 30 3') (SEQ ID NO:61) HindIII site underlined, Met(1) ATG of APP in bold

50 nM 3' oligo (5'-(p)GGATGTAAGCTTTTCTTCTTCAGCATCACCAAGG-3')
 (SEQ ID NO:62) HindIII site is underlined

1 μ L Roche PCR nucleotides
 5 μ L 10X Expand buffer
 40 μ L water
 1 μ L Expand

5

Cycle: (94°C, 5 min) -- 25X (94°C, 30 sec; 37°C, 1 min; 72°C 2.5 min) -- 72°C x 6 min -- 4°C hold

- 10 • The amplified fragment was isolated on an agarose gel. The fragment was purified from the gel using Qiaquick Gel purification columns. The fragment was digested with HindIII. The amount of the fragment was too small to subclone, so the PCR was repeated using 1 μ L of the amplified fragment and carrying out 5 reactions simultaneously.
- 15 • The fragments were purified from these reactions using a QiaQuick PCR purification kit. The fragments were eluted in 30 μ L and digested with HindIII for 2 hours. The digested fragments were then gel purified.
- 20 • The purified fragments were ligated to pcDNA3.1 zeo (+) APP(664-695) that had been digested with HindIII and SAP treated. This gave the intermediate plasmid pcDNA3.1 zeo (+) APP(1-651)/APP(664-695).

3. PCR of (M1L) TAT:

The starting material was NL4-3 viral plasmid (Figure 22B).

25

PCR reaction:

1 ng NL4-3 viral plasmid
 50 nM TAT 5' RV Met-Leu PCR primer (5'-
 TGCAGATATCCTGGAGCCAGTAGATCCTAGAC-3') (SEQ ID NO:63)
 30 EcoRV site underlined, Met-Leu mutation in bold
 50 nM TAT 3' RV Met-Leu PCR primer
 (5'-GCTGGATATCCTCTGCTTTGATAGAGAAGC-3') (SEQ ID NO:64)
 EcoRV site underlined
 1 μ L PCR dNTPs

5 μ L PCR 10X buffer with MgCl₂

40 μ L water

1 μ L Expand polymerase

5 Cycle:

94°C for 5 min

[30 sec 94°C, 1 min 42°C, 1 min 72°C] x 25 cycles

5 min at 72°C

hold at 4°C

10

- The insert was purified over QiaQuick PCR purification column
- The entire reaction was digested with 30 units EcoRV for 3 hours
- The ~200 bp insert was gel purified.
- pcDNA3.1 zeo (+) APP(1-651)/APP(664-695) was digested with EcoRV, and
- 15 then SAP treated
- The Met1-Leu TAT fragment was ligated to pcDNA3.1 zeo (+) APP(1-651)/APP(664-695).

A map of the resulting plasmid is shown in Figure 22C.

20

EXAMPLE 7

Design of novel expression vector for expression of APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695)

- 25 PURPOSE: To provide a low level expression of APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695), a prokaryotic selectable marker that is NOT ampicillin (read-through of the β -lactamase gene is sometimes a problem), and a eukaryotic selectable marker that is NOT zeocin (zeo is the marker for the reporter plasmids in some embodiments).

METHODS

- 30 1. The dEYFP gene was removed from pd2EYFP (Clontech, Palo Alto, CA) using BamHI and NotI. The 5' overhangs was filled in using Klenow, and the plasmid was re-circularized.

pd2EYFP plasmid was digested with BamHI, NotI.

Ran reaction on 1% agarose gel. Digestion was complete. Cut out 3.4 kb band.

Purified using Qiagen Gel Extraction Kit.

5 Klenow fill-in:

~4 µg plasmid backbone

7.5 µL NEB buffer 2

33 µM each dNTP (diluted from Roche PCR dNTPs)

water to 75 µL

10 4 µL Roche Klenow fragment (4 units)

Incubated at room temperature for 15 minutes

Heat inactivated at 70°C

15 Took 1 µL fill-in reaction.

Diluted to 8 µL with water

Added 2 µL 5X DNA buffer

Added 10 µL 2X Ligation Buffer

Added 1 µL T4 DNA ligase

20

Incubated at room temperature

Transformed 2 µL ligation into Invitrogen maximum efficiency DH5alpha competent cells.

25

Plated out on Kanamycin plates. Lots of colonies.

2. The RSV promoter from pREP4 (Invitrogen) was excised using BglII and HindIII and cloned into the re-circularized plasmid.

30

Digested 5 µg pREP4 with HindIII

Purified using Qiagen PCR purification kit

Digested with BglII.

The RSV promoter fragment was gel purified and cloned into the re-circularized plasmid.

3. The resulting expression vector (pRSV Kan/Neo res; Figure 23) has the eukaryotic RSV promoter 5' to the pd2EYFP polylinker, SV40 driving neo and kanamycin prokaryotic selection, and a pUC ori for high levels of replication in bacteria.

EXAMPLE 8

Use of APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695) in HeLa cells with a β -galactosidase reporter gene

The following demonstrates the practice of the present invention with the APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695) fusion protein (SEQ ID NO:2) and β -galactosidase as a reporter gene. P4-R5 cells are HeLa cells that contain a stably integrated β -galactosidase reporter gene under the control of the HIV1 LTR.

Materials:

- 1.) Cells: P4-R5 cells
- 2.) DNA: 0.78 $\mu\text{g}/\mu\text{L}$ pcDNA3.1 zeo (+)APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695)
- 3.) Transfection reagents: FUGENE®
- 4.) Media: OPTIMEM®
cDMEM (-)phenol red /10% FBS
- 5.) Compounds: Compound X (β -secretase inhibitor) 10 mM
L-875,532 (γ -secretase inhibitor) 10 mM

Protocol:

Day 1

- 1.) Cell count on P4-R5 cells = 7.6×10^5 cells per ml in cDMEM (-)PR.
Seeded sterile white luminometer TC plates with the following cell numbers:

10 ml

$5 \times 10^3/\text{well} = 0.75 \text{ ml}$ in 9.25 ml media

$1.0 \times 10^4/\text{well} = 1.5 \text{ ml}$ in 8.5 ml media

Seeded 100 μ L cells per well.
Incubate overnight at 37°C, 5% CO₂.

Day 2

2.) Made up media with appropriate dilutions of inhibitors.

- 5 On no-inhibitor controls, added 100 μ L of cDMEM with 1% DMSO
 On wells with Compound X, added 10 μ M inhibitor in cDMEM
 On wells with L-875,532, added 10 μ M inhibitor in cDMEM

3.) Prior to transfection, pulled off media on P4-R5 cells and replaced with media +/- inhibitor.

- 10 FUGENE® transfection:

For FUGENE® transfection:

4.) Added 600 μ L of OPTIMEM® to sterile EPPENDORF® tube and carefully added 30 μ L FUGENE® to media, without touching walls of tube. Incubated at room temperature for 5 minutes.

- 15 In separate EPPENDORF® tubes, added each DNA.

Added FUGENE®/OPTIMEM® dropwise to DNA; incubated at room temperature for 15 minutes.

Added 15 μ L /well of DNA/FUGENE®/OPTIMEM® dropwise to media in appropriate wells on P4-R5 cells, swirling to mix.

20

TABLE 4

Transfection number	Conc of DNA	Vol of DNA	Vol of FUGENE®	Vol of sterile OPTIMEM®
APP-ML-Tat-APPct	0.78 μ g/ μ L	5 μ g = 6.5 μ L	30 μ L of FUGENE®	600 μ L of OPTIMEM®
pUCd5TAT	1.24 μ g/ μ L	5 μ g = 4.0 μ L	30 μ L of FUGENE®	600 μ L of OPTIMEM®
p243-4	0.56 μ g/ μ L	5 μ g = 9 μ L	30 μ L of FUGENE®	600 μ L of OPTIMEM®

- In Table 4, "APP-ML-Tat-APPct" refers to pcDNA3.1 zeo (+)APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695). "pUCd5TAT" is an expression vector that
- 25

serves as a positive control for TAT expression, since it is a construct in which TAT is under the control of a strong, constitutive promoter (see Figure 24). "p243-4" is a control expression vector that directs the expression of APP.

- 5 5.) Plates were transferred to an incubator and incubated for 48 hours to allow expression and processing of the proteins.

Day 4

6.) The protocol below was followed for lysis of the cells and measurement of β -galactosidase in the cell lysates.

10

Measurement of β -galactosidase in lysates of transfected cells.

1. Removed TROPIX® chemiluminescence kit(s) from cold room, allowed to come to room temperature in a 37°C water bath.
 2. β -galactosidase standards were prepared:
 - 15 Made 1:5000 dilution of β -galactosidase stock (1 mg/ml) in lysis buffer. Did 2 fold dilutions.
 3. Diluted TROPIX® substrate 1:25 into buffer. (Made enough for 100 μ L /well).
 4. Added to reservoir and added 100 μ L/well.
 - 20 5. Added 10 μ L of β -galactosidase standards to column 12 on plate and incubated in dark for 1 hour.
 6. Read immediately in luminometer using standard file. Filled in required fields, read plate.
- 25 The results are shown in Figure 33. Figure 33 demonstrates that the present invention was able to identify both the β -secretase inhibitor (Compound X) and the γ -secretase inhibitor (L-875,532). In Figure 33, "APP-tat-ct32" refers to pcDNA3.1 zeo (+)APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695). Although not indicated in Figure 33, the results for the controls were as expected: a large transactivation of
- 30 the LTR by pUCd5TAT was observed which was not affected by either inhibitor. No transactivation was seen with p243-4.

EXAMPLE 9

Comparison of the use of APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695) and APP(1-651)wt, K612V-TATexonI(M1L) APP(664-695) with a β -galactosidase reporter gene

5 The following shows a side-by-side comparison of the practice of the present invention with the APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695) fusion protein (SEQ ID NO:2) and the APP(1-651)wt, K612V-TATexonI(M1L) APP(664-695) fusion protein (SEQ ID NO:4). P4-R5 cells are HeLa cells that contain a stably integrated β -galactosidase reporter gene under the control of the HIV1 LTR.

10

Materials:

- 1.) Cells: P4-R5 cells
- 2.) DNA: 0.78 $\mu\text{g}/\mu\text{L}$ pcDNA3.1 neo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695)
- 15 0.812 $\mu\text{g}/\mu\text{L}$ pcDNA3.1 neo (+) APP(1-651)wt, K612V-TATexonI(M1L) APP(664-695)
- 1.24 $\mu\text{g}/\mu\text{L}$ pUCd5TAT
- 0.56 $\mu\text{g}/\mu\text{L}$ p243-4
- 3.) Transfection reagents: FUGENE®
- 20 4.) Media: OPTIMEM®
- cDMEM (-)phenol red /10% FBS
- 5.) Compounds: Compound X (β -secretase inhibitor) 10 mM
- L-875,532 (γ -secretase inhibitor) 10 mM

Day 1

- 25 1.) Cell count on P4-R5 cells = 5×10^5 cells per ml in cDMEM (-)PR.
- Seeded sterile white luminometer TC plates with the following cell numbers:
- 10 ml
- $5 \times 10^3/\text{well} = 4.0 \text{ ml}$ in 36.0 ml media
- Diluted 1:1 into media and seeded one plate at $2.5 \times 10^3/\text{well}$.
- 30 Seeded 100 μL cells per well.
- Incubated overnight at 37°C , 5% CO_2 .

Day 2

2.) Made up media with appropriate dilutions of inhibitors.

On no-inhibitor controls, added 100 μ L of cDMEM with 1% DMSO

On wells with Compound X, added titration curve from 100 μ M

5 inhibitor in cDMEM (-)PR.

On wells with L-875,532, added titration curve from 100 μ M inhibitor in cDMEM (-)PR.

3.) Prior to transfection, pulled off media on P4-R5 cells and replaced with media +/-
10 inhibitor.

FUGENE® transfection:

4.) Added volume of OPTIMEM® to sterile EPPENDORF® tube and carefully
15 added correct volume of FUGENE® to media, without touching walls of tube.

Incubated at room temperature for 5 minutes.

In separate EPPENDORF® tubes, added each DNA, as outlined below.

Added FUGENE®/OPTIMEM® dropwise to DNA; incubated at room
temperature for 15 minutes.

20 Added 15 μ L/well of DNA/FUGENE®/OPTIMEM® dropwise to media in appropriate wells on P4-R5 cells, swirling to mix.

TABLE 5

Transfection number	Conc of DNA	Vol of DNA	Vol of FUGENE®	Vol of sterile OPTIMEM®
1.) APP-ML-Tat-APPct (Sw)	0.78 μ g/ μ L	10 μ g = 13 μ L	60 μ L of FUGENE®	1200 μ L of OPTIMEM®
2.) APP-ML-Tat-APPct (WT)	0.812 μ g/ μ L	10 μ g = 12.2 μ L	60 μ L of FUGENE®	1200 μ L of OPTIMEM®
3.) pUCd5TAT	1.24 μ g/ μ L	5 μ g = 4.0 μ L	30 μ L of FUGENE®	600 μ L of OPTIMEM®
4.) p243-4	0.56 μ g/ μ L	5 μ g = 9 μ L	30 μ L of FUGENE®	600 μ L of OPTIMEM®

- In Table 5, "APP-ML-Tat-APPct (Sw)" refers to pcDNA3.1 neo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695). "APP-ML-Tat-APPct (WT)" refers to pcDNA3.1 neo (+) APP(1-651)wt, K612V-TATexonI(M1L) APP(664-695).
- 5 "pUCd5TAT" is an expression vector that serves as a positive control for TAT expression, since it is a construct in which TAT is under the control of a strong, constitutive promoter (see Figure 24). "p243-4" is a control expression vector that directs the expression of APP.
- 10 5.) Plates were transferred to an incubator and incubated for 36 hours to allow expression and processing of proteins.

Day 4

- 15 6.) The protocol below was followed for lysis of the cells and measurement of β -galactosidase in the cell lysates.

Measurement of β -galactosidase in lysates of transfected cells.

- 20 1. Removed TROPIX® chemiluminescence kit(s) from cold room, allowed to come to room temperature in a 37°C water bath.
2. β -galactosidase standards were prepared:
Made 1:5000 dilution of β -galactosidase stock (1 mg/ml) in lysis buffer. Did 2 fold dilutions.
- 25 3. Diluted TROPIX® substrate 1:25 into buffer. (Made enough for 120 μ L /well).
4. Added to reservoir and added 120 μ L/well.
5. Added 10 μ L of β -galactosidase standards to column 12 on plate and incubated in dark for 1 hour.
- 30 6. Read immediately in luminometer using standard file. Filled in required fields, read plate.


The results are shown in Figure 34. In Figure 34, "APP(NFEV)HAMycFLAG" refers to a protein that is a variant of APP in which NFEV is present at the β -secretase cleavage site and there are epitope tags in the amino terminal portion of the protein

but there is no transcription factor fused to APP. "APP(Sw)tat-ct32" refers to pcDNA3.1 neo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695). "APP(WT)tat-ct32" refers to pcDNA3.1 neo (+) APP(1-651)wt, K612V-TATexonI(M1L) APP(664-695). Figure 34 shows that the Swedish version and the wild-type version of APP appear to work about equally well in the assay.

EXAMPLE 10

L-685,458

L-685,458 is a γ -secretase inhibitor having the following structure:



L-685,458 contains an hydroxyethylene dipeptide isostere and is thought to function as a transition state analog mimic of aspartyl proteases (Shearman et al., 2000, Biochemistry 39:8698-8704). L-685,458 was prepared as follows:

{1S-Benzyl-4R-[1-(1S-carbamoyl-2-phenylethylcarbamoyl)-1S-3-methylbutylcarbamoyl]-2R-hydroxy-5-phenylpentyl}carbamic acid tert-butyl ester (L-685,458) was prepared by the coupling of 2R-benzyl-5S-tert-butoxycarbonylamino-4R-(tert-butyl dimethylsilanyloxy)-6-phenylhexanoic acid (Evans et al., 1985, J. Org. Chem. 50:4615-4625) with Leu-Phe-NH₂ followed by deprotection with tetrabutylammonium fluoride. The synthesis of {1S-benzyl-4R-[1-(1S-carbamoyl-2-phenylethylcarbamoyl)-1S-3-methylbutylcarbamoyl]-2S-hydroxy-5-phenylpentyl}carbamic acid tert-butyl ester (L-682,679) has been described previously (De Solms et al., 1991, J. Med. Chem. 34:2852-2857). {1S-Benzyl-4R-[1-(1S-carbamoyl-2-phenylethylcarbamoyl)-1S-3-methylbutylcarbamoyl]-2-oxo-5-phenylpentyl}carbamic acid tert-butyl ester (L-684,414) was prepared by pyridinium dichromate-mediated oxidation of L-682,679.

The present invention is not to be limited in scope by the specific embodiments described herein. Indeed, various modifications of the invention in addition to those described herein will become apparent to those skilled in the art from
5 the foregoing description. Such modifications are intended to fall within the scope of the appended claims.

Various publications are cited herein, the disclosures of which are incorporated by reference in their entireties.

WHAT IS CLAIMED IS:

1. A DNA molecule comprising a nucleotide sequence encoding a fusion protein comprising amino acids 589-651 selected from the group consisting of wild type APP₆₉₅, the Swedish version of APP₆₉₅ and the NFEV (SEQ ID NO:40) version of APP₆₉₅ and a transcription factor where the transcription factor is fused in frame to the carboxyl terminus of amino acids 589-651.
2. The DNA molecule of claim 1 where amino acids 589-651 contain a K612V mutation.
3. The DNA molecule of claim 1 where the nucleotide sequence further encodes amino acids 664-695 of APP₆₉₅ wherein amino acids 664-695 are fused in frame to the carboxyl terminus of the transcription factor.
4. The DNA molecule of claim 1 where the transcription factor is selected from the group consisting of: HIV-1 TAT, Gal4-VP16, the entire Gal4 protein, LexA-VP16, E12, E47, Twist, Papillomavirus E2, EBV Zta, BIV TAT, HIV-2 TAT, or SIV TAT.
5. The DNA molecule of claim 3 where the fusion protein is selected from the group consisting of: APP(1-651)wt, K612V-TATexonI(M1L) APP (664-695) (SEQ ID NO:4); APP(1-651)wt, K612V, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:8); APP(1-651)wt, TATexonI(M1L) APP (664-695) (SEQ ID NO:12); and APP(1-651)wt, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:16).
6. The DNA molecule of claim 3 where the fusion protein is selected from the group consisting of: APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695) (SEQ ID NO:2); APP(1-651)SW, K612V, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:6); APP(1-651)SW, TATexonI(M1L) APP (664-695) (SEQ ID NO:10); and APP(1-651)SW, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:14).
7. The DNA molecule of claim 3 where the fusion protein is selected from the group consisting of: APP(1-651)NFEV, K612V-TATexonI(M1L)

APP (664-695) (SEQ ID NO:23) and APP(1-651)NFEV, K612V, GAL4-VP16(M1L)
APP (664-695) (SEQ ID NO:25).

5 8. An expression vector comprising the DNA molecule of claim 1.

 9. A eukaryotic cell comprising the DNA molecule of claim 1.

 10. The cell of claim 9 further comprising a reporter gene where the
reporter gene is under the control of a regulatory DNA sequence that is capable of
10 being activated by the transcription factor.

 11. A method of identifying a substance that inhibits APP
processing comprising:

 (a) providing a recombinant eukaryotic cell which:
15 (i) expresses a fusion protein comprising amino acids 589-
651 selected from the group consisting of wild type APP₆₉₅, the Swedish version of
APP₆₉₅ and the NFEV (SEQ ID NO:40) version of APP₆₉₅ and a transcription factor
where the transcription factor is fused in frame to the carboxyl terminus of amino
acids 589-651; and

20 (ii) comprises a reporter gene operably linked to a
regulatory DNA sequence which capable of being activated by the transcription factor;

 (b) measuring the level of reporter gene product in the cell in the
absence of the substance;

 (c) adding the compound to the cell and measuring the level of
25 reporter gene product in the cell in the presence of the substance;
where a decrease in the level of reporter gene product in the presence
as compared to the absence of the substance indicates that the substance inhibits APP
processing.

30 12. The method of claim 11 where amino acids 589-651 contain a
K612V mutation.

 13. The method of claim 11 where the transcription factor is
selected from the group consisting of: HIV-1 TAT, Gal4-VP16, the entire Gal4

protein, LexA-VP16, E12, E47, Twist, Papillomavirus E2, EBV Zta, BIV TAT, HIV-2 TAT, or SIV TAT.

14. The method of claim 11 where the fusion protein is selected
5 from the group consisting of: APP(1-651)wt, K612V-TATexonI(M1L) APP (664-695) (SEQ ID NO:4); APP(1-651)wt, K612V, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:8); APP(1-651)wt, TATexonI(M1L) APP (664-695) (SEQ ID NO:12); and APP(1-651)wt, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:16).


10 15. The method of claim 11 where the fusion protein is selected from the group consisting of: APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695) (SEQ ID NO:2); APP(1-651)SW, K612V, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:6); APP(1-651)SW, TATexonI(M1L) APP (664-695) (SEQ ID NO:10); and APP(1-651)SW, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:14).

15 16. The method of claim 11 where the fusion protein is selected from the group consisting of: APP(1-651)NFEV, K612V-TATexonI(M1L) APP (664-695) (SEQ ID NO:23) and APP(1-651)NFEV, K612V, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:25).

20 17. A method of identifying a substance that inhibits APP processing comprising:
(a) providing a recombinant eukaryotic cell which:
(i) expresses a fusion protein comprising an amino acid
25 sequence from APP that is capable of being cleaved by both β -secretase and γ -secretase and a transcription factor where the transcription factor is fused in frame to the amino acid sequence from APP; and
(ii) comprises a reporter gene operably linked to a
regulatory DNA sequence which capable of being activated by the transcription factor;
30 (b) measuring the level of reporter gene product in the cell in the absence of the substance;
(c) adding the compound to the cell and measuring the level of reporter gene product in the cell in the presence of the substance;

where a decrease in the level of reporter gene product in the presence as compared to the absence of the substance indicates that the substance inhibits APP processing.

- 5 18. The method of claim 17 where the amino acid sequence from APP comprises an amino acid sequence selected from the group consisting of 589-651 of APP₆₉₅, 589-651 of the Swedish version of APP₆₉₅, and 589-651 of the NFEV version of APP₆₉₅.
- 10 19. The method of claim 17 where the amino acid sequence from APP contains the amino acid sequence NLDA (SEQ ID NO:38) at the β -secretase cleavage site instead of the wild-type sequence KMDA (SEQ ID NO:34).
- 15 20. The method of claim 17 where the amino acid sequence from APP contains the amino acid sequence NFEV (SEQ ID NO:40) at the β -secretase cleavage site instead of the wild-type sequence KMDA (SEQ ID NO:34).



2/76

DNA sequence of APP(1-651)SW, K612V-TATexon1(M1 L) APP (664-695)

(SEQ ID NO: 1)

```
1 ATGCTGCCCG GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGGA
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTC CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAAACTCA TCTTCACTGG
451 CACACGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GGCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTTCTCCTT CGGCCTCGTC ACGTGTTCAA
1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
```

FIG.2A

3/76

1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAATCTAGA TGCAGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAGTATTGG TGTCTTTGCG
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC CTGGAGCCAG TAGATCCTAG ACTAGAGCCC TGGAAGCATC
2051 CAGGAAGTCA GCCTAAACT GCTTGTACCA ATTGCTATTG TAAAAAGTGT
2101 TGCTTTCATT GCCAAGTTTG TTTCATGACA AAAGCCTTAG GCATCTCCTA
2151 TGGCAGGAAG AAGCGGAGAC AGCGACGAAG AGCTCATCAG AACAGTCAGA
2201 CTCATCAAGC TTCTCTATCA AAGCAGAGGA TATCCAGCAC AGTGGCGGCC
2251 GCAGACGCCG CTGTCACCCC AGAGGAGCGC CACCTGTCCA AGATGCAGCA
2301 GAACGGCTAC GAAAATCCAA CCTACAAGTT CTTTGAGCAG ATGCAGAACT
2351 AG

FIG.2B

4/76

(SEQ ID NO: 2)

Amino acid sequence of APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695)

mlpgla111laawtara1evptdgnag1laepqiamfcgrlnmhmvmqngkwdsdpsgtktcidtkegilqycq
 evypelqitnvveanqpvtiqnwckrgrkqckthphfviyrc1vgefisdal1vpdkckf1hqermdvceth1h
 whtvaketcsekstn1hdygm11pcgidkfrgvefvccplaeesdnvdsadaeeddsdvwggadtdyadgs
 edkvvevaeeeeaeveeeeeadddeddedgdeveeeaeepyeeaterettsiatTTTTTTTsesveevrvpttaastpd
 avdkyletpgdenehahfqaker1eakhrermsqvmreweeaerqakn1pkadkkaviqhfkves1eqe
 aanerqq1vethmarveam1ndrrr1alenyitalqavpprprhvfmlkkyvraeqkdrqht1khfehvmvd
 pkkaaqrsvmth1rviyermnqsl1lynvpavaeeiqdevdel1qkeqnysddv1anmi sepri sygnda1
 mps1tetkttvellpvngefs1dd1qpwhsfgadsvpantenevepvdarpaadrg1ttrpgsg1tnikteeisev
 2 3 4 5
 n1daefrhdsgyevhhqylvffaedvgsnkgaiig1mvggvviatvivit1vmlkkk1gtelgstspvwns
 6
 ad1lepvdpr1epwkhpsqpkactncycckccfhcqvcmfka1qisygrkkrrrrrahqnsqthqas1skq
 7 8
 r1sstvaaadaavtpeerh1skmqngyenptykffeqmqn

FIG.3

5/76

DNA sequence of APP(1-651)wt, K612V-TATexon1(M1L) APP (664-695)

(SEQ ID NO: 3)

```
1 ATGCTGCCCCG GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGA
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTC CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAAACTCA TCTTCACTGG
451 CACACGTCG CCAAAGAGAC ATGCASTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GGCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTTCTCCT CGGCCTCGTC ACGTGTTCAA
1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
```

FIG.4A

6/76

1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAAGATGGA TGCAGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAGTATTGG TGTCTTTGC
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGA CTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC CTGGAGCCAG TAGATCCTAG ACTAGAGCCC TGGAAGCATC
2051 CAGGAAGTCA GCCTAAACT GCTTGTACCA ATTGCTATTG TAAAAAGTGT
2101 TGCTTTCATT GCCAAGTTTG TTTCATGACA AAAGCCTTAG GCATCTCCTA
2151 TGGCAGGAAG AAGCGGAGAC AGCGACGAAG AGCTCATCAG AACAGTCAGA
2201 CTCATCAAGC TTCTCTATCA AAGCAGAGGA TATCCAGCAC AGTGGCGGCC
2251 GCAGACGCCG CTGTCACCCC AGAGGAGCGC CACCTGTCCA AGATGCAGCA
2301 GAACGGCTAC GAAAATCCAA CCTACAAGTT CTTTGAGCAG ATGCAGAACT
2351 AG

FIG.4B

7/76

(SEQ ID NO: 4)

Amino acid sequence of APP(1-651)wt, K612V-TATexonI(M1L) APP (664-695)

mlpgla111laawtaralevptdgnagllaepqiamfcgrlnmhmrvqngkwdsdpsgtktcidtkegilqycq
 evypelqitnvveanqpvtiqnwckrgrkqckthphfviyrclvgefisdallvpdkckflhqermdvcethlh
 whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaesdnvdsadaeedsdvwggadtadyadgs
 edkvvevaeeeeaeveeeeeadddeddgdevveeaeepyeaterettsiatTTTTTTesveevrvpttaastpd
 avdkyletpgdenehahfqakerleakhrermsqvmreweeaerqaknlpkaddkaviqhfkvesleqe
 aanerqqilvethmarveamlnrrrrlalenyitalqavpprprhvfmlkkyvraeqkdrqhtlkhfehvmvd
 pkkaaqrsvmthlrviyermnqslsllnvpavaeeiqdevdellqkeqnysddvlanmiseprisgnda1
 mpsltetktvelli pvngefslddlqpwhsfgadsvpantenevepvdarpaadrgl ttrpgsgltnikteeisev
 2 3 4 5
kmdaefrhdsgyevhhqylvffaedvgsnkgaiiglmvggyviatvivitlvmkkklgtelgstspwwns
 6
adilepvdprlepwhpgsqpktactncycckkccfhcqvcmfka1qisyqrkrrrrahqnsqthqaslskq
 7 8
risstvaaadaavtpeerhlskmgqngyenptykffeqmgn

FIG.5

8/76

DNA sequence of APP(1-651)SW, K612V-GAL4VP16(M1 L) APP (664-695)

(SEQ ID NO: 5)

1 ATGCTGCCCCG GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGAG
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTC CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAACTCA TCTTCACTGG
451 CACACCGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GGCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATACCG CTCTGCAGGC TGTTCCTCCT CGGCCTCGTC ACGTGTTCAA
1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC

FIG.6A

9/76

1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAATCTAGA TGCAGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAGTATTGG TGTCTTTGC
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC AAGCTACTGT CTTCTATCGA ACAAGCATGC GATATTTGCC
2051 GACTTAAAAA GCTCAAGTGC TCCAAAGAAA AACCGAAGTG CGCCAAGTGT
2101 CTGAAGAACA ACTGGGAGTG TCGCTACTCT CCCCCAACCA AAAGGTCTCC
2151 GCTGACTAGG GCACATCTGA CAGAAGTGA ATCAAGGCTA GAAAGACTGG
2201 AACAGCTATT TCTACTGATT TTTCCTCGAG AAGACCTTGA CATGATTTTG
2251 AAAATGGATT CTTTACAGGA TATAAAGCA TTGTTAACAG GATTATTTGT
2301 ACAAGATAAT GTGAATAAAG ATGCCGTCAC AGATAGATTG GCTTCAGTGG
2351 AGACTGATAT GCCTCTAACA TTGAGACAGC ATAGAATAAG TGCGACATCA
2401 TCATCGGAAG AGAGTAGTAA CAAAGGTCAA AGACAGTTGA CTGTATCGGG
2451 AATTCCCGGG GATCTGGCCC CCCCACCGA TGTCAGCCTG GGGGACGAGC
2501 TCCAATTAGA CGGCGAGGAC GTGGCGATGG CGCATGCCGA CGCGCTAGAC
2551 GATTTGATC TGGACATGTT GGGGGACGGG GATTCCCCGG GTCCGGGATT

FIG.6B

10/76

2601 TACCCCCAC GACTCCGCCC CCTACGGCGC TCTGGATATG GCCGACTTCG
2651 AGTTTGAGCA GATGTTTACC GATGCCCTTG GAATTGACGA GTACGGTGGG
2701 GATATCCAGC ACAGTGGCGG CCGCGACGCC GCTGTCACCC CAGAGGAGCG
2751 CCACCTGTCC AAGATGCAGC AGAACGGCTA CGAAAATCCA ACCTACAAGT
2801 TCTTTGAGCA GATGCAGAAC TAG

FIG.6C

11/76

(SEQ ID NO: 6)

Amino acid sequence of APP(1-651)SW, K612V, GAL4-VP16(de1M1) APP (664-695)

mlpglallllaawtaralevptdgnagllaepqiamfcgrlnmhmrvqngkwdsdpsgtktcidtkegilqycq
 evypelqitnvveanqpvtiqnwckrgrkqckthphfvipyrclvgefisdallvpdkckflhqermdvcethlh
 whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaeesdnvdsadaeeddsdvwggadtdyadgs
 edkvvevaeveveveeadddeddgdveveeaeepyeaterttsiatTTTTTtesveevrvpptaastpd
 avdkyletpgdenehahfqakerleakhrermsqvmreweeaerqaknlpkaddkaviqhfaqekvesleqe
 aanerqqlvethmarveamlndrrrlalenyitalqavpprprhvfnmkkyyvraeqkdrqhtlkhfehvmvd
 pkkaaqrsvmthlrviyermnqslsllynvpavaeeiqdevdelqkeqnysddlanmisseprisgnda
 mpsltetktvellingefslldlpwhsfgadsvpantenevepvdarpaadrglttrpgsgltnikteeisev
 2 3 4 5
 nldaefrhdsgyevhhqvlvffaedvgnskgaiiglmvggyviatvivitlvmlkkklgtelgstspwms
 adtkllssiegacdicrlkklkcskekpkcakclknwecryspktrspltrahltevesrlerleqlfllifpredld
 6
 milkmdslqdikalltqlfvqdnvnkdavtdrlasvetdmpitlrqhrisatssseessnkqqrqltvsgipgdapp
 tdvslgdelhldgedvamahadalddfdlmlgdqdspgqgftphdsapygalmdafefeqmftdalqidev
 7 8
 ggdiqhsaaaadaavtpeerhlskmqngyenptykffeqmqn

FIG. 7

12/76

DNA sequence of APP(1-651)wt, K612V, GAL4-VP16(deIM1) APP (664-695)

(SEQ ID NO: 7)

```

1 ATGCTGCCCC GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGA
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTC CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAACTCA TCTTCACTGG
451 CACACCGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTTCCTCCT CGGCCTCGTC ACGTGTTCAA

```

FIG.8A

13/76

1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAAGATGGA TGCAGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAGTATTGG TGTCTTTGC
1851 AGAAGATGTG GGTCAAACA AAGGTGCAAT CATTGGA CTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC AAGCTACTGT CTTCTATCGA ACAAGCATGC GATATTTGCC
2051 GACTTAAAAA GCTCAAGTGC TCCAAAGAAA AACC GAAGTG CGCCAAGTGT
2101 CTGAAGAACA ACTGGGAGTG TCGCTACTCT CCCAAAACCA AAAGGTCTCC
2151 GCTGACTAGG GCACATCTGA CAGAAGTGG AATCAAGGCTA GAAAGACTGG
2201 AACAGCTATT TCTACTGATT TTTCTCGAG AAGACCTTGA CATGATTTTG
2251 AAAATGGATT CTTTACAGGA TATAAAAGCA TTGTTAACAG GATTATTTGT
2301 ACAAGATAAT GTGAATAAAG ATGCCGTAC AGATAGATTG GCTTCAGTGG
2351 AGACTGATAT GCCTCTAACA TTGAGACAGC ATAGAATAAG TGCGACATCA
2401 TCATCGGAAG AGAGTAGTAA CAAAGGTCAA AGACAGTTGA CTGTATCGGG
2451 AATTCCCGGG GATCTGGCCC CCCC GACCGA TGTCAGCCTG GGGGACGAGC
2501 TCCACTTAGA CGGCGAGGAC GTGGCGATGG CGCATGCCGA CGCGCTAGAC
2551 GATTTCGATC TGGACATGTT GGGGGACGGG GATTCCCCGG GTCCGGGATT

FIG.8B

14/76

2601 TACCCCCAC GACTCCGCCC CCTACGGCGC TCTGGATATG GCCGACTTCG
2651 AGTTTGAGCA GATGTTTACC GATGCCCTTG GAATTGACGA GTACGGTGGG
2701 GATATCCAGC ACAGTGGCGG CCGCGACGCC GCTGTCACCC CAGAGGAGCG
2751 CCACCTGTCC AAGATGCAGC AGAACGGCTA CGAAAATCCA ACCTACAAGT
2801 TCTTTGAGCA GATGCAGAAC TAG

FIG.8C

15/76

(SEQ ID NO: 8)

Amino acid sequence of APP(1-651)wt, K612V, GAL4-VP16(delM1) APP (664-695)

mlpgla1111aawtaralevptdgnagllaepqiamfcgrlnmhmrvqngkwsdpsgtktcidtkegilqycq
 evypelqitnvveanqpvtiqnwckrgrkqckthphfviptyrc1vgefisdallvpdkckflhqermdvcethlh
 whtvaketcskstnlhdygmllpcgidkfrgvefvccplaeesdnvdsadaeeddsdvwggadtadydgs
 edkvvevaeveveveeadddeddedgdeveeeaepeyeaterttsiatTTTTTtesveevrvpttaastpd
 avdkyletpgdenehahfqkakerleakhrermsqvmreweeaerqaknlpkaddkaviqhfekvesleqe
 aanerqqlvethmarveamlnrrrrlalenyitalqavpprprhvfnm1kkyvraeqdrqhtlkhfehrmvd
 pkkaaqrsvqmthlrviyermnqslsllynvpavaeeiqdevdellqkeqnyddv1anmiseprisycnda1
 mpsltetkttvellpvngfslddlqpwhsfgadsvpantenevepvdarpaadrgl1trpgsgltnikteeisev
 2 3 4 5
 kmdaefrhdsgeyvhqklvffaedvgsnkgaiiglmvggviatvivitlvm1kkklgtelgstspwms
 adikllssieqacdicr1kk1kcskekpkcakclknwecryspktrsp1trahltevesrlerleqlfllifpredld
 6
 milkmdslqdikalltqlfvqdnvnkdavtdrlasvetdmp1l1rqhrisatssseessnkqqrqltvsqipqdlapp
 tdvslqdelhldgedvamahadalddfdldmlqdgdsppgftphdsapygalmdadfeeqmftdalqidey
 7 8
 ggdichsgaaadaavtpeerh1skmqngyenptykffeqmqn

FIG.9

16/76

DNA sequence of APP(1-651)SW, TATexon1(M1 L) APP (664-695)

(SEQ ID NO: 9)

```
1  ATGCTGCCCCG  GTTTGGCACT  GCTCCTGCTG  GCCGCCTGGA  CGGCTCGGGC
51  GCTGGAGGTA   CCCACTGATG  GTAATGCTGG  CCTGCTGGCT  GAACCCAGAG
101 TTGCCATGTT   CTGTGGCAGA  CTGAACATGC  ACATGAATGT  CCAGAATGGG
151 AAGTGGGATT   CAGATCCATC  AGGGACCAAA  ACCTGCATTG  ATACCAAGGA
201 AGGCATCCTG   CAGTATTGCC  AAGAAGTCTA  CCCTGAACTG  CAGATCACCA
251 ATGTGGTAGA   AGCCAACCAA  CCAGTGACCA  TCCAGAACTG  GTGCAAGCGG
301 GGCCGCAAGC   AGTGCAAGAC  CCATCCCCAC  TTTGTGATTC  CCTACCGCTG
351 CTTAGTTGGT   GAGTTTATAA  GTGATGCCCT  TCTCGTTCCT  GACAAGTGCA
401 AATTCTTACA   CCAGGAGAGG  ATGGATGTTT  GCGAAACTCA  TCTTCACTGG
451 CACACCGTCG   CCAAAGAGAC  ATGCAGTGAG  AAGAGTACCA  ACTTGCATGA
501 CTACGGCATG   TTGCTGCCCT  GCGGAATTGA  CAAGTTCCGA  GGGGTAGAGT
551 TTGTGTGTTG   CCCACTGGCT  GAAGAAAGTG  ACAATGTGGA  TTCTGCTGAT
601 GCGGAGGAGG   ATGACTCGGA  TGTCTGGTGG  GGCGGAGCAG  ACACAGACTA
651 TGCAGATGGG   AGTGAAGACA  AAGTAGTAGA  AGTAGCAGAG  GAGGAAGAAG
701 TGGCTGAGGT   GGAAGAAGAA  GAAGCCGATG  ATGACGAGGA  CGATGAGGAT
751 GGTGATGAGG   TAGAGGAAGA  GGCTGAGGAA  CCCTACGAAG  AAGCCACAGA
801 GAGAACCACC   AGCATTGCCA  CCACCACCAC  CACCACCACA  GAGTCTGTGG
851 AAGAGGTGGT   TCGAGTTCCT  ACAACAGCAG  CCAGTACCCC  TGATGCCGTT
901 GACAAGTATC   TCGAGACACC  TGGGGATGAG  AATGAACATG  CCCATTTCCA
951 GAAAGCCAAA   GAGAGGCTTG  AGGCCAAGCA  CCGAGAGAGA  ATGTCCCAGG
1001 TCATGAGAGA   ATGGGAAGAG  GCAGAACGTC  AAGCAAAGAA  CTTGCCTAAA
1051 GCTGATAAGA   AGGCAGTTAT  CCAGCATTTT  CAGGAGAAAG  TGGAATCTTT
1101 GGAACAGGAA   GCAGCCAACG  AGAGACAGCA  GCTGGTGGAG  ACACACATGG
1151 CCAGAGTGGA   AGCCATGCTC  AATGACCGCC  GCCGCCTGGC  CCTGGAGAAC
1201 TACATCACCG   CTCTGCAGGC  TGTTCCTCCT  CGGCCTCGTC  ACGTGTTCAA
```

FIG.10A

17/76

1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAATCTAGA TGCAGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAAAATTGG TGTCTTTGCG
1851 AGAAGATGTG GGTCAAACA AAGGTGCAAT CATTGGAATC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC CTGGAGCCAG TAGATCCTAG ACTAGAGCCC TGAAGCATC
2051 CAGGAAGTCA GCCTAAACT GCTTGATCCA ATTGCTATTG TAAAAAGTGT
2101 TGCTTTCATT GCCAAGTTTG TTTCATGACA AAAGCCTTAG GCATCTCCTA
2151 TGGCAGGAAG AAGCGGAGAC AGCGACGAAG AGCTCATCAG AACAGTCAGA
2201 CTCATCAAGC TTCTCTATCA AAGCAGAGGA TATCCAGCAC AGTGGCGGCC
2251 GCAGACGCCG CTGTCACCCC AGAGGAGCGC CACCTGTCCA AGATGCAGCA
2301 GAACGGCTAC GAAAATCCAA CCTACAAGTT CTTTGAGCAG ATGCAGAACT
2351 AG

FIG. 10B

18/76

(SEQ ID NO: 10)

Amino acid sequence of APP(1-651)SW, TATexonI(MIL) APP (664-695)

mlpgla111laawtaralevptdgnagllaepqiamfcgrlnmhmnvqngkwdspsgtktcidtkegilqycq
 evypelqitnvveanqpvtiqnwckrgrkqckthphfvipyrclvgefisdallvpdkckflhqermdvcethlh
 whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaeesdnvdsadaeeddsdvwggadtdyadgs
 1
 edkvvevaeeeeaeveeeeeadddedgdveveeeaepeyeaterettsiatTTTTTTesveevrvpttaastpd
 avdkyletpgdenehahfqakerleakhrermsqvmreweeaerqaknlpkadkkaviqhfqekvesleqe
 aanerqq1vethmarveamlndrrrlalenyitalqavpprrhvfmlkkyvraeqkdrqhtlkhfehvrmvd
 pkkaa1irsqvmthlrviyermnqslsllnvpavaeeiqdevdellqkeqnysddv1anmiseprisgndal
 mpsltetktvelli1pvngefs1dd1qpwhsf1gadsvpantenevepvdarpaadrglttrpgsgltnikteeisev
 2 3 4 5
 n1daefrhdsgyevhhq1lvffaedvgsnkgaiiglmvggyviatvivitlvm1kkkl1gtelgstspvwns
 6
 ad1lepvdp1rlepwhpgsqpktactncycckkccfhcqvcmf1tkalqisygrkkrrgrrrahqnsqthqas1skg
 7 8
 r1sstvaaadaavtpeerh1skmqngyenptykffeqmqn

FIG. 11

19/76

DNA sequence of APP(1-651)wt, TATexon1(M1L)-APP (664-695)

(SEQ ID NO: 11)

```
1  ATGCTGCCCCG GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51  GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGAG
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTG CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAAACTCA TCTTCACTGG
451 CACACCGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGGAACTTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTTCCTCCT CGGCCTCGTC ACGTGTTCAA
```

FIG.12A

20/76

1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTG
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAAGATGGA TGCAGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAAAATTGG TGTTCCTTGC
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC CTGGAGCCAG TAGATCCTAG ACTAGAGCCC TGAAGCATC
2051 CAGGAAGTCA GCCTAAACT GCTTGATACCA ATTGCTATTG TAAAAAGTGT
2101 TGCTTTCATT GCCAAGTTTG TTTCATGACA AAAGCCTTAG GCATCTCCTA
2151 TGGCAGGAAG AAGCGGAGAC AGCGACGAAG AGCTCATCAG AACAGTCAGA
2201 CTCATCAAGC TTCTCTATCA AAGCAGAGGA TATCCAGCAC AGTGGCGGCC
2251 GCAGACGCCG CTGTCACCCC AGAGGAGCGC CACCTGTCCA AGATGCAGCA
2301 GAACGGCTAC GAAAATCCAA CCTACAAGTT CTTTGAGCAG ATGCAGAACT
2351 AG

FIG.12B

21/76

(SEQ ID NO: 12)

Amino acid sequence of APP(1-651)wt, TATexonI(M1L) APP (664-695)

mlpgla111laawtaralevptdnagllaepqiamfcgrlnmhmrvqngkwdsdpstktcidtkegilqycq
 evype1qitnvveanqpvtiqnwckrgrkqckthphfvipyrclvgefisdallvpdkckflhqermdvcethlh
 whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaeesdnvdsadaeeddsdvwggadtdyadgs
 edkvvevaeeeeaeveeeeeadddeddgdveveeeaepeyeaterettsiatTTTTTtesveevrvpttaastpd
 avdkyletpgdenehahfqkakerleakhrermsqvmreweeaerqaknlpkdkkaviqhfqekvesleqe
 aanerqq1vethmarveamlnrrrrlalenitalqavpprprhvfmlkkyvraeqkdrqhtlkhfehvmvd
 pkkaa1qirsqvmthlrviyermnqsls1ynvpavaeeiqdevdel1qkeqnysddvlanmiseprisgnda1
 mps1tetkttvellpvngfsl1ddlpwhsfsgadsvpantenevepvdarpaadrglttrpgsgltnikteeisev
 2 kmdaefrhdsgyevhhqk1 3 vffaedvgsnkgaiig1 4 mvggvyiatvivi1 5 tmlkkklgtelgstspvwns
 6
 adi1 7 lepvdp1 8 lepwkhpqspktactncycckccfhcqvcfntkalqisygrkkrrrrahqnsqthqaslskq
 7
 8
 r1sstvaaadaavtpeerh1skmqngyenptykffeqmqn

FIG. 13

22/76

DNA sequence of APP(1-651)SW, GAL4VP16(delMet) APP (664-695)

(SEQ ID NO: 13)

```
1 ATGCTGCCCCG GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGA
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTC CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAAACTCA TCTTCACTGG
451 CACACCGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GGCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTTCCTCCT CGGCCTCGTC ACGTGTTCAA
```

FIG.14A

23/76

1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAATCTAGA TGCAGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAAATTGG TGTTCTTTCG
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC AAGCTACTGT CTTCTATCGA ACAAGCATGC GATATTTGCC
2051 GACTTAAAAA GCTCAAGTGC TCCAAAGAAA AACCGAAGTG CGCCAAGTGT
2101 CTGAAGAACA ACTGGGAGTG TCGCTACTCT CCCAAAACCA AAAGGTCTCC
2151 GCTGACTAGG GCACATCTGA CAGAAGTGGA ATCAAGGCTA GAAAGACTGG
2201 AACAGCTATT TCTACTGATT TTTCTCGAG AAGACCTTGA CATGATTTTG
2251 AAAATGGATT CTTTACAGGA TATAAAAGCA TTGTTAACAG GATTATTTGT
2301 ACAAGATAAT GTGAATAAAG ATGCCGTAC AGATAGATTG GCTTCAGTGG
2351 AGACTGATAT GCCTCTAACA TTGAGACAGC ATAGAATAAG TGCGACATCA
2401 TCATCGGAAG AGAGTAGTAA CAAAGGTCAA AGACAGTTGA CTGTATCGGG
2451 AATTCCCGGG GATCTGGCCC CCCCACCGA TGTCAGCCTG GGGGACGAGC
2501 TCCACTTAGA CGGCGAGGAC GTGGCGATGG CGCATGCCA CGCGCTAGAC
2551 GATTTGATC TGGACATGTT GGGGGACGGG GATTCCCCG GTCCGGGATT

FIG.14B

24/76

2601 TACCCCCAC GACTCCGCCC CCTACGGCGC TCTGGATATG GCCGACTTCG
2651 AGTTTGAGCA GATGTTTACC GATGCCCTTG GAATTGACGA GTACGGTGGG
2701 GATATCCAGC ACAGTGGCGG CCGCGACGCC GCTGTCACCC CAGAGGAGCG
2751 CCACCTGTCC AAGATGCAGC AGAACGGCTA CGAAAATCCA ACCTACAAGT
2801 TCTTTGAGCA GATGCAGAAC TAG

FIG.14C

25/76

(SEQ ID NO: 14)

Amino acid sequence of APP(1-651)SW, K612V, GAL4-VP16(delM1) APP (664-695)

mlpglailllaawtaralevptdgnagllaepqiamfcgrlnmhmvmvqngkwsdpsgtktcidtkegilqycq
 evypeiqitnvveanqpvtiqnwckrgrkqckthphfviptyrcvgefisdallvpdkckflhqermdvcethlh
 whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaeedndvsadaeeddsdvwggadtdyadgs
 edkvvevaeveveveeadddeddgdveveeaeepyeeaterttsiatTTTTTtesveevrvpttaastpd
 avdkyletpgdenehahfqkakerleakhrermsqvmreweeaerqaknlpkadkkaviqhfkqekvesleqe
 aanerqqivethmarveamlnrrrrlalenyitalqavpprprhvfnnlkkyyraeqkdrqhtlkhfehvrmd
 pkkaaqrsvqmthlrviyermnqslsllnvpavaeeiqdevdellqeqnysddvlnmiseprisycnda
 mpsltetkttvellpvngfslldlqpwhsfgadsvpantenevepvdarpaadrglttrpgsgltnikteeisev
 2 3 4 5
 nldaefrhdsgeyvhqklvffaedvgssnkgaiiglmvggvvialvivitlvmllkkklgtelgstspvwns
 adikllssieqacdircrllkllkskekpkcacklknwecryspktrspltrahltevesrlerleqlfllifpredld
 6
 mlkmdslqdikalltglfvqdnvknkavtdrlasvetdmpitlrqhrisatssseessnkqqrqltvsgipqdlapp
 tdvslgdelhldgedvamahadalddfdldmlgdqdsppqgftphdsapygalmdadfeeqmftdalqidev
 7 8
 ggdichsgaaadaavtpeerhlskmgqngyenptykffeqmgn

FIG. 15

26/76

DNA sequence of APP(1-651)wt, GAL4VP16(delMet) APP (664-695)

(SEQ ID NO: 15)

```
1 ATGCTGCCCCG GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGAG
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTC CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAAACTCA TCTTCACTGG
451 CACACCGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGGAACTTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTTCCTCCT CGGCCTCGTC ACGTGTTCAA
```

FIG.16A

27/76

1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAAGATGGA TGCAGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAAATTGG TGTTCTTTGC
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC AAGCTACTGT CTTCTATCGA ACAAGCATGC GATATTTGCC
2051 GACTTAAAAA GCTCAAGTGC TCCAAAGAAA AACCGAAGTG CGCCAAGTGT
2101 CTGAAGAACA ACTGGGAGTG TCGCTACTCT CCCAAAACCA AAAGGTCTCC
2151 GCTGACTAGG GCACATCTGA CAGAAGTGA ATCAAGGCTA GAAAGACTGG
2201 AACAGCTATT TCTACTGATT TTTCTCGAG AAGACCTTGA CATGATTTTG
2251 AAAATGGATT CTTTACAGGA TATAAAGCA TTGTTAACAG GATTATTTGT
2301 ACAAGATAAT GTGAATAAAG ATGCCGTCAC AGATAGATTG GCTTCAGTGG
2351 AGACTGATAT GCCTCTAACA TTGAGACAGC ATAGAATAAG TGCACATCA
2401 TCATCGGAAG AGAGTAGTAA CAAAGGTCAA AGACAGTTGA CTGTATCGGG
2451 AATTCCCGGG GATCTGGCCC CCCCAGCCGA TGTCAGCCTG GGGGACGAGC
2501 TCCACTTAGA CGGCGAGGAC GTGGCGATGG CGCATGCCGA CGCGCTAGAC
2551 GATTTCGATC TGGACATGTT GGGGGACGGG GATTCCCCGG GTCCGGGATT

FIG.16B

28/76

2601 TACCCCCAC GACTCCGCCC CCTACGGCGC TCTGGATATG GCCGACTTCG
2651 AGTTTGAGCA GATGTTTACC GATGCCCTTG GAATTGACGA GTACGGTGGG
2701 GATATCCAGC ACAGTGGCGG CCGCGACGCC GCTGTCACCC CAGAGGAGCG
2751 CCACCTGTCC AAGATGCAGC AGAACGGCTA CGAAAATCCA ACCTACAAGT
2801 TCTTTGAGCA GATGCAGAAC TAG

FIG.16C

29/76

(SEQ ID NO: 16)

Amino acid sequence of APP(1-651)wt, K612V, GAL4-VP16(de1M1) APP (664-695)

mlpgla1111aawtaralevptdgnagllaepqiamfcgrlnmhmrvqngkwdsdpstktcldtkegilqycq
 evypelqitnvveanqpvtiqnwckrgrkqckthphfviyrc1vgefisdallvpdkckflhqermdivcethlh
 whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaeesdnvdsadaeeddsdvwggadtdyadgs
 edkvvevaeveveveeadddeddgdveveeaepeyeaterttsiatTTTTTTesveevrvpttaastpd
 avdkyletpgdenehahfqakerleakhrermsqvmreweeaerqaknlpkdkkaviqhfeqkesleqe
 aanerqq1vethmarveamlnrrrr1alenyitalqavpprprhvfnm1kkyvraeqkdrqht1khfehvmvd
 pkkaaqrsvmth1rviyermnqsls1ynvpavaeeiqdevde1lqeqnysddv1anm1seprisgnda1
 mps1tetkttvellpvngefs1dd1qpwhsfgadsvpantenevepvdarpaadrg1ttrpgsg1tnikteeisev
 2 3 4 5
kmdaefrhdsgyevhhqklvfvaedvgsnkgaiiglmvggvv1atvivitlvm1kkkl1gtelgstspvwns
ad1kl1ssieqacd1cr1kk1kcskekpkcakclknwecryspktrsp1trah1teves1er1eq1f1l1ifpred1d
 6
mi1kmdslqdika1ltglfvqdnvnkdavtdr1asvetdmp1tlrqhrisatssseessnkqqrq1tvsqipqdlapp
tdvslgde1h1dgedvamahada1ddfd1dm1gdqdspgpgftphdsapyqa1dmdafefeqmftdalqidey
 7 8
ggdiqhs1gaadaavtpeerh1skmqnqyenptykffeqmqn

FIG. 17

30/76

(SEQ ID NO: 17)

```
1 agtttcctcg gcagcggtag gcgagagcac gcggaggagc gtgcgcgggg gccccgggag
61 acggcggcgg tggcggcgcg ggcagagcaa ggacgcggcg gatcccactc gcacagcagc
121 gcaactcggg ccccgcgtag ggtcgcgatg ctgcccgggt tggcactgct cctgctggcc
181 gcctggacgg ctcgggcgct ggaggtaccc actgatggta atgctggcct gctggctgaa
241 cccagattg ccatgttctg tggcagactg aacatgcaca tgaatgtcca gaatgggaag
301 tgggattcag atccatcagg gacaaaacc tgcattgata ccaaggaagg catcctgcag
361 tattgccaa gagtctaccc tgaactgcag atcaccaatg tggtagaagc caaccaacca
421 gtgaccatcc agaactgggt caagcggggc cgcaagcagt gcaagacca tccccacttt
481 gtgattccct accgctgctt agttggtag tttgtaagt atgcccttct cgttctgac
541 aagtgcaaat tcttacacca ggagaggatg gatgtttgcg aaactcatct tactggcac
601 accgtcgcca aagagacatg cagtgagaag agtaccact tgcattgacta cggcatgttg
661 ctgccctgcg gaattgacaa gttccgaggg gtagagtgtg tgtgttggcc actggctgaa
721 gaaagtgaca atgtggattc tgctgatgcg gaggaggatg actcggaagt ctgggtgggc
781 ggagcagaca cagactatgc agatgggagt gaagacaaag tagtagaagt agcagaggag
841 gaagaagtgg ctgaggtgga agaagaagaa gccgatgatg acgaggacga tgaggatggt
901 gatgaggtag aggaagaggc tgaggaaccc tacgaagaag ccacagagag aaccaccagc
961 attgccacca ccaccaccac caccacagag tctgtggaag aggtggttcg agttcttaca
1021 acagcagcca gtaccctga tgccgttgac aagtatctcg agacacctgg ggatgagaat
1081 gaacatgccc atttcagaa agccaaagag aggcttgagg ccaagcaccg agagagaatg
1141 tcccaggcca tgagagaatg ggaagaggca gaacgtcaag caaagaactt gcciaaagct
1201 gataagaagg cagttatcca gcatttcag gagaaagtgg aatctttgga acaggaagca
1261 gccaacgaga gacagcagct ggtggagaca cacatggcca gagtggagc catgctcaat
1321 gaccgcccgc gcctggccct ggagaactac atcaccgctc tgcaggctgt tctcctcgg
1381 cctcgtcacg tgttcaatat gctaaagaag tatgtccgcg cagaacagaa ggacacagag
1441 cacaccctaa agcatttcga gcatgtgcgc atggtggatc ccaagaaagc cgctcagatc
1501 cgggtcccagg ttatgacaca cctccgtgtg atttatgagc gcatgaatca gtctctctcc
1561 ctgctctaca acgtgcctgc agtggccgag gagattcagg atgaagtga tgagtgctt
1621 cagaaagagc aaaactattc agatgacgtc ttggccaaca tgattagtga accaaggatc
1681 agttacggaa acgatgctct catgccatct ttgaccgaaa cgaaaaccac cgtggagctc
1741 cttcccgtga atggagagtt cagcctggac gatctccagc cgtggcattc ttttgggct
1801 gactctgtgc cagccaacac agaaaacgaa gttgagcctg ttgatgccg ccctgtgccc
1861 gaccgaggac tgaccactcg accaggttct ggggtgacaa atatcaagac ggaggagatc
1921 tctgaagtga agatggatgc agaattccga catgactcag gatatgaagt tcatcatcaa
1981 aaattgggtg tctttgcaga agatgtgggt tcaaacaag gtgcaatcat tggactcatg
2041 gtgggcgggtg ttgtcatagc gacagtgatc gtcacacct tggtagtgct gaagaagaaa
2101 cagtacacat ccattcatca tgggtgtgtg gaggttgacg ccgctgtcac cccagaggag
2161 cgccacctgt ccaagatgca gcagaacgac tacgaaaatc caacctaca gttctttgag
2221 cagatgcaga actagacccc cgccacagca gcctctgaag ttggacagca aaaccattgc
2281 ttcactaccc atcggtgtcc atttatagaa taatgtggga agaaacaaac ccgttttatg
2341 atttactcat tatcgctttt tgacagctgt gctgtaacac aagtagatgc ctgaacttga
2401 attaatccac acatcagtaa tgtattctat ctctctttac attttggctc ctatactaca
2461 ttattaatgg gttttgtgta ctgtaaagaa tttagctgta tcaaactagt gcatgaatag
2521 attctctcct gattatttat cacatagccc cttagccagt tgtatattat tcttggtgtt
2581 tgtgacccaa ttaagtccta ctttacatat gctttaagaa tcgatggggg atgcttcatg
2641 tgaacgtggg agttcagctg cttctcttgc ctaagtattc ctttctgat cactatgcat
2701 tttaaagtta aacattttta agtatttcag atgctttaga gagattttt ttccatgact
2761 gcattttact gtacagattg ctgcttctgc tatattttag atataggaat taagaggata
```

FIG.18A

31/76

2821 cacacgtttg tttcttcgtg cctgttttat gtgcacacat taggcattga gacttcaagc
2881 ttttcttttt ttgtccacgt atctttgggt ctttgataaa gaaaagaatc cctgttcatt
2941 gtaagcactt ttacggggcg ggtggggagg ggtgctctgc tggcttcaa ttaccaagaa
3001 ttctccaaaa caattttctg caggatgatt gtacagaatc attgcttatg acatgatcgc
3061 tttctacact gtattacata aataaattaa ataaaaatac cccgggcaag acttttcttt
3121 gaaggatgac tacagacatt aaataatcga agtaattttg ggtggggaga agaggcagat
3181 tcaattttct ttaaccagtc tgaagtttca tttatgatac aaaagaagat gaaaatggaa
3241 gtggcaatat aaggggatga ggaaggcatg cctggacaaa cccttctttt aagatgtgtc
3301 ttcaatttgt ataaaatggt gttttcatgt aaataaatac attcttgag gagc

FIG.18B

32/76

(SEQ ID NO: 18)

MLPGLALLLLAAWTARALEVPTDGNAGLLAEPQIAMFCGRNLNMH
MNVQNGKWSDPSGKTCIDTKEGILQYCQEVPELQITNVVEANQPVTIQNWCKRGR
KQCKTHPHFVIPYRCLVGEFVSDALLVPDKCKFLHQERMDVCETHLHWHTVAKETCSE
KSTNLHDYGMLLPCGIDKFRGVEFVCCPLAEESDNVDSADAEEDSDVWGGADTDYA
DGSEDKVVEVAEEEEVAEVEEEEADDEDDEDGDEVEEEAEEPVEEATERTTSIATTT
TTTTESVEEVVRVPTTAASTPDAVDKYLETPGDENEHAHFQKAKERLEAKHRERMSQV
MREWEAAERQAKNLPKADKKAVIQHFQEKVESLEQEAANERQQLVETHMARVEAMLND
RRRLALENYITALQAVPPRPRHVFNMLKKYVRAEQKDRQHTLKHFEHVRMVDPKKAAQ
IRSQVMTHLRVIYERMNQSLSLLYNVPAVAEEIQDEVDELLQKEQNYSDVLANMISE
PRISYGNDALMPSLTETKTTVELLPVNGEFSDDLQPWHSFGADSVANTENEVEPV
ARPAADRGLTTRPGSGLTNIKTEEISEVKMDAEFRHDSGYEVHHQKLVFFAEDVGSNK
GAIIGLMVGGVVIATVIVITLVMLKKKQYTSIHHGVVEVDAAVTPEERHLSKMQQNGY
ENPTYKFFEQQMN

FIG.18C

33/76




FIG.19

34/76




FIG.20

35/76




FIG.21A

36/76




FIG.21B

37/76




FIG.22A




FIG.22B

39/76




FIG.22C




FIG.23

41/76




FIG.24

42/76




FIG.25A

43/76

(SEQ ID NO: 19 AND 20)

1	ATGGTGAGCA	AGGGCGAGGA	GCTGTTCAAC	GGGGTGGTGC	CCATCCTGGT
	TACCACTCGT	TCCCGCTCCT	CGACAAGTGG	CCCCACCACG	GGTAGGACCA
51	CGAGCTGGAC	GGCGACGTAA	ACGGCCACAA	GTTCAGCGTG	TCCGGCGAGG
	GCTCGACCTG	CCGCTGCATT	TGCCGGTGTT	CAAGTCGCAC	AGGCCGCTCC
101	GCGAGGGCGA	TGCCACCTAC	GGCAAGCTGA	CCCTGAAGTT	CATCTGCACC
	CGCTCCCGCT	ACGGTGGATG	CCGTTTCACT	GGGACTTCAA	GTAGACGTGG
151	ACCGGCAAGC	TGCCCGTGCC	CTGGCCCAAC	CTCGTGACCA	CCTTCACCTA
	TGGCCGTTTC	ACGGGCACGG	GACCGGGTGG	GAGCACTGGT	GGAAGTGGAT
201	CGGCGTGACG	TGCTTCGCCC	GCTACCCCGA	CCACATGAAG	CAGCACGACT
	GCCGCACGTC	ACGAAGCGGG	CGATGGGGCT	GGTGTAATTC	GTCGTGCTGA
251	TCTTCAAGTC	CGCCATGCCC	GAAGGCTACG	TCCAGGAGCG	CACCATCTTC
	AGAAGTTTCA	GCGGTACGGG	CTTCCGATGC	AGGTCCTCGC	GTGGTAGAAG
301	TTCAAGGACG	ACGGCAACTA	CAAGACCCGC	GCCGAGGTGA	AGTTTCGAGG
	AAGTTCTTGC	TGCCGTTGAT	GTTCTGGGCG	CGGCTCCACT	TCAAGCTCCC
351	CGACACCCTG	GTGAACCGCA	TCGAGCTGAA	GGGCATCGAC	TTCAAGGAGG
	GCTGTGGGAC	CACCTTGGCGT	AGCTCGACTT	CCCGTAGCTG	AAGTTCTCTC
401	ACGGCAACAT	CCTGGGGCAC	AAGCTGGAGT	ACAACCTACA	CAGCCACAAG
	TGCCGTTGTA	GGACCCCGTG	TTGACCTCA	TGTTGATGTT	GTCGGTGTTC
451	GTCTATATCA	CCGCCGACAA	GCAGAAGAAC	GGCATCAAGG	TGAACCTCAA
	CAGATATAGT	GGCGGCTGTT	CGTCTTCTTG	CCGTAGTTCC	ACTTGAAGTT
501	GACCCGCCAC	AACATCGAGG	ACGGCAGCGT	GCAGCTCGCC	GACCACTACC
	CTGGGCGGTG	TTGTAGCTCC	TGCCGTCGCA	CGTCGAGCGG	CTGGTGTAGG
551	AGCAGAACAC	CCCCATCGGC	GACGGCCCCG	TGCTGCTGCC	CGACAACCAC
	TCGTCTTGTC	GGGGTAGCCG	CTGCCGGGGC	ACGACGACGG	GCTGTTGGTG
601	TACCTGAGCA	CCCAGTCCGC	CCTGAGCAAA	GACCCCAACG	AGAAGCGCGA
	ATGGACTCGT	GGGTACGGCG	GGACTCGTTT	CTGGGGTTGC	TCTTCGCGCT
651	TCACATGGTC	CTGCTGGAGT	TCGTGACCGC	CGCCGGGATC	ACTCTCGGCA
	AGTGTTACCA	GACGACCTCA	AGCACTGGCG	GCGGCCCTAG	TGAGAGCCGT
701	TGGACGAGCT	GTACAAGTAA	CTCGAGTCTA	GAGGGCCCGT	TTAAACCCGC
	ACCTGCTCGA	CATGTTTATT	GAGCTCAGAT	CTCCCGGGCA	AATTTGGGCG
751	TGATCAGCCT	CGACTGTGCC	TTCTAGTTGC	CAGCCATCTG	TTGTTTGCCC
	ACTAGTCGGA	GCTGACACGG	AAGATCAACG	GTCCGTAGAC	AACAAACGGG
801	CTCCCCCGTG	CCTTCCTTGA	CCCTGGAAGG	TGCCACTCCC	ACTGTCCTTT
	GGAAGGAACT	GGGACCTTCC	GGGACCTTCC	ACGGTGAGGG	TGACAGGAAA
851	CCTAATAAAA	TGAGGAAATT	GCATCGCATT	GTCTGAGTAG	GTGTCATTCT
	GGATTATTTT	ACTCCTTTAA	CGTAGCGTAA	CAGACTCATC	CACAGTAAGA
901	ATTCTGGGGG	GTGGGGTGGG	GCAGGACAGC	AAGGGGGAGG	ATTGGGAAGA
	TAAGACCCCC	CACCCACCCC	CGTCCTGTGC	TTCCCCCTCC	TAACCCTTCT
951	CAATAGCAGG	CATGCTGGGG	ATGCGGTGGG	CTCTATGGCT	TCTGAGGCGG
	GTTATCGTCC	GTACGACCCC	TACGCCACCC	GAGATACCGA	AGACTCCGCC
1001	AAAGAACCAG	CATGTGAGCA	AAAGGCCAGC	AAAAGGCCAG	GAACCGTAAA
	TTTCTTGCTC	GTACACTCGT	TTTCCGGTCG	TTTTCCGGTC	CTTGGCATT
1051	AAGGCCGCGT	TGCTGGCGTT	TTTCCATAGG	CTCCGCCCCC	CTGACGAGCA
	TTCCGGCGCA	ACGACCAGAA	AAAGGTATCC	GAGGCGGGGG	GACTGCTCGT
1101	TCACAAAAAT	CGACGCTCAA	GTCAGAGGTG	GCGAAACCCG	ACAGGACTAT
	AGTGTTTTTA	GCTGCGAGTT	CAGTCTCCAC	CGCTTTGGGC	TGCTCTGATA
1151	AAAGATACCA	GGCGTTTCCC	CCTGGAAGCT	CCCTCGTGCG	CTCTCCTGTT
	TTTCTATGGT	CCGCAAAGGG	GGACCTTCGA	GGGAGCACGC	GAGAGGACAA
1201	CCGACCCTGC	CGCTTACCGG	ATACCTGTCC	GCCTTTCTCC	CTTCGGGAAG
	GGCTGGGACG	GCGAATGGCC	TATGGACAGG	CGGAAAAGAG	GAAGCCCTTC
1251	CGTGGCGCTT	TCTCATAGCT	CACGCTGTAG	GTATCTCAGT	TCGGTGTAGG
	GCACCGCGAA	AGAGTATCGA	GTGCGACATC	CATAGAGTCA	AGCCACATCC
1301	TCGTTTCGCT	CAAGCTGGGC	TGTGTGCACG	AACCCCCCGT	TCAGCCCGAC
	AGCAAGCGAG	GTTTCGACCG	ACACACGTGC	TTGGGGGGCA	AGTCGGGCTG
1351	CGCTGCGCCT	TATCCGGTAA	CTATCGTCTT	GAGTCCAACC	CGGTAAGACA
	CCGACGCGGA	ATAGGCCATT	GATAGCAGAA	CTCAGGTTGG	GCCATTCTGT
1401	CGACTTATCG	CCACTGGCAG	CAGCCACTGG	TAACAGGATT	AGCAGAGCGA
	GCTGAATAGC	GGTGACCGTC	GTCGGTGACC	ATTGTCCTAA	TCGTCTCGCT

FIG.25B

44/76

1451	GGTATGTAGG	CGGTGCTACA	GAGTTCCTGA	AGTGGTGGCC	TAACACGGC
	CCATACATCC	GCCACGATGT	CTCAAGAAGT	TCACCACCGG	ATTGATGCCG
1501	TACACTAGAA	GAACAGTATT	TGGTATCTGC	GCTCTGCTGA	AGCCAGTTAC
	ATGTGATCTT	CTTGTCATAA	ACCATAGACG	CGAGACGACT	TCGGTCAATG
1551	CTTCGGAAAA	AGAGTTGGTA	GCTCTTGATC	CGGCAAACAA	ACCACCGCTG
	GAAGCCTTTT	TCTCAACCAT	CGAGAACTAG	GCCGTTTGTT	TGGTGGCGAC
1601	GTAGCGGTGG	TTTTTTTGTT	TGCAAGCAGC	AGATTACGCG	CAGAAAAAAA
	CATCGCCACC	AAAAAAACAA	ACGTTTCGTCG	TCTAATGCGC	GTCTTTTTTT
1651	GGATCTCAAG	AAGATCCTTT	GATCTTTTCT	ACGGGGTCTG	ACGCTCAGTG
	CCTAGAGTTC	TTCTAGGAAA	CTAGAAAAGA	TGCCCCAGAC	TGCGAGTCAC
1701	GAACGAAAAC	TCACGTAAAG	GGATTTTGGT	CATGACATTA	ACCTATAAAA
	CTTGCTTTTG	AGTGCAATTC	CCTAAAACCA	GTAAGTGAAT	TGGATATTTT
1751	ATAGGCGTAT	CACGAGGCC	TTTCGTCTCG	CGCGTTTCGG	TGATGACGGT
	TATCCGCATA	GTGCTCCGGG	AAAGCAGAGC	GCGCAAAGCC	ACTACTGCCA
1801	AAAAACCTCT	GACACATGCA	GCTCCCGGAG	ACGGTCACAG	CTTGTCTGTA
	CTTTTGGAGA	CTGTGTACGT	CGAGGGCCTC	TGCCAGTGTC	GAACAGACAT
1851	AGCGGATGCC	GGGAGCAGAC	AAGCCCGTCA	GGGCGCGTCA	GCGGGTGTTG
	TCGCCTACGG	CCCTCGTCTG	TTGCGGCAGT	CCGCGCAGT	CGCCACAAC
1901	GCGGGTGTCTG	GGGCTGGCTT	AACTATGCGG	CATCAGAGCA	GATTGTACTG
	CGCCACAGC	CCCGACCGAA	TTGATACGCC	GTAAGTCTCGT	CTAACATGAC
1951	AGAGTGCACC	ATATGCGGTG	TGAAATACCG	CACAGATGCG	TAAGGAGAAA
	TCTCACGTGG	TATACGCCAC	ACTTTATGGC	GTGTCTACGC	ATTCTCTTT
2001	ATACCGCATC	AGGACGCGCC	CTGTAGCGGC	GCATTAAGCG	CGGCGGGTGT
	TATGGCGTAG	TCCTGCGCGG	GACATCGCCG	CGTAATTTCG	GCCGCCACA
2051	GGTGGTTACG	CGCAGCGTGA	CCGCTACACT	TGCCAGCGCC	CTAGCGCCCG
	CCACCAATGC	GCGTCGCACT	GGCGATGTGA	ACGGTCGCGG	GATCGCGGGC
2101	CTCCTTTTCG	TTTCTTCCCT	TCCTTTCTCG	CCACGTTTCG	CGGCTTTCCC
	GAGGAAAGCG	AAAGAAGGGA	AGGAAAGAGC	GGTGCAAGCG	GCCGAAAGGG
2151	CGTCAAGCTC	TAAATCGGGG	GCTCCCTTTA	GGGTTCCGAT	TTAGTGCTTT
	GCAGTTCGAG	ATTTAGCCCC	CGAGGGAAAT	CCCAAGGCTA	AATCACGAAA
2201	ACGGCACCTC	GACCCCAAAA	AACCTTGATTA	GGGTGATGGT	TCACGTAGTG
	TGCCGTGGAG	CTGGGGTTTT	TTGAACTAAT	CCCACTACCA	AGTGCATCAC
2251	GGCCATCGCC	CTGATAGACG	GTTTTTCGCC	CTTTGACGTT	GGAGTCCACG
	CCGGTAGCGG	GACTATCTGC	CAAAAAGCGG	GAAACTGCAA	CCTCAGGTGC
2301	TTCTTTAATA	GTGGACTCTT	GTTCCAACT	GGAAACAAC	TCAACCCTAT
	AAGAAATTAT	CACCTGAGAA	CAAGGTTTGA	CCTTGTTGTG	AGTTGGGATA
2351	CTCGGTCTAT	TCTTTTGATT	TATAAGGGAT	TTTGCCGATT	TCGGCCTATT
	GAGCCAGATA	AGAAAACTAA	ATATTCCCTA	AAACGGCTAA	AGCCGGATAA
2401	GGTTAAAAAA	TGAGCTGATT	TAACAAAAAT	TTAACGCGAA	TTTTAACAAC
	CCAATTTTTT	ACTCGACTAA	ATTGTTTTTA	AATTGCGCTT	AAAATTGTTT
2451	ATATTAACGC	TTACAATTTT	CATTGCGCAT	TCAGGCTGAA	CTAGATCTAG
	TATAATTGCG	AATGTTAAAG	GTAAGCGGTA	AGTCCGACTT	GATCTAGATC
2501	AGTCCGTTAC	ATAACTTACG	GTAATATGGC	CGCCTGGCTG	ACCGCCCAAC
	TCAGGCAATG	TATTGAATGC	CATTTACCGG	GCGGACCGAC	TGGCGGGTTG
2551	GACCCCCGCG	CATTGACGTC	AATAATGACG	TATGTTCCCA	TAGTAACGCC
	CTGGGGGCGG	GTAACATGCA	TTATTACTGC	ATACAAGGGT	ATCATTGCGG
2601	AATAGGGACT	TTCCATTGAC	GTCAATGGGT	GGAGTATTTA	CGGTAAACTG
	TTATCCCTGA	AAGGTAAGTG	CAGTTACCCA	CCTCATAAAT	GCCATTTGAC
2651	CCCACTTGCG	AGTACATCAA	GTGTATCATA	TGCCAAGTAC	GCCCCCTATT
	GGGTGAACCG	TCATGTAGTT	CACATAGTAT	ACGGTTCATG	CGGGGGATAA
2701	GACGTCAATG	ACGGTAAATG	GCCCGCCTGG	CATTATGCCC	AGTACATGAC
	CTGCAGTTAC	TGCCATTTAC	CGGGCGGACC	GTAATACGGG	TCATGTACTG
2751	CTTATGGGAC	TTTCTACTT	GGCAGTACAT	CTACGTATTA	GTCTATGCTG
	GAATACCCTG	AAAGGATGAA	CCGTCATGTA	GATGCATAAT	CAGTAGCGAT
2801	TTACCATGGT	GATGCGGTTT	TGGCAGTACA	TCAATGGGCG	TGGATAGCGG
	AATGGTACCA	CTACGCCAAA	ACCGTCATGT	AGTTACCCGC	ACCTATCGCC
2851	TTTGACTCAC	GGGGATTTCC	AAGTCTCCAC	CCCATTGACG	TCAATGGGAG
	AAACTGAGTG	CCCCTAAAGG	TTCAGAGGTG	GGGTAAGTGC	AGTTACCCCT

FIG.25C

45/76

```

2901 TTTGTTTTGG CACCAAAATC AACGGGACTT TCCAAAATGT CGTAACAAC
    AAACAAAACC GTGGTTTTAG TTGCCCTGAA AGGTTTTTACA GCATTGTTGA
2951 CCGCCCCATT GACGCAAATG GGCGGTAGGC GTGTACGGTG GGAGGTCTAT
    GCGGGGGTAA CTGCGTTTAC CCGCCATCCG CACATGCCAC CCTCCAGATA
3001 ATAAGCAGAG CTCGTTTAGT GAACCGTCAG ATCGCCTGGA GACGCCATCC
    TATTCGTCTC GAGCAAATCA CTTGGCAGTC TAGCGGACCT CTGCGGTAGG
3051 ACGCTGTTTT GACCTCCATA GAAGACACCG GGACCGATCC AGCCTCCGCG
    TCGCACAAAA CTGGAGGTAT CTTCTGTGGC CCTGGCTAGG TCGGAGGCGC
3101 GCCGGGAACG GTGCATTGGA ACGGACCGTG TTGACAATTA ATCATCGGCA
    CGGCCCTTGC CACGTAACCT TGCCTGGCAC AACTGTTAAT TAGTAGCCGT
3151 TAGTATATCG GCATAGTATA ATACGACAAG GTGAGGAACT AAACCATGGC
    ATCATATAGC CGTATCATAT TATGCTGTTC CACTCCTTGA TTTGGTACCG
3201 CAAGTTGACC AGTGCCGTTT CCGTGCTCAC CGCGCGCGAC GTCGCCGGAG
    GTTCAACTGG TCACGGCAAG GCCACGAGTG GCGCGCGCTG CAGCGGCCTC
3251 CGGTGCGAGT CTGGACCGAC CGGCTCGGGT TCTCCCGGGA CTTCTGTGGAG
    GCCAGCTCAA GACCTGGCTG GCCGAGCCCA AGAGGGCCCT GAAGCACCTC
3301 GACGACTTCG CCGGTGTGGT CCGGGACGAC GTGACCCTGT TCATCAGCGC
    CTGCTGAAGC GGCCACACCA GGCCCTGCTG CACTGGGACA AGTAGTCGCG
3351 GGTCCAGGAC CAGGTGGTGC CGGACAACAC CCTGGCCTGG GTGTGGGTGC
    CCAGGTCCTG GTCCACCACG GCCTGTTGTG GGACCGGACC CACACCCACG
3401 GCGGCCTGGA CGAGCTGTAC GCCGAGTGGT CGGAGGTCGT GTCCACGAAC
    CGCGGGACCT GCTCGACATG CGGCTCACCA GCCTCCAGCA CAGGTGCTTG
3451 TTCCGGGACG CCTCCGGGCC GGCCATGACC GAGATCGGCG AGCAGCCGTG
    AAGGCCCTGC GGAGGCCCGG CCGGTACTGG CTCTAGCCGC TCGTCGGCAC
3501 GGGGCGGGAG TTCGCCCTGC GCGACCCGGC CGGCAACTGC GTGCACTTCG
    CCCC GCCCTC AAGCGGGACG CGCTGGGCGG GCCGTTGACG CACGTGAAGC
3551 TGCCCGAGGA GCAGGACTGA CACTCGACCT CGAAACTTGT TTATTGCAGC
    ACCGGCTCCT CGTCCTGACT GTGAGCTGGA GCTTTGAACA AATAACGTCG
3601 TTATAATGGT TACAAATAAA GCAATAGCAT CACAAATTC ACAAATAAAG
    AATATTACCA ATGTTTATTT CGTTATCGTA GTGTTTAAAG TGTTTATTC
3651 CATTTTTTTC ACTGCATTCT AGTTGTGGTT TGTCCAAACT CATCAATGTA
    GTAAAAAAG TGACGTAAGA TCAACACCAA ACAGGTTTGA GTAGTTACAT
3701 TCTTATCATG TCTGGATCGA TACTTCAAGA ACTGCTGACA TCGAGCTTGC
    AGAATAGTAC AGACCTAGCT ATGAAGTTCT TGACGACTGT AGCTCGAACG
3751 TACAAGGGAC TTTCCGCTGG GGACTTTCCA GGGAGGCGTG GCCTGGGCGG
    ATGTTCCCTG AAAGCGGACC CCTGAAAGGT CCCTCCGCAC CGGACCCGCC
3801 GACTGGGGAG TGGCGAGCCC TCAGATCCTG CATATAAGCA GCTGCTTTTT
    CTGACCCCTC ACCGCTCGGG AGTCTAGGAC GTATATTCGT CGACGAAAAA
3851 GCCTGTACTG GGTCTCTCTG GTTAGACCAG ATCTGAGCCT GGGAGCTCTC
    CGGACATGAC CCAGAGAGAC CAATCTGGTC TAGACTCGGA CCCTCGAGAG
3901 TGGCTAACTA GGAACCCAC TGCTTAAGCC TCAATAAAGC TTGGTACCGA
    ACCGATTGAT CCCTTGGGTG ACGAATTCGG AGTTATTTTC AACCATGGCT
3951 GCTCGGATCC GAATTCGCCA CC
    CGAGCCTAGG CTTAAGCGGT GG

```

FIG.25D

46/76




FIG.26A

47/76

(SEQ ID NO: 21 AND 22)

1	GACGGATCGG	GAGATCTCCC	GATCCCCTAT	GGTCGACTCT	CAGTACAATC
	CTGCCTAGCC	CTCTAGAGGG	CTAGGGGATA	CCAGCTGAGA	GTCATGTTAG
51	TGCTCTGATG	CCGCATAGTT	AAGCCAGTAT	CTGCTCCCTG	CTTGTGTGTT
	ACGAGACTAC	GGCGTATCAA	TTCGGTCATA	GACGAGGGAC	GAACACACAA
101	GGAGGTCGCT	GAGTAGTGCG	CGAGCAAAAT	TTAAGCTACA	ACAAGGCAAG
	CCTCCAGCGA	CTCATCACGC	GCTCGTTTTA	AATTCGATGT	TGTTCCGTTT
151	GCTTGACCGA	CAATTGCATG	AAGAATCTGC	TTAGGGTTAG	GCGTTTTGCG
	CGAACTGGCT	GTTAACGTAC	TTCTTAGACG	AATCCCAATC	CGCAAAACGC
201	CTGCTTCGCG	ATGTACGGGC	CAGATATACG	CGTTGACATT	GATTATTGAC
	GACGAAGCGC	TACATGCCCG	GTCTATATGC	GCAACTGTAA	CTAATAACTG
251	TAGTTATTAA	TAGTAATCAA	TTACGGGGTC	ATTAGTTCAT	AGCCCATATA
	ATCAATAATT	ATCATTAGTT	AATGCCCCAG	TAATCAAGTA	TCGGGTATAT
301	TGGAGTTCGG	CGTTACATAA	CTTACGGTAA	ATGGCCCGCC	TGGCTGACCG
	ACCTCAAGGC	GCAATGTATT	GAATGCCATT	TACCGGGCGG	ACCGACTGGC
351	CCCAACGACC	CCCGCCCAT	GACGTCAATA	ATGACGTATG	TTCCCATAGT
	GGGTTGCTGG	GGGCGGGTAA	CTGCAGTTAT	TACTGCATAC	AAGGGTATCA
401	AACGCCAATA	GGGACTTTCC	ATTGACGTCA	ATGGGTGGAC	TATTTACGGT
	TTGCGGTTAT	CCCTGAAAGG	TAAGTGCAGT	TACCCACCTG	ATAAATGCCA
451	AAACTGCCCA	CTTGGCAGTA	CATCAAGTGT	ATCATATGCC	AAGTACGCCC
	TTTGACGGGT	GAACCGTCAT	GTAGTTCACA	TAGTATACGG	TTCATGCGGG
501	CCTATTGACG	TCAATGACGG	TAAATGGCCC	GCCTGGCATT	ATGCCCAGTA
	GGATAACTGC	AGTTACTGCC	ATTTACCGGG	CGGACCGTAA	TACGGGTCAT
551	CATGACCTTA	TGGGACTTTC	CTACTTGGCA	GTACATCTAC	GTATTAGTCA
	GTACTGGAAT	ACCTGAAAG	GATGAACCGT	CATGTAGATG	CATAATCAGT
601	TCGCTATTAC	CATGGTGATG	CGGTTTTGGC	AGTACATCAA	TGGGCGTGGA
	AGCGATAATG	GTACCACTAC	GCCAAAACCG	TCATGTAGTT	ACCCGCACCT
651	TAGCGGTTTG	ACTCACGGGG	ATTTCCAAGT	CTCCACCCCA	TTGACGTCAA
	ATCGCCAAAC	TGAGTGCCCC	TAAAGGTTCA	GAGGTGGGGT	AACTGCAGTT
701	TGGGAGTTTG	TTTTGGCACC	AAAATCAACG	GGACTTTCCA	AAATGTCGTA
	ACCCTCAAAC	AAAACCGTGG	TTTTAGTTGC	CCTGAAAGGT	TTTACAGCAT
751	ACAATCCCGC	CCCATTGACG	CAAATGGGCG	GTAGGCGTGT	ACGGTGGGAG
	TGTTGAGGCG	GGGTAACGTC	GTTTACCCGC	CATCCGCACA	TGCCACCCTC
801	GTCTATATAA	GCAGAGCTCT	CTGGCTAACT	AGAGAACCCA	CTGCTTACTG
	CAGATATATT	CGTCTCGAGA	GACCGATTGA	TCTCTTGGGT	GACGAATGAC
851	GCTTATCGAA	ATTAATACGA	CTCACTATAG	GGAGACCCAA	GCTGGCTAGC
	CGAATAGCTT	TAATTATGCT	GAGTGATATC	CCTCTGGGTT	CGACCGATCG
901	GTTTAAACTT	AAGCTTCCCC	GCGCAGGGTC	GCGATGCTGC	CCGGTTTGGC
	CAAAATTTGAA	TTCGAAGGGG	CGCGTCCCAG	CGCTACGACG	GGCCAAACCG
951	ACTGCTCCTG	CTGGCCGCCT	GGACGGCTCG	GGCGCTGGAG	GTACCCACTG
	TGACGAGGAC	GACCGGCGGA	CCTGCCGAGC	CCGCGACCTC	CATGGGTGAC
1001	ATGGTAATGC	TGGCCTGCTG	GCTGAACCCC	AGATTGCCAT	GTTCTGTGGC
	TACCATTACG	ACCGGACGAC	CGACTTGGGG	TCTAACGGTA	CAAGACACCG
1051	AGACTGAACA	TGCACATGAA	TGTCCAGAAT	GGGAAGTGGG	ATTGAGATCC
	TCTGACTTGT	ACGTGTACTT	ACAGGTCTTA	CCCTTCACCC	TAAGTCTAGG
1101	ATCAGGGACC	AAAACCTGCA	TTGATACCAA	GGAAGGCATC	CTGCAGTATT
	TAGTCCCTGG	TTTTGGACGT	AACATATGGT	CCTTCCGTAG	GACGTCATAA
1151	GCCAAGAAGT	CTACCCTGAA	CTGCAGATCA	CCAATGTGGT	AGAAGCCAAC
	CGGTTCTTCA	GATGGGACTT	GACGTCTAGT	GGTTACACCA	TCTTCGGTTG
1201	CAACCAAGTGA	CCATCCAGAA	CTGGTGCAAG	CGGGGCCGCA	AGCAGTGCAA
	GTTGGTCACT	GGTAGGTCTT	GACCACGTTT	GCCCCGGCGT	TCGTCACGTT
1251	GACCCATCCC	CACTTTGTGA	TTCCCTACCG	CTGCTTAGTT	GGTGAGTTTA
	CTGGGTAGGG	GTGAAACACT	AAGGGATGGC	GACGAATCAA	CCACTCAAAT
1301	TAAGTGATGC	CCTTCTCGTT	CCTGACAAGT	GCAAATTCCT	ACACCAGGAG
	ATTCACTACG	GGAAGAGCAA	GGACTGTTCA	CGTTTAAGAA	TGTGGTCCTC
1351	AGGATGGATG	TTTGCGAAAC	TCATCTTCAC	TGGCACACCG	TCGCCAAAGA
	TCCTACCTAC	AAACGCTTTG	AGTAGAAGTG	ACCGTGTGGC	AGCGGTTTCT

FIG.26B

48/76

1401 GACATGCAGT GAGAAGAGTA CCAACTTGCA TGA CTACGGC ATGTTGCTGC
CTGTACGTCA CTCTTCTCAT GGTTGAACGT ACTGATGCCG TACAACGACG
1451 CCTGCGGAAT TGACAAGTTC CGAGGGGTAG AGTTTGTGTG TTGCCCACTG
GGACGCCCTTA ACTGTTCAAG GCTCCCCATC TCAAACACAC AACGGGTGAC
1501 GCTGAAGAAA GTGACAATGT GGATTCTGCT GATGCGGAGG AGGATGACTC
CGACTTCTTT CACTGTTACA CCTAAGACGA CTACGCCTCC TCCTACTGAG
1551 GGATGTCTGG TGGGGCGGAG CAGACACAGA CTATGCAGAT GGGAGTGAAG
CCTACAGACC ACCCCGCCTC GTCTGTGTCT GATACGTCTA CCCTCACTTC
1601 ACAAAGTAGT AGAAGTAGCA GAGGAGGAAG AAGTGGCTGA GGTGGAAGAA
TGTTTCATCA TCTTCATCGT CTCCTCCTTC TTCACCGACT CCACCTTCTT
1651 GAAGAAGCCG ATGATGACGA GGACGATGAG GATGGTGATG AGGTAGAGGA
CTTCTTCGGC TACTACTGCT CCTGCTACTC CTACCACTAC TCCATCTCCT
1701 AGAGGCTGAG GAACCCTACG AAGAAGCCAC AGAGAGAACC ACCAGCATTG
TCTCCGACTC CTTGGGATGC TTCTTCGGTG TCTCTCTTGG TGGTCGTAAC
1751 CCACCACCAC CACCACCACC ACAGAGTCTG TGGAAGAGGT GGTTCGAGTT
GGTGGTGGTG GTGGTGGTGG TGTCTCAGAC ACCTTCTCCA CCAAGCTCAA
1801 CCTACAACAG CAGCCAGTAC CCCTGATGCC GTTGACAAGT ATCTCGAGAC
GGATGTTGTC GTCGGTCATG GGGACTACGG CAACTGTTCA TAGAGCTCTG
1851 ACCTGGGGAT GAGAATGAAC ATGCCCATTT CCAGAAAGCC AAAGAGAGGC
TGGACCCCTA CTCTTACTTG TACGGGTAAA GGTCTTTCGG TTTCTCTCCG
1901 TTGAGGCCAA GCACCGAGAG AGAATGTCCC AGGTCATGAG AGAATGGGAA
AACTCCGGTT CGTGGCTCTC TCTTACAGGG TCCAGTACTC TCTTACCCTT
1951 GAGGCAGAAC GTCAAGCAAA GAACCTGCCT AAAGCTGATA AGAAGGCAGT
CTCCGTCTTG CAGTTCGTTT CTTGAACGGA TTTGACTAT TCTTCCGTCA
2001 TATCCAGCAT TTCCAGGAGA AAGTGAATC TTTGGAACAG GAAGCAGCCA
ATAGGTCGTA AAGGTCCTCT TTCACCTTAG AAACCTTGTC CTTGCTCGGT
2051 ACGAGAGACA GCAGCTGGTG GAGACACACA TGGCCAGAGT GGAAGCCATG
TGCTCTCTGT CGTCGACCAC CTCTGTGTGT ACCGGTCTCA CCTTCGGTAC
2101 CTCAATGACC GCCGCCGCCT GGCCCTGGAG AACTACATCA CCGCTCTGCA
GAGTTACTGG CGGCGGCGGA CCGGGACCTC TTGATGTAGT GGCAGACGT
2151 GGCTGTTCTT CCTCGGCCTC GTCACGTGTT CAATATGCTA AAGAAGTATG
CCGACAAGGA GGAGCCGGAG CAGTGACAA GTTATACGAT TTCTTCATAC
2201 TCCGCGCAGA ACAGAAGGAC AGACAGCACA CCCTAAAGCA TTTGAGCAT
AGGCGCGTCT TGTCTTCCTG TCTGTCGTGT GGGATTTTCT AAAGCTCGTA
2251 GTGCGCATGG TGGATCCCAA GAAAGCCGCT CAGATCCGGT CCCAGGTTAT
CACGCGTACC ACCTAGGGTT CTTTCGGCGA GTCTAGGCCA GGGTCCAATA
2301 GACACACCTC CGTGTGATTT ATGAGCGCAT GAATCAGTCT CTCTCCCTGC
CTGTGTGGAG GCACACTAAA TACTCGCGTA CTTAGTCAGA GAGAGGGACG
2351 TCTACAACTG GCCTGCAGTG GCCGAGGAGA TTCAGGATGA AGTTGATGAG
AGATGTTGCA CGGACGTCAC CGGCTCCTCT AAGTCCTACT TCAACTACTC
2401 CTGCTTCAGA AAGAGCAAAA CTATTCAGAT GACGTCTTGG CCAACATGAT
GACGAAGTCT TTCTCGTTTT GATAAGTCTA CTGCAGAACC GGTGTGACTA
2451 TAGTGAACCA AGGATCAGTT ACGGAAACGA TGCTCTCATG CCATCTTTGA
ATCACTTGGT TCCTAGTCAA TGCCTTTGCT ACGAGAGTAC GGTAGAAACT
2501 CCGAAACGAA AACCACCGTG GAGCTCCTTC CCGTGAATGG AGAGTTCAGC
GGCTTTGCTT TTGGTGGCAC CTCGAGGAAG GGCATTACC TCTCAAGTCG
2551 CTGGACGATC TCCAGCCGTG GCATTCTTTT GGGGCTGACT CTGTGCCAGC
GACCTGCTAG AGGTGCGCAC CGTAAGAAAA CCCCAGCTGA GACACGGTGC
2601 CAACACAGAA AACGAAGTTG AGCCTGTTGA TGCCCGCCCT GCTGCCGACC
GTTGTGCTTT TTGCTTCAAC TCGGACAACCT ACGGGCGGGA CGACGGCTGG
2651 GAGGATGAC CACTCGACCA GGTTCGGGT TGACAAATAT CAAGACGGAG
CTCCTGACTG GTGAGCTGGT CCAAGACCCA ACTGTTTATA GTTCTGCCTC
2701 GAGATCTCTG AAGTGAATCT AGATGCAGAA TTCCGACATG ACTCAGGATA
CTCTAGAGAC TTCACCTAGA TCTACGCTT AAGGCTGTAC TGAGTCCAT
2751 TGAAGTTCAT CATCAAAAAT TGGTGTCTT TGCAGAAGAT GTGGGTTCAA
ACTTCAAGTA GTAGTTTTTA ACCACAAGAA ACGTCTTCTA CACCAAGTT
2801 ACAAAGGTGC AATCATTGGA CTCATGGTGG GCGGTGTTGT CATAGCGACA
TGTTTCCACG TTAGTAACCT GAGTACCACC CGCCACAACA GTATCGCTGT

FIG.26C

49/76

2851 GTGATCGTCA TCACCTTGGT GATGCTGAAG AAGAAAGATA TCATGGAGCC
CACTAGCAGT AGTGGAACCA CTACGACTTC TTCTTTCTAT AGTACCTCGG
2901 AGTAGATCCT AGACTAGAGC CCTGGAAGCA TCCAGGAAGT CAGCCTAAAA
TCATCTAGGA TCTGATCTCG GGACCTTCGT AGGTCCTTCA GTCGGATTTT
2951 CTGCTTGTAC CAATTGCTAT TGTAAAAAGT GTTGCTTTCA TTGCCAAGTT
GACGAACATG GTTAACGATA ACATTTTTCA CAACGAAAGT AACGGTTCAA
3001 TGTTTCATGA CAAAAGCCTT AGGCATCTCC TATGGCAGGA AGAAGCGGAG
ACAAAGTACT GTTTTCGGAA TCCGTAGAGG ATACCGTCCT TCTTCGCCTC
3051 ACAGCGACGA AGAGCTCATC AGAACAGTCA GACTCATCAA GCTTCTCTAT
TGTCGCTGCT TCTCGAGTAG TCTTGTCAGT CTGAGTAGTT CGAAGAGATA
3101 CAAAGCAGTA AGTAGGCGGC CGCTCGAGTC TAGAGGGCCC GTTTAAACCC
GTTTCGTCAT TCATCCGCCG GCGAGCTCAG ATCTCCCGGG CAAATTTGGG
3151 GCTGATCAGC CTCGACTGTG CTTTCTAGTT GCCAGCCATC TGTGTTTGC
CGACTAGTCG GAGCTGACAC GGAAGATCAA CGGTCCGTAG ACAACAAACG
3201 CCCTCCCCCG TGCCTTCCTT GACCTTGGAA GGTGCCACTC CCACTGTCCT
GGGAGGGGGC ACGGAAGGAA CTGGGACCTT CCACGGTGAG GGTGACAGGA
3251 TTCTTAATAA AATGAGGAAA TTGCATCGCA TTGTCTGAGT AGGTGTCATT
AAGGATTATT TTAATCCTTT AACGTAGCGT AACAGACTCA TCCACAGTAA
3301 CTATTCTGGG GGGTGGGGTG GGGCAGGACA GCAAGGGGGA GGATTTGGGAA
GATAAGACCC CCCACCCAC CCCGTCCTGT CGTTCCCCCT CCTAACCTT
3351 GACAATAGCA GGCATGCTGG GGATGCGGTG GGCTCTATGG CTTCTGAGGC
CTGTTATCGT CCGTACGACC CCTACGCCAC CCGAGATACC GAAGACTCCG
3401 GGAAAGAACC AGCTGGGGCT CTAGGGGGTA TCCCCACGCG CCCTGTAGCG
CCTTCTTGG TCGACCCCGA GATCCCCAT AGGGGTGCGC GGGACATCGC
3451 GCGCATTAAG GCGGCGGGT GTGGTGTTA CGCGCAGCGT GACCGCTACA
CGCGTAATTG GCGCCGCCCA CACCACCAAT GCGCGTCGCA CTGGCGATGT
3501 CTTGCCAGCG CCCTAGCGCC CGCTCCTTTC GCTTCTTCC CTTCTTTCT
GAACGGTCGC GGGATCGCGG GCGAGGAAAG CGAAAGAAGG GAAGGAAAGA
3551 CGCCACGTTT GCGGCTTTT CCCGTCAGC TCTAAATCGG GGCATCCCTT
GCGGTGCAAG CGGCCGAAAG GGGCAGTTTC AGATTTAGCC CCGTAGGGAA
3601 TAGGGTTCG ATTTAGTGCT TTACGGCACC TCGACCCCAA AAACTTGAT
ATCCAAGGC TAAATCACGA AATGCCGTGG AGCTGGGGTT TTTGAACTA
3651 TAGGTGATG GTTACGTAG TGGGCCATCG CCTGATAGA CGGTTTTTCG
ATCCCACTAC CAAGTGATC ACCCGGTAGC GGGACTATCT GCCAAAAAGC
3701 CCCTTTGACG TTGGAGTCCA CGTCTTTTAA TAGTGGACTC TTGTTCCAAA
GGGAAACTGC AACCTCAGGT GCAAGAAATT ATCACCTGAG AACAAGGTTT
3751 CTGGAACAAC ACTCAACCCT ATCTCGGTCT ATTCTTTTGA TTTATAAGGG
GACCTTGTTG TGAGTTGGGA TAGAGCCAGA TAAGAAAACCT AAATATTCCC
3801 ATTTTGGGGA TTTCCGCCTA TTGGTTAAAA AATGAGCTGA TTTAACAAAA
TAAACCCCT AAAGCCGGAT AACCAATTTT TTAATCGACT AAATTGTTTT
3851 ATTTAACGCG AATTAATTCT GTGGAATGTG TGTCAATTAG GGTGTGGAAA
TAAATTGCGC TTAATTAAGA CACCTTACAC ACAGTCAATC CCACACCTTT
3901 GTCCCAGGC TCCCAGGCA GGCAGAAGTA TGCAAAGCAT GCATCTCAAT
CAGGGTCCG AGGGTCCGT CCGTCTTCAT ACGTTTCGTA CGTAGAGTTA
3951 TAGTCAGCAA CCAGGTGTGG AAAGTCCCCA GGCTCCCCAG CAGGCAGAAG
ATCAGTCGTT GGTCCACACC TTTAGGGGT CCGAGGGGTC GTCCGTCTTC
4001 TATGCAAAGC ATGCATCTCA ATTAGTCAGC AACCATAGTC CCGCCCTAA
ATACGTTTCG TACGTAGAGT TAATCAGTCG TTGGTATCAG GGCGGGGATT
4051 CTCCGCCCAT CCCGCCCTA ACTCCGCCA GTTCCGCCA TTCTCCGCC
GAGCGGGTA GGGCGGGT TGAGCGGGT CAAGCGGGT AAGAGGCGGG
4101 CATGGCTGAC TAATTTTTT TATTTATGCA GAGGCGGAGG CCGCTCTGC
GTACCGACTG ATTAATAAAA ATAAATACGT CTCCGGCTCC GCGGAGACG
4151 CTCTGAGCTA TTCCAGAAGT AGTGAGGAGG CTTTTTTGGA GGCCTAGGCT
GAGACTCGAT AAGGTCTTCA TCACTCTCC GAAAAACCT CCGGATCCGA
4201 TTTGCAAAAA GCTCCCGGGA GCTTGATAT CCATTTTCGG ATCTGATCAG
AAACGTTTTT CGAGGGCCCT CGAACATATA GGTAAAAGCC TAGACTAGTC

FIG.26D

50/76

4251	CACGTGTTGA	CAATTAATCA	TCGGCATAGT	ATATCGGCAT	AGTATAATAC
	GTGCACAACT	GTTAATTAGT	AGCCGTATCA	TATAGCCGTA	TCATATTATG
4301	GACAAGGTGA	GGAACATAAC	CATGGCCAAG	TTGACCAGTG	CCGTTCCGGT
	CTGTTCCACT	CCTTGATTTG	GTACCGGTTT	AACTGGTCAC	GGCAAGGCCA
4351	GCTCACCGCG	CGCGACGTCG	CCGGAGCGGT	CGAGTTCTGG	ACCGACCGGC
	CGAGTGGCGC	GCGCTGCAGC	GGCCTCGCCA	GCTCAAGACC	TGGCTGGCCG
4401	TCGGGTTCTC	CCGGGACTTC	GTGGAGGACG	ACTTCGCCGG	TGTGGTCCGG
	AGCCCAAGAG	GGCCTGAAG	CACCTCCTGC	TGAAGCGGCC	ACACCAGGCC
4451	GACGACGTGA	CCCTGTTTAT	CAGCGCGGTC	CAGGACCAGG	TGGTGCCGGA
	CTGCTGCACT	GGGACAAGTA	GTGCGGCCAG	GTCCTGGTCC	ACCACGGCCT
4501	CAACACCCTG	GCCTGGGTGT	GGGTGCGCGG	CCTGGACGAG	CTGTACGCCG
	GTTGTGGGAC	CGGACCCACA	CCCACGCGCC	GGACCTGCTC	GACATGCGGC
4551	AGTGGTCGGA	GGTCGTGTCC	ACGAACTTCC	GGGACGCCTC	CGGGCCCGGC
	TCACCAGCCT	CCAGCACAGG	TGCTTGAAGG	CCCTGCGGAG	GCCCGGCCGG
4601	ATGACCGAGA	TCGGCGAGCA	GCCGTGGGGG	CGGGAGTTCC	CCCTGCGCGA
	TACTGGCTCT	AGCCGCTCGT	CGGCACCCCC	GCCCTCAAGC	GGGACGCGCT
4651	CCCGGCCGGC	AACTGCGTGC	ACTTCGTGGC	CGAGGAGCAG	GACTGACACG
	GGGCCGGCCG	TTGACGCACG	TGAAGCACCG	GCTCCTCGTC	CTGACTGTGC
4701	TGCTACGAGA	TTTCGATTCC	ACCGCCGCCT	TCTATGAAAG	GTTGGGCTTC
	ACGATGCTCT	AAAGCTAAGG	TGGCGGCGGA	AGATACTTTC	CAACCCGAAG
4751	GGAATCGTTT	TCCGGGACGC	CGGCTGGATG	ATCCTCCAGC	GCGGGGATCT
	CCTTAGCAAA	AGGCCCTGCG	GCCGACCTAC	TAGGAGGTGC	CGCCCCTAGA
4801	CATGCTGGAG	TTCTTCGCCC	ACCCCAACTT	GTTTATTGCA	GCTTATAATG
	GTACGACCTC	AAGAAGCGGG	TGGGGTTGAA	CAAATAACGT	CGAATATTAC
4851	GTTACAAATA	AAGCAATAGC	ATCACAAATT	TCACAAATAA	AGCATTTTTTT
	CAATGTTTAT	TTGTTTATCG	TAGTGTTTAA	AGTGTTTATT	TCGTAAAAAA
4901	TCACTGCATT	CTAGTTGTGG	TTTGTCCAAA	CTCATCAATG	TATCTTATCA
	AGTGACGTAA	GATCAACACC	AAACAGGTTT	GAGTAGTTAC	ATAGAATAGT
4951	TGTCTGTATA	CCGTGACCTT	CTAGCTAGAG	CTTGGCGTAA	TCATGGTCAT
	ACAGACATAT	GGCAGCTGGA	GATCGATCTC	GAACCGCATT	AGTACCAGTA
5001	AGCTGTTTCC	TGTGTGAAAT	TGTTATCCGC	TCACAATTCC	ACACAACATA
	TCGACAAAGG	ACACACTTTA	ACAATAGGCG	AGTGTTAAGG	TGTGTTGTAT
5051	CGAGCCGGAA	GCATAAAGTG	TAAAGCCTGG	GGTGCCTAAT	GAGTGAGCTA
	GCTCGGCCTT	CGTATTTTAC	ATTTGCGACC	CCACGGATTA	CTCACTCGAT
5101	ACTCACATTA	ATTGCGTTGC	GCTCACTGCC	CGCTTTCCAG	TCGGGAAACC
	TGAGTGTAAT	TAACGCAACG	CGAGTGACGG	GCGAAAGGTC	AGCCCTTTGG
5151	TGTCGTGCCA	GCTGCATTAA	TGAATCGGCC	AACGCGCGGG	GAGAGGCGGT
	ACAGCACGGT	CGACGTAATT	ACTTAGCCGG	TTGCGCGCCC	CTCTCCGCCA
5201	TTGCGTATTG	GGCGCTCTTC	CGCTTCCTCG	CTCACTGACT	CGCTGCGCTC
	AACGCATAAC	CCGCGAGAAG	GCGAAGGAGC	GAGTGACTGA	GCGACGCGAG
5251	GGTCGTTTCG	CTGCGGCGAG	CGGTATCAGC	TCACTCAAAG	GCGGTAAATC
	CCAGCAAGCC	GACGCCGCTC	GCCATAGTCG	AGTGAGTTTC	CGCCATTATG
5301	GGTTATCCAC	AGAATCAGGG	GATAACGCAG	GAAAGAACAT	GTGAGCAAAA
	CCAATAGGTG	TCTTAGTCCC	CTATTGCGTC	CTTTCTTGTA	CACTCGTTTTT
5351	GGCCAGCAAA	AGGCCAGGAA	CCGTAAAAAG	GCCGCGTTGC	TGGCGTTTTT
	CCGGTCGTTT	TCCGTCCTTT	GGCATTTTTC	CGGCGCAACG	ACCGCAAAAA
5401	CCATAGGCTC	CGCCCCCTTG	ACGAGCATCA	CAAAAAATCGA	CGCTCAAGTC
	GGTATCCGAG	GCGGGGGGAC	TGCTCGTAGT	GTTTTTAGCT	GCGAGTTTAC
5451	AGAGTTGGCG	AAACCCGACA	GGACTATAAA	GATACCAGGC	GTTTCCCCCT
	TCTCCACCGC	TTTGGGCTGT	CCTGATATTT	CTATGGTCCG	CAAAGGGGGA
5501	GGAAGCTCCC	TCGTGCGCTC	TCCTGTTCCG	ACCCTGCCGC	TTACCGGATA
	CCTTCGAGGG	AGCACGCGAG	AGGACAAGGC	TGGGACGGCG	AATGGCCTAT
5551	CCTGTCCGCC	TTTCTCCCTT	CGGGAAGCGT	GGCGCTTTCT	CAATGCTCAC
	GGACAGGCGG	AAAGAGGGAA	GCCCTTCGCA	CCGCGAAAGA	GTTACGAGTG
5601	GCTGTAGGTA	TCTCAGTTCC	GTGTAGGTCC	TTCGCTCCAA	GCTGGGCTGT
	CGACATCCAT	AGAGTCAAGC	CACATCCAGC	AAGCGAGGTT	CGACCCGACA

FIG.26E

51/76

5651	GTGCACGAAC	CCCCCGTTCA	GCCCGACCGC	TGCGCCTTAT	CCGGTAACTA
	CACGTGCTTG	GGGGGCAAGT	CGGGCTGGCG	ACGCGGAATA	GGCCATTGAT
5701	TCGTCTTGAG	TCCAACCCGG	TAAGACACGA	CTTATCGCCA	CTGGCAGCAG
	AGCAGAACTC	AGGTTGGGCC	ATTCTGTGCT	GAATAGCGGT	GACCGTCGTC
5751	CCACTGGTAA	CAGGATTAGC	AGAGCGAGGT	ATGTAGGCGG	TGCTACAGAG
	GGTGACCATT	GTCCTAATCG	TCTCGCTCCA	TACATCCGCC	ACGATGTCTC
5801	TTCTTGAAGT	GGTGGCCTAA	CTACGGCTAC	ACTAGAAGGA	CAGTATTTGG
	AAGAACTTCA	CCACCGGATT	GATGCCGATG	TGATCTTCCT	GTCATAAACC
5851	TATCTGCGCT	CTGCTGAAGC	CAGTTACCTT	CGGAAAAAGA	GTTGGTAGCT
	ATAGACGCGA	GACGACTTCG	GTCAATGGAA	GCCTTTTTCT	CAACCATCGA
5901	CTTGATCCGG	CAAACAAACC	ACCGCTGGTA	GCGGTGGTTT	TTTTGTTTGC
	GAAGTAGGCC	GTTTGTGTTG	TGGCGACCAT	CGCCACCAAA	AAAACAAACG
5951	AAGCAGCAGA	TTACGCGCAG	AAAAAAGGA	TCTCAAGAAG	ATCCTTTGAT
	TTGCTCGTCT	AATGCGCGTC	TTTTTTTCCT	AGAGTTCCTC	TAGGAAACTA
6001	CTTTTCTACG	GGGTCTGACG	CTCAGTGGAA	CGAAAACTCA	CGTTAAGGGA
	GAAAAGATGC	CCCAGACTGC	GAGTCACCTT	GCTTTTGAGT	GCAATTCCTT
6051	TTTTGGTCAT	GAGATTATCA	AAAAGGATCT	TCACCTAGAT	CCTTTTAAAT
	AAAACCAAGT	CTCTAATAGT	TTTTCTAGA	AGTGGATCTA	GGAAAAATTA
6101	TAAAAATGAA	GTTTTAAATC	AATCTAAAGT	ATATATGAGT	AAACTTGGTC
	ATTTTTACTT	CAAAATTTAG	TTAGATTTCA	TATATACTCA	TTTGAACCAG
6151	TGACAGTTAC	CAATGCTTAA	TCAGTGAGGC	ACCTATCTCA	GCGATCTGTC
	ACTGTCAATG	GTTACGAATT	AGTCACTCCG	TGGATAGAGT	CGCTAGACAG
6201	TATTTTCGTT	ATCCATAGTT	GCCTGACTCC	CCGTCGTGTA	GATAACTACG
	ATAAAGCAAG	TAGGTATCAA	CGGACTGAGG	GGCAGCACAT	CTATTGATGC
6251	ATACGGGAGG	GCTTACCATC	TGGCCCCAGT	GCTGCAATGA	TACCGCGAGA
	TATGCCCTCC	CGAATGGTAG	ACCGGGGTCA	CGACGTTACT	ATGGCGCTCT
6301	CCCACGCTCA	CCGGCTCCAG	ATTTATCAGC	AATAAACCAG	CCAGCCGGAA
	GGGTGCGAGT	GGCCGAGGTC	TAAATAGTCG	TTATTTGGTC	GGTCGGCCTT
6351	GGGCCGAGCG	CAGAAAGTGG	CCTGCAACTT	TATCCGCCTC	CATCCAGTCT
	CCCGGCTCGC	GTCTTCACCA	GGACGTTGAA	ATAGGCGGAG	GTAGGTCAGA
6401	ATTAATTGTT	GCCGGGAAGC	TAGAGTAAGT	AGTTCGCCAG	TTAATAGTTT
	TAATTAACAA	CGGCCCTTCG	ATCTCATTCA	TCAAGCGGTC	AATTATCAAA
6451	GCGCAACGTT	GTTGCCATTG	CTACAGGCAT	CGTGGTGTCA	CGCTCGTCGT
	CGCGTTGCAA	CAACGGTAAC	GATGTCCGTA	GCACCACAGT	GCGAGCAGCA
6501	TTGGTATGGC	TTCAATTCAGC	TCCGGTTCCC	AACGATCAAG	GCGAGTTACA
	AACCATAACG	AAGTAAGTCG	AGGCCAAGGG	TTGCTAGTTC	CGCTCAATGT
6551	TGATCCCCCA	TGTTGTGCAA	AAAAGCGGTT	AGCTCCTTCG	GTCCTCCGAT
	ACTAGGGGGT	ACAACACGTT	TTTTCGCCAA	TCGAGGAAGC	CAGGAGGCTA
6601	CGTTGTGAGA	AGTAAGTTGG	CCGCAGTGTT	ATCACTCATG	GTTATGGCAG
	GCAACAGTCT	TCATTCAACC	GGCGTCACAA	TAGTGAGTAC	CAATACCGTC
6651	CACTGCATAA	TTCTCTTACT	GTCATGCCAT	CCGTAAGATG	CTTTTCTGTG
	GTGACGTATT	AAGAGAATGA	CAGTACGGTA	GGCATTCTAC	GAAAAAGACAC
6701	ACTGGTGAGT	ACTCAACCAA	GTCATTCTGA	GAATAGTGTA	TGCGGCGACC
	TGACCACTCA	TGAGTTGGTT	CAGTAAGACT	CTTATCACAT	ACGCCGCTGG
6751	GAGTTGCTCT	TGCCCGGCGT	CAATACGGGA	TAATACCGCG	CCACATAGCA
	CTCAACGAGA	ACGGGCCGCA	GTTATGCCCT	ATTATGGCGC	GGTGTATCGT
6801	GAACTTTAAA	AGTGCTCATC	ATTGGAAAAC	GTTCTTCGGG	GCGAAAACCTC
	CTTGAAATTT	TCACGAGTAG	TAACCTTTTG	CAAGAAGCCC	CGCTTTTGAG
6851	TCAAGGATCT	TACCGCTGTT	GAGATCCAGT	TCGATGTAAC	CCACTCGTGC
	AGTTCCTAGA	ATGGCGACAA	CTCTAGGTCA	AGCTACATTG	GGTGAGCAGC
6901	ACCCAACCTGA	TCTTCAGCAT	CTTTTACTTT	CACCAGCGTT	TCTGGGTGAG
	TGGGTTGACT	AGAAGTCGTA	GAAAATGAAA	GTGGTCGCAA	AGACCCACTC
6951	CAAAAACAGG	AAGGCAAAAT	GCCGCAAAAA	AGGGAATAAG	GGCGACACGG
	GTTTTTGTCC	TTCCGTTTTA	CGGCGTTTTT	TCCCTTATTC	CCGCTGTGCC
7001	AAATGTTGAA	TACTCATACT	CTTCCTTTTT	CAATATTATT	GAAGCATTTA
	TTTACAACCT	ATGAGTATGA	GAAGGAAAAA	GTTATAATAA	CTTCGTAAAT

FIG.26F

52/76

```
7051 TCAGGGTTAT TGTCTCATGA GCGGATACAT ATTTGAATGT ATTTAGAAAA
      AGTCCCAATA ACAGAGTACT CGCCTATGTA TAACTTACA TAAATCTTTT
7101 ATAAACAAAT AGGGGTTCG CGCACATTC CCCGAAAAGT GCCACCTGAC
      TATTTGTTTA TCCCAAGGC GCGTGTAAG GGGCTTTCA CGGTGGACTG
7151 GTC
      CAG
```

FIG.26G

53/76




FIG.27A

54/76




FIG.27B

55/76

DNA sequence of APP(1-651)NFEV, K612V-TATexon1(M1L) APP (664-695)

(SEQ ID NO: 23)

```
1 ATGCTGCCCCG GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGA
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCAC TTTGTGATTG CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAACTCA TCTTCACTGG
451 CACACCGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATACCG CTCTGCAGGC TGTTCCTCCT CGGCCTCGTC ACGTGTTCOA
1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCAAGAA AGCCGCTCAG
```

FIG.28A

56/76

1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAACTTTGA AGTGGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAGTATTGG TGTTCTTTGC
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC CTGGAGCCAG TAGATCCTAG ACTAGAGCCC TGGAAGCATC
2051 CAGGAAGTCA GCCTAAAAC TCTTGATCCA ATTGCTATTG TAAAAAGTGT
2101 TGCTTTCATT GCCAAGTTTG TTTCATGACA AAAGCCTTAG GCATCTCCTA
2151 TGGCAGGAAG AAGCGGAGAC AGCGACGAAG AGCTCATCAG AACAGTCAGA
2201 CTCATCAAGC TTCTCTATCA AAGCAGAGGA TATCCAGCAC AGTGGCGGCC
2251 GCAGACGCCG CTGTCACCCC AGAGGAGCGC CACCTGTCCA AGATGCAGCA
2301 GAACGGCTAC GAAAATCCAA CCTACAAGTT CTTTGAGCAG ATGCAGAACT
2351 AG

FIG.28B

57/76

(SEQ ID NO: 24)

Amino acid sequence of APP(1-651)NFEV, K612V-TATexonI(MIL) APP (664-695)

mlpglalillaawtaralevptdgnagllaepqiamfcgrlnmhmvmvqngkwdspgkctcidtkegilqycq
 evypeiqitnvveanqpvtiqnwckrgrkqckthphfviyrcivgefisdallvpdkckflhqermdvcethlh
 whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaeedndvsadaeeddsdvwggadtdyadgs
 edkvvevaeeeeaeveeeeeadddedddgdeveeeaeepyeaterttsiatTTTTTtesveevrvpttaastpd
 avdkyletpgdenehahfqakerleakhrermsqvmreweeaerqaknlpkdkkaviqhfqekvesleqe
 aanerqqivethmarveamlnrrrrlalenyitalqavpprprhvfnmkkkyvraeqkdrqhtlkhfehvrmvd
 pkkaaqrsvmthlrviyermnqslsllynvpavaeeiqdevdellqkeqnysddvlnmisseprisygnda
 mpsltetkttvellpvngfslddlqpwhsfgadsvpantenevepvdarpaadrglttrpgsgltnikteeisev
 2 3 4 5
nfevefrhdsgyevhhqvlvffaedvgsnkgaiiglmvggvviatvivitlvmkkkkltelgtstspwms
 6
adilepvdprlepwhpgsqpktactncyckkccfhcqvcmfkaigisygrkkrrqrrrahqnsqthgaslska
 7 8
risstvaaadaavtpeerhlskmgngyenptykffeqmgn

FIG.29

58/76

DNA sequence of APP(1-651)NFEV, K612V-GAL4VP16(delMet) APP (664-695)

(SEQ ID NO: 25)

```
1  ATGCTGCCCCG GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51  GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGA
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTC CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAACTCA TCTTCACTGG
451 CACACCGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTTCTCCT CGGCCTCGTC ACGTGTTCAA
```

FIG.30A

59/76

1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAACTTGA AGTGGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAGTATTGG TGTCTTTGC
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC AAGCTACTGT CTTCTATCGA ACAAGCATGC GATATTTGCC
2051 GACTTAAAAA GCTCAAGTGC TCCAAAGAAA AACCGAAGTG CGCCAAGTGT
2101 CTGAAGAACA ACTGGGAGTG TCGCTACTCT CCCAAAACCA AAAGGTCTCC
2151 GCTGACTAGG GCACATCTGA CAGAAGTGGA ATCAAGGCTA GAAAGACTGG
2201 AACAGCTATT TCTACTGATT TTTCCTCGAG AAGACCTTGA CATGATTTTG
2251 AAAATGGATT CTTTACAGGA TATAAAAGCA TTGTTAACAG GATTATTTGT
2301 ACAAGATAAT GTGAATAAAG ATGCCGTCAC AGATAGATTG GCTTCAGTGG
2351 AGACTGATAT GCCTCTAACA TTGAGACAGC ATAGAATAAG TGCGACATCA
2401 TCATCGGAAG AGAGTAGTAA CAAAGGTCAA AGACAGTTGA CTGTATCGGG
2451 AATTCCCGGG GATCTGGCCC CCCCAGCCGA TGTAGCCTG GGGGACGAGC
2501 TCCAATTAGA CGGCGAGGAC GTGGCGATGG CGCATGCCGA CGCGCTAGAC
2551 GATTTCGATC TGGACATGTT GGGGGACGGG GATTCCCCGG GTCCGGGATT

FIG.30B

60/76

2601 TACCCCCAC GACTCCGCCC CCTACGGCGC TCTGGATATG GCCGACTTCG
2651 AGTTTGAGCA GATGTTTACC GATGCCCTTG GAATTGACGA GTACGGTGGG
2701 GATATCCAGC ACAGTGGCGG CCGCGACGCC GCTGTCACCC CAGAGGAGCG
2751 CCACCTGTCC AAGATGCAGC AGAACGGCTA CGAAAATCCA ACCTACAAGT
2801 TCTTTGAGCA GATGCAGAAC TAG

FIG.30C

61/76

(SEQ ID NO: 26)

Amino acid sequence of APP(1-651)NFEV, K612V, GAL4-VP16(de1M1) APP (664-695)

mlpglalllaawtaralevptdgnagllaepqiamfcgrlnmhmnvqngkwdsdpsgtktcidtkegilqycq
evypeiqitnvveanqpvtiqnwckrgrkqckthphfviopyrcivgefisdallvpdkckflhqermdvcethlh
whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaesdnvdsadaeeddsdvwggadt dyadgs
edkvvevaeeeeaeveeeeeadddeddedgdeveeeaeepyeaaterttsiatTTTTTtesveevrvpttaastpd
avdkyletpgdenehahfqkakerleakhrermsqvmreweeaerqaknlpkadkkaviqhfaqekvesleqe
aanerqqlvethmarveamlndrrrlalenyitalqavpprrhvfnmllkkyvraeqkdrqhtlkhfehvrmvd
pkkaa qirsqvmthlrviyermnqslsllynpavaeeiqdevdellkeeqnysddvlnmisseprisygnda l
mpsltetkttvellpvngefslddlqpwhsfgadsvpantenevepvdarpaadrgl ttrpgsgltnikteeisev
nfevefrhdsgyevhhqylvffaedvg snkgaiiglmvggvv iatvivitlvmllkkklgtelgtstspvwms
ad+kllssieqacdicrlkklkskekpkcakclknwecryspktrsp ltrahltevesrlerleqlfllifpredld
milkmdslqdikalltglfvqdnvnkdavtdrlasvetdmp ltlrqhrisatssseessnkqqrqltvsgipqdlapp
tdvslqdelhlhdgedvamahadalddfdldmlgdqdsppgqftphdsapyqaldmadfefeqmftdalqidey
gdidhsgaaadaavtpeerhl skmqngyenptykffeqmgn

FIG. 31

62/76




FIG.32A

63/76

(SEQ ID NO: 27 AND 28)

```
1 GACGGATCGG GAGATCTCCC GATCCCCTAT GGTGCGACTCT CAGTACAATC
  CTGCCTAGCC CTCTAGAGGG CTAGGGGATA CCAGCTGAGA GTCATGTTAG
51 TGCTCTGATG CCGCATAGTT AAGCCAGTAT CTGCTCCCTG CTTGTGTGTT
  ACGAGACTAC GGCCTATCAA TTCGGTCATA GACGAGGGAC GAACACACAA
101 GGAGGTCGCT GAGTAGTGCG CGAGCAAAT TTAAGCTACA ACAAGGCAAG
  CCTCCAGCGA CTCATCACGC GCTCGTTTTA AATTCGATGT TGTTCGGTTC
151 GCTTGACCGA CAATTGCATG AAGAATCTGC TTAGGGTTAG GCGTTTTGCG
  CGAACTGGCT GTTAACGTAC TTCTTAGACG AATCCCAATC CGCAAACGCG
201 CTGCTTCGCG ATGTACGGGC CAGATATACG CGTTGACATT GATTATTGAC
  GACGAAGCGC TACATGCCCG GTCTATATGC GCAACTGTAA CTAATAACTG
251 TAGTTATTAA TAGTAATCAA TTACGGGGTC ATTAGTTCAT AGCCCATATA
  ATCAATAATT ATCATTAGTT AATGCCCCAG TAATCAAGTA TCGGGTATAT
301 TGGAGTTCGG CGTTACATAA CTTACGGTAA ATGGCCCGCC TGGCTGACCG
  ACCTCAAGGC GCAATGTATT GAATGCCATT TACCGGGCGG ACCGACTGGC
351 CCCAACGACC CCCGCCCAT GACGTCAATA ATGACGTATG TTCCCATAGT
  GGGTTGCTGG GGGCGGGTAA CTGCAGTTAT TACTGCATAC AAGGGTATCA
401 AACGCCAATA GGGACTTTCC ATTGACGTCA ATGGGTGGAC TATTTACGGT
  TTGCGGTTAT CCCTGAAAGG TAACTGCAGT TACCCACCTG ATAAATGCCA
451 AAAGTGCCCA CTTGGCAGTA CATCAAGTGT ATCATATGCC AAGTACGCCC
  TTTGACGGGT GAACCGTCAT GTAGTTCACA TAGTATACGG TTCATGCGGG
501 CCTATTGACG TCAATGACGG TAAATGGCCC GCCTGGCATT ATGCCCAGTA
  GGATAACTGC AGTTACTGCC ATTTACCGGG CGGACCGTAA TACGGGTCAT
551 CATGACCTTA TGGGACTTTC CTAATTGGCA GTACATCTAC GTATTAGTCA
  GTACTGGAAT ACCCTGAAAG GATGAACCGT CATGTAGATG CATAATCAGT
601 TCGCTATTAC CATGGTGATG CGGTTTTGGC AGTACATCAA TGGGCGTGGA
  AGCGATAATG GTACCACTAC GCCAAAACCG TCATGTAGTT ACCCGCACCT
651 TAGCGGTTTG ACTCACGGGG ATTTCCAAGT CTCCACCCCA TTGACGTCAA
  ATCGCCAAAC TGAGTGCCCC TAAAGGTTCA GAGGTGGGGT AACTGCAGTT
701 TGGGAGTTTG TTTTGGCACC AAAATCAACG GGACTTTCCA AAATGTCGTA
  ACCCTCAAAC AAAACCGTGG TTTTAGTTGC CCTGAAAGGT TTTACAGCAT
751 ACAACTCCGC CCCATTGACG CAAATGGGCG GTAGGCGTGT ACGGTGGGAG
  TGTTGAGGCG GGGTAACTGC GTTTACCGCG CATCCGCACA TGCCACCCTC
801 GTCTATATAA GCAGAGCTCT CTGGCTAACT AGAGAACCCA CTGCTTACTG
  CAGATATATT CGTCTCGAGA GACCGATTGA TCTCTTGGGT GACGAATGAC
851 GCTTATCGAA ATTAATACGA CTAATATAG GGAGACCCAA GCTGGCTAGC
  CGAATAGCTT TAATTATGCT GAGTGATATC CCTCTGGGTT CGACCGATCG
901 GTTTAAACTT AAGCTTGGTA CCGAGCTCGG ATCCACTAGT CCAGTGTGGT
  CAAATTTGAA TTCGAACCAT GGCTCGAGCC TAGGTGATCA GGTACACCA
951 GGAATTCTGC AGATATCCAG CACAGTGGCG GCCGCTCGAG TCTAGAGGGC
  CCTTAAGACG TCTATAGGTC GTGTCACCGC CGGCGAGCTC AGATCTCCCG
1001 CCGTTTAAAC CCGCTGATCA GCCTCGACTG TGCCTTCTAG TTGCCAGCCA
  GGCAATTTG GCGGACTAGT CGGAGCTGAC ACGGAAGATC AACGGTCGGT
1051 TCTGTTGTTT GCCCTCCCC CGTGCCCTCC TTGACCCTGG AAGGTGCCAC
  AGACAACAAA CGGGGAGGGG GCACGGAAGG AACTGGGACC TTCCACGGTG
1101 TCCCCTGTC CTTTCTAAT AAAATGAGGA AATTGCATCG CATTGTCTGA
  AGGGTGACAG GAAAGGATTA TTTTACTCCT TTAACGTAGC GTAACAGACT
1151 GTAGGTGTCA TTCTATTCTG GGGGGTGGGG TGGGGCAGGA CAGCAAGGGG
  CATCCACAGT AAGATAAGAC CCCCCACCCC ACCCGTCCT GTCGTTCCCC
```

FIG.32B

64/76

```

1201 GAGGATTGGG AAGACAATAG CAGGCATGCT GGGGATGCGG TGGGCTCTAT
      CTCCTAACCC TTCTGTTATC GTCCGTACGA CCCCTACGCC ACCCGAGATA
1251 GGCTTCTGAG GCGGAAAGAA CCAGCTGGGG CTCTAGGGGG TATCCCCACG
      CCGAAGACTC CGCCTTTCTT GGTGACCCCG GAGATCCCCC ATAGGGGTGC
1301 CGCCCTGTAG CGGCGCATT AAGCGCGCGG GTGTGGTGGT TACGCGCAGC
      GCGGGACATC GCCGCGTAAT TCGCGCCGCC CACACCACCA ATGCGCGTCG
1351 GTGACCCTA CACTTGCCAG CGCCCTAGCG CCCGCTCCTT TCGCTTTCTT
      CACTGGCGAT GTGAACGGTC GCGGGATCGC GGGCGAGGAA AGCGAAAGAA
1401 CCCTTCCTTT CTCGCCACGT TCGCCGGCTT TCCCCGTCAA GCTCTAAATC
      GGGAAAGGAAA GAGCGGTGCA AGCGGCCGAA AGGGGCAGTT CGAGATTTAG
1451 GGGGCATCCC TTTAGGGTTC CGATTTAGTG CTTTACGGCA CCTCGACCCC
      CCCCGTAGGG AAATCCCAAG GCTAAATCAC GAAATGCCGT GGAGCTGGGG
1501 AAAAACTTG ATTAGGGTGA TGGTTCACGT AGTGGGCCAT CGCCCTGATA
      TTTTTGAAC TAATCCCACT ACCAAGTGCA TCACCCGGTA GCGGGACTAT
1551 GACGGTTTTT CGCCCTTTGA CGTTGGAGTC CACGTTCTTT AATAGTGGAC
      CTGCCAAAAA GCGGGAAACT GCAACCTCAG GTGCAAGAAA TTATCACCTG
1601 TCTTGTTCCA AACTGGAACA AACTCAACC CTATCTCGGT CTATTCTTTT
      AGAACAAGGT TTGACCTTGT TGTGAGTTGG GATAGAGCCA GATAAGAAAA
1651 GATTTATAAG GGATTTTGGG GATTTTCGCC TATTGGTTAA AAAATGAGCT
      CTAAATATTC CCTAAAACCC CTAAAGCCGG ATAACCAATT TTTTACTCGA
1701 GATTTAACAA AAATTTAACG CGAATTAATT CTGTGGAATG TGTGTCAGTT
      CTAAATTGTT TTTAAATTGC GCTTAATTAA GACACCTTAC ACACAGTCAA
1751 AGGGTGTGGA AAGTCCCCAG GCTCCCCAGG CAGGCAGAAG TATGCAAAGC
      TCCCACACCT TTCAGGGGTC CGAGGGGTCC GTCCGTCTTC ATACGTTTCG
1801 ATGCATCTCA ATTAGTCAGC AACCAGGTGT GGAAAGTCCC CAGGCTCCCC
      TACGTAGAGT TAATCAGTCG TTGGTCCACA CCTTTCAGGG GTCCGAGGGG
1851 AGCAGGCAGA AGTATGCAAA GCATGCATCT CAATTAGTCA GCAACCATAG
      TCGTCCGTCT TCATACGTTT CGTACGTAGA GTTAATCAGT CGTTGGTATC
1901 TCCCGCCCCC AACTCCGCCC ATCCCGCCCC TAACTCCGCC CAGTTCGCCC
      AGGGCGGGGA TTGAGGCGGG TAGGGCGGGG ATTGAGGCGG GTCAAGGCGG
1951 CATTCTCCGC CCCATGGCTG ACTAATTTTT TTTATTTATG CAGAGGCCGA
      GTAAGAGGCG GGGTACCGAC TGATTAAAAA AAATAAATAC GTCTCCGGCT
2001 GGCCGCCTCT GCCTCTGAGC TATTCCAGAA GTAGTGAGGA GGCTTTTTTG
      CCGGCGGAGA CGGAGACTCG ATAAGGTCTT CATCACTCCT CCGAAAAAAC
2051 GAGGCCTAGG CTTTTGCAAA AAGCTCCCGG GAGCTTGAT ATCCATTTTC
      CTCCGGATCC GAAAACGTTT TTCGAGGGCC CTCGAACATA TAGGTAAAAA
2101 GGATCTGATC AGCACGTGTT GACAATTAAT CATCGGCATA GTATATCGGC
      CCTAGACTAG TCGTGACAA CTGTTAATTA GTAGCCGTAT CATATAGCCG
2151 ATAGTATAAT ACGACAAGGT GAGGAATAA ACCATGGCCA AGTTGACCAG
      TATCATATTA TGCTGTTCCA CTCCTTGATT TGGTACCGGT TCAACTGGTC
2201 TGCCGTTCCG GTGCTCACC GCGCGACGT CGCCGGAGCG GTCGAGTTCT
      ACGGCAAGGC CACGAGTGGC GCGCGCTGCA GCGGCCTCGC CAGCTCAAGA
2251 GGACCGACCG GCTCGGGTTC TCCCGGACT TCGTGGAGGA CGACTTCGCC
      CCTGGCTGGC CGAGCCCAAG AGGGCCCTGA AGCACCTCCT GCTGAAGCGG
2301 GGTGTGGTCC GGGACGACGT GACCCTGTT ATCAGCGCGG TCCAGGACCA
      CCACACCAGG CCCTGCTGCA CTGGGACAAG TAGTCGCGCC AGGTCTGGT
2351 GGTGGTGCCG GACAACACCC TGGCCTGGGT GTGGGTGCGC GGCCTGGACG
      CCACCACGGC CTGTTGTGGG ACCGGACCCA CACCACGCG CCGGACCTGC

```

FIG.32C

65/76

2401 AGCTGTACGC CGAGTGGTCG GAGGTCGTGT CCACGAACTT CCGGGACGCC
TCGACATGCG GCTCACCAGC CTCCAGCACA GGTGCTTGAA GGCCCTGCGG
2451 TCCGGGCGCG CCATGACCGA GATCGGCGAG CAGCCGTGGG GCGGGGAGTT
AGGCCCCGCC GGTACTGGCT CTAGCCGCTC GTCGGCACCC CCGCCCTCAA
2501 CGCCCTGCGC GACCCGGCCG GCAACTGCGT GCACTTCGTG GCCGAGGAGC
GCGGGACGCG CTGGGCCGCG CGTTGACGCA CGTGAAGCAC CGGCTCCTCG
2551 AGGACTGACA CGTGCTACGA GATTTGATT CCACCGCCGC CTTCTATGAA
TCCTGACTGT GCACGATGCT CTAAGCTAA GGTGGCGGCG GAAGATACTT
2601 AGGTTGGGCT TCGGAATCGT TTTCCGGGAC GCCGGCTGGA TGATCCTCCA
TCCAACCCGA AGCCTTAGCA AAAGGCCCTG CGGCCGACCT ACTAGGAGGT
2651 GCGCGGGGAT CTCATGCTGG AGTTCCTCGC CCACCCCAAC TTGTTTATTG
CGCGCCCTA GAGTACGACC TCAAGAAGCG GGTGGGGTTG AACAAATAAC
2701 CAGCTTATAA TGGTTACAAA TAAAGCAATA GCATCACAAA TTTCACAAAT
GTCGAATATT ACCAATGTTT ATTTCTGTTT CGTAGTGTTT AAAGTGTTTA
2751 AAAGCATTTT TTTCACTGCA TTCTAGTTGT GGTGTTGTCCA AACTCATCAA
TTTCGTAATA AAAGTGACGT AAGATCAACA CCAAACAGGT TTGAGTAGTT
2801 TGTATCTTAT CATGTCTGTA TACCGTCGAC CTCTAGCTAG AGCTTGCGGT
ACATAGAATA GTACAGACAT ATGGCAGCTG GAGATCGATC TCGAACCGCA
2851 AATCATGGTC ATAGCTGTTT CCTGTGTGAA ATTGTTATCC GCTCACAATT
TTAGTACCAG TATCGACAAA GGACACACTT TAACAATAGG CGAGTGTTAA
2901 CCACACAACA TACGAGCCGG AAGCATAAAG TGTAAAGCCT GGGGTGCCTA
GGTGTGTTGT ATGCTCGGCC TTCGTATTTT ACATTTTCGA CCCACGGAT
2951 ATGAGTGAGC TAACTCACAT TAATTGCGTT GCGCTCACTG CCCGCTTCC
TACTCACTCG ATTGAGTGTA ATTAACGCAA CGCGAGTGAC GGGCGAAAGG
3001 AGTCGGGAAA CCTGTCGTGC CAGCTGCATT AATGAATCGG CCAACGCGCG
TCAGCCCTTT GGACAGCACG GTCGACGTAA TTAATTAGCC GGTTGCGCGC
3051 GGGAGAGGCG GTTTGCGTAT TGGGCGCTCT TCCGCTTCCT CGCTCACTGA
CCCTCTCCGC CAAACGCATA ACCCGCGAGA AGGCGAAGGA GCGAGTGACT
3101 CTCGCTGCGC TCGGTCGTTT GGCTGCGGCG AGCGGTATCA GCTCACTCAA
GAGCGACGCG AGCCAGCAAG CCGACGCCGC TCGCCATAGT CGAGTGAGTT
3151 AGGCGGTAAT ACGGTTATCC ACAGAATCAG GGGATAACGC AGGAAAGAAC
TCCGCCATTA TGCCAATAGG TGTCTTAGTC CCCTATTGCG TCCTTTCTTG
3201 ATGTGAGCAA AAGGCCAGCA AAAGGCCAGG AACCCTAAAA AGGCCGCGTT
TACACTCGTT TTCCGGTCGT TTTCCGGTCC TTGGCATTIT TCCGGCGCAA
3251 GCTGGCGTTT TTCCATAGGC TCCGCCCCC TGACGAGCAT CACAAAAATC
CGACCGCAA AAGGTATCCG AGGCGGGGGG ACTGCTCGTA GTGTTTTTAG
3301 GACGCTCAAG TCAGAGGTGG CGAAACCCGA CAGGACTATA AAGATACCAG
CTGCGAGTTC AGTCTCCACC GCTTTGGGCT GTCCTGATAT TTCTATGGTC
3351 GCGTTTCCCC CTGGAAGCTC CCTCGTGCGC TCTCCTGTTT CGACCCTGCC
CGCAAAGGGG GACCTTCGAG GGAGCACGCG AGAGGACAAG GCTGGGACGG
3401 GCTTACCGGA TACCTGTCCG CTTTTCTCCC TTCGGGAAGC GTGGCGCTTT
CGAATGGCCT ATGGACAGGC GGAAAGAGGG AAGCCCTTCG CACCGCGAAA
3451 CTCAATGCTC ACGCTGTAGG TATCTCAGTT CCGGTGTAGG CGTTCGCTCC
GAGTTACGAG TGCGACATCC ATAGAGTCAA GCCACATCCA GCAAGCGAGG
3501 AAGCTGGGCT GTGTGCACGA ACCCCCCGTT CAGCCCGACC GCTGCGCTT
TTCGACCCGA CACACGTGCT TGGGGGGCAA GTCGGGCTGG CGACGCGGAA
3551 ATCCGGTAAC TATCGTCTTG AGTCCAACCC GGTAAGACAC GACTTATCGC
TAGGCCATTG ATAGCAGAAC TCAGGTTGGG CCATTCTGTG CTGAATAGCG

FIG.32D

66/76

```

3601 CACTGGCAGC AGCCACTGGT AACAGGATTA GCAGAGCGAG GTATGTAGGC
      GTGACCGTCG TCGGTGACCA TTGTCCTAAT CGTCTCGCTC CATACATCCG
3651 GGTGCTACAG AGTTCTTGAA GTGGTGGCCT AACTACGGCT AACTAGAAG
      CCACGATGTC TCAAGAACTT CACCACCGGA TTGATGCCGA TGTGATCTTC
3701 GACAGTATTT GGTATCTGCG CTCTGCTGAA GCCAGTTACC TTCGGA AAAA
      CTGTCATAAA CCATAGACGC GAGACGACTT CGGTCAATGG AAGCCTTTTT
3751 GAGTTGGTAG CTCTTGATCC GGCAAACAAA CCACCGCTGG TAGCGGTGGT
      CTCAACCATC GAGAACTAGG CCGTTTGTTT GGTGGCGACC ATCGCCACCA
3801 TTTTTTGTTT GCAAGCAGCA GATTACGCGC AGAAAAAAG GATCTCAAGA
      AAAAAACAAA CGTTCGTCGT CTAATGCGCG TCTTTTTTTC CTAGAGTTCT
3851 AGATCCTTTG ATCTTTTCTA CGGGGTCTGA CGCTCAGTGG AACGAAAAC
      TCTAGGAAAC TAGAAAAGAT GCCCCAGACT GCGAGTCACC TTGCTTTTGA
3901 CACGTAAAGG GATTTTGGTC ATGAGATTAT CAAAAAGGAT CTTACCTAG
      GTGCAATTCC CTA AAACCAG TACTCTAATA GTTTTTCCTA GAAGTGGATC
3951 ATCCTTTTAA ATTA AAAATG AAGTTTTAAA TCAATCTAAA GTATATATGA
      TAGGAAAATT TAATTTTAC TTCAAAATTT AGTTAGATTT CATATATACT
4001 GTAAACTTGG TCTGACAGTT ACCAATGCTT AATCAGTGAG GCACCTATCT
      CATTTGAACC AGACTGTCAA TGTTACGAA TTAGTCACTC CGTGGATAGA
4051 CAGCGATCTG TCTATTTCTG TCATCCATAG TTGCCTGACT CCGGTCGTG
      GTCGCTAGAC AGATAAAGCA AGTAGGTATC AACGGACTGA GGGGCAGCAC
4101 TAGATAACTA CGATACGGGA GGGCTTACCA TCTGGCCCCA GTGCTGCAAT
      ATCTATTGAT GCTATGCCCT CCCGAATGGT AGACCGGGGT CACGACGTTA
4151 GATACCGCGA GACCCACGCT CACCGGCTCC AGATTTATCA GCAATAAACC
      CTATGGCGCT CTGGGTGCGA GTGGCCGAGG TCTAAATAGT CGTTATTTGG
4201 AGCCAGCCGG AAGGGCCGAG CGCAGAAGTG GTCCTGCAAC TTTATCCGCC
      TCGGTGCGCC TTCCCGGCTC GCGTCTTCAC CAGGACGTTG AAATAGGCGG
4251 TCCATCCAGT CTATTAATTG TTGCCGGGAA GCTAGAGTAA GTAGTTCGCC
      AGGTAGGTCA GATAATTAAC AACGGCCCTT CGATCTCATT CATCAAGCGG
4301 AGTTAATAGT TTGCGCAACG TTGTTGCCAT TGCTACAGGC ATCGTGGTGT
      TCAATTATCA AACGCGTTGC AACAACGGTA ACGATGTCCG TAGCACCACA
4351 CACGCTCGTC GTTTGGTATG GCTTCATTCA GCTCCGGTTC CCAACGATCA
      GTGCGAGCAG CAAACCATAC CGAAGTAAGT CGAGGCCAAG GGTGCTAGT
4401 AGGCGAGTTA CATGATCCCC CATGTTGTGC AAAAAAGCGG TTAGCTCCTT
      TCCGCTCAAT GTAGTAGGGG GTACAACACG TTTTTTCGCC AATCGAGGAA
4451 CGGTCTCCG ATCGTTGTCA GAAGTAAGT GGCCGCGAGT TTATCACTCA
      GCCAGGAGGC TAGCAACAGT CTTATTCAA CCGGCGTCAC AATAGTGAGT
4501 TGGTTATGGC AGCACTGCAT AATTCTCTTA CTGTCATGCC ATCCGTAAGA
      ACCAATACCG TCGTGACGTA TTAAGAGAAT GACAGTACGG TAGGCATTCT
4551 TGCTTTTCTG TGA CTGGTGA GACTCAACC AAGTCATTCT GAGAATAGTG
      ACGAAAAGAC ACTGACCACT CATGAGTTGG TTCAGTAAGA CTCTTATCAC
4601 TATGCGGCGA CCGAGTTGCT CTTGCCCGGC GTCAATACGG GATAATACCG
      ATACGCCGCT GGCTCAACGA GAACGGGCCG CAGTTATGCC CTATTATGGC
4651 CGCCACATAG CAGAACTTTA AAAGTGCTCA TCATTGGAAA ACGTTCTTCG
      GCGGTGTATC GTCTTGAAT TTTCACGAGT AGTAACCTTT TGCAAGAAGC
4701 GGGCGAAAAAC TCTCAAGGAT CTTACCGCTG TTGAGATCCA GTTCGATGTA
      CCCGCTTTTG AGAGTTCCTA GAATGGCGAC AACTCTAGGT CAAGCTACAT
4751 ACCCACTCGT GCACCAACT GATCTTCAGC ATCTTTTACT TTCACCAGCG
      TGGGTGAGCA CGTGGGTGA CTAGAAGTCG TAGAAAATGA AAGTGGTCGC

```

FIG.32E

67/76

```
4801 TTTCTGGGTG AGCAAAAACA GGAAGGCAAA ATGCCGCAAA AAAGGGAATA
      AAAGACCCAC TCGTTTTTGT CCTTCCGTTT TACGGCGTTT TTTCCCTTAT
4851 AGGGCGACAC GGAAATGTTG AATACTCATA CTCTTCCTTT TTCAATATTA
      TCCCGCTGTG CCTTTACAAC TTATGAGTAT GAGAAGGAAA AAGTTATAAT
4901 TTGAAGCATT TATCAGGGTT ATTGTCTCAT GAGCGGATAC ATATTTGAAT
      AACTTCGTAA ATAGTCCCAA TAACAGAGTA CTCGCCTATG TATAAACTTA
4951 GTATTTAGAA AAATAAACAA ATAGGGGTTC CGCGCACATT TCCCGAAAA
      CATAAATCTT TTTATTTGTT TATCCCAAG GCGCGTGTA AGGGGCTTTT
5001 GTGCCACCTG ACGTC
      CACGGTGGAC TGCAG
```

FIG.32F

68/76




FIG.33

69/76




FIG.34

70/76

DNA sequence of APP(1-651)NFEV, TATexon1(M1L) APP (664-695)
(SEQ ID NO: 29)

```
1 ATGCTGCCCCG GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGA
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTC CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAAACTCA TCTTCACTGG
451 CACACCGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTCCTCCT CGGCCTCGTC ACGTGTTCAA
1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
```

FIG.35A

71/76

1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTG
1451 AGGATGAAGT TGATGAGCTG CTTGAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAACTTTGA AGTGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAAATTGG TGTCTTTGC
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTG GGTGAATTC
2001 TGCAGATATC CTGGAGCCAG TAGATCCTAG ACTAGAGCCC TGAAGCATC
2051 CAGGAAGTCA GCCTAAACT GCTTGACCA ATTGCTATTG TAAAAAGTGT
2101 TGCTTTCATT GCCAAGTTTG TTTCATGACA AAAGCCTTAG GCATCTCCTA
2151 TGGCAGGAAG AAGCGGAGAC AGCGACGAAG AGCTCATCAG AACAGTCAGA
2201 CTCATCAAGC TTCTCTATCA AAGCAGAGGA TATCCAGCAC AGTGGCGGCC
2251 GCAGACGCCG CTGTCACCCC AGAGGAGCGC CACCTGTCCA AGATGCAGCA
2301 GAACGGCTAC GAAAATCCAA CCTACAAGTT CTTTGAGCAG ATGCAGAACT
2351 AG

FIG.35B

72/76

(SEQ ID NO: 30)

Amino acid sequence of APP(1-651)NFEV, K612V-TATexonI(M1L) APP (664-695)

mlpglallllaawtaralevptdgnagllaepqiamfcgrlnmhmvmqngkwdsdpsgtktcidtkegilqycq
 evypeiqitnvveanqpvtiqnwckrgrkqckthphfviptyrcivgefisdallvpdkckflhqermdvcethlh
 whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaeesdnvdsadaeedsdvwggadtadydgs
 edkvvevaeeeeavaeveeeeadddeddedgdeveeeaeepyeaaterttsiatTTTTTTesveevrvpttaastpd
 avdkyletpgdenehahfqakerleakhrermsqvmreweeaerqaknlpkdkkaviqhfkvesleqe
 aanerqqivethmarveamlndrrrlalenyitalqavpprprhvfmlkkyvraeqkdrqhtlkhfehvrmvd
 pkkaaqrismthlrviyermnqslsllnvpavaeeiqdevdelqkeqnysddlanmissepri sygndal
 mpsltetktvllpvngefslddlqpwhsfsgadsvpantenevepvdarpaadrglttrpgsgltnikteeisev
 2 3 4 5
nfevefrhdsgyevhhqklvffaedvgsnkgaiiglmvggviatvivitlvmllkkklgtelgstspvwns
 6
adilepvdprlepwhpsqpktactncycckccfhcqvcmkalqisygrkkrrrrrahqnsqthqaslskq
 7 8
risstvaaadaavtpeerhlskmgngyenptykffeqmgn

FIG.36

73/76

DNA sequence of APP(1-651)NFEV, GAL4VP16(delMet) APP (664-695)
(SEQ ID NO: 31)

```
1 ATGCTGCCCC GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGAG
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTC CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAAACTCA TCTTCACTGG
451 CACACCGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTTCTCCTT CGGCCTCGTC ACGTGTTCAA
```

FIG.37A

74/76

1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTG
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAACTTTGA AGTGGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAAATTGG TGTCTTTGTC
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC AAGCTACTGT CTTCTATCGA ACAAGCATGC GATATTTGCC
2051 GACTTAAAAA GCTCAAGTGC TCCAAAGAAA AACCGAAGTG CGCCAAGTGT
2101 CTGAAGAACA ACTGGGAGTG TCGCTACTCT CCCAAAACCA AAAGGTCTCC
2151 GCTGACTAGG GCACATCTGA CAGAAGTGGG ATCAAGGCTA GAAAGACTGG
2201 AACAGCTATT TCTACTGATT TTTCTCGAG AAGACCTTGA CATGATTTTG
2251 AAAATGGATT CTTTACAGGA TATAAAGCA TTGTTAACAG GATTATTTGT
2301 ACAAGATAAT GTGAATAAAG ATGCCGTCAC AGATAGATTG GCTTCAGTGG
2351 AGACTGATAT GCCTCTAACA TTGAGACAGC ATAGAATAAG TGCGACATCA
2401 TCATCGGAAG AGAGTAGTAA CAAAGGTCAA AGACAGTTGA CTGTATCGGG
2451 AATTCCTGGG GATCTGGCCC CCCCACCGA TGTACGCTG GGGGACGAGC
2501 TCCACTTAGA CGGCGAGGAC GTGGCGATGG CGCATGCCGA CGCGCTAGAC
2551 GATTTGATC TGGACATGTT GGGGGACGGG GATTCCCCGG GTCCGGGATT

FIG.37B

75/76

2601 TACCCCCAC GACTCCGCCC CCTACGGCGC TCTGGATATG GCCGACTTCG
2651 AGTTTGAGCA GATGTTTACC GATGCCCTTG GAATTGACGA GTACGGTGGG
2701 GATATCCAGC ACAGTGGCGG CCGCGACGCC GCTGTCACCC CAGAGGAGCG
2751 CCACCTGTCC AAGATGCAGC AGAACGGCTA CGAAAATCCA ACCTACAAGT
2801 TCTTTGAGCA GATGCAGAAC TAG

FIG.37C

76/76

(SEQ ID NO: 32)

Amino acid sequence of APP(1-651)NFEV, GAL4-VP16(de1M1) APP (664-695)

mlpgla1111aawtaralevptdgnagllaepqiamfcgrlnmhmrvqngkwdsdpsgtktcidtkegilqycq
 evype1qitnvveanqpvtiqnwckrgrkqckthphfviptyrc1vgefisdallvpdkckflhqermdivcethlh
 whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaeesdnvdsadaeeddsdvwggadtdyadgs
 edkvvevaeaeveveeeadddeddgdveveeeaeepyeaterttsiatTTTTTtsveevrvpttaastpd
 avdkyletpgdenehahfqakerleakhrermsqvmreweeaeerqaknlpkaddkaviqhfeqkvesleqe
 aanerqq1vethmarveamlnrrrr1aleniyitalqavpprprhvfnm1kkyvraeqkdrqht1khfehvmvd
 pkkaaqrsvmthlrviyermnqsls1lynvpavaeeiqdevde1lqkeqnysddv1anmiseprisynad1
 mpsltetkttvellpvngfsl1ddlpwhsfsgadsvpantenevepvdarpaadrgl1trpgsgl1tnikteeisev
 2 nfevefrhdsgyevhhqk1vffaedvgsnkgai1g1mvggvviatv1vivitlvm1kkkk1gtelg1stspvwns
 3 4 5
 ad1k11ssieqacd1cr1kk1kcskepkcakc1knwecryspktrsp1trah1tevesr1er1eq1f11ifpred1d
 6
 milkm1d1qdika11tq1fvqdnvnkdavtdr1asvetdmp1tlrqhrisatssseessnkqqrq1tvsgipqdlapp
 7 8
 tdvs1gdelh1dgedvamahada1ddfd1dm1qdqdsppgqftphdsapyga1dmdafefeqmftdalqidey
 ggdiqhs1gaaadaavtpeerh1skmqnqyenptykffeqmqn

FIG.38

SEQUENCE LISTING

<110> Merck & Co., Inc.
Espeseth, Amy S.
Ferrer, Marc
Flores, Osvaldo A.
Hazuda, Daria J.
Inglese, James
Miller, Michael D.
Register, Bruce
Shi, Xiao-Ping
Simon, Adam J.
Zuck, Paul D.

<120> ASSAYS TO MONITOR AMYLOID PRECURSOR
PROTEIN PROCESSING

<130> 21040-PCT

<150> 60/360,274

<151> 2002-02-27

<160> 64

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 2352

<212> DNA

<213> fusion protein - human

<400> 1

```

atgtctgccg gtttggcact gctcctgctg gccgcctgga cggctcgggc gctggaggta 60
cccactgatg gtaatgctgg cctgctggct gaaccccaga ttgcatgtt ctgtggcaga 120
ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaa 180
acctgcattg ataccaagga aggcacctg cagtattgcc aagaagtcta ccctgaactg 240
cagatcacca atgtggtaga agccaaccaa ccagtgaaca tccagaactg gtgcaagcgg 300
ggccgcaagc agtgcaagac ccatccccc tttgtgattc cctaccgctg cttagtgtgt 360
gagtttataa gtgatgccct tctcgttcct gacaagtga aattcttaca ccaggagagg 420
atggatgttt gcgaaactca tcttcaactg cacaccgtcg ccaaagagac atgcagttag 480
aagagtacca acttgcata ctacggcatg ttgctgccct gcggaattga caagttccga 540
ggggtagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgctgat 600
gcggaggagg atgactcgga tgtctgtgtg ggccggagcag acacagacta tgcagatggg 660
agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgaggt ggaagaagaa 720
gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaaga ggctgaggaa 780
ccctacgaag aagccacaga gagaaccacc agcattgcca ccaccaccac caccaccaca 840
gagttctgtg aagaggtggt tcgagttcct acaacagcag ccagtacccc tgatgccgtt 900
gacaagtatc tcgagacacc tggggatgag aatgaacatg cccatttcca gaaagccaaa 960
gagaggcttg aggccaagca ccgagagaga atgtcccagg tcatgagaga atgggaagag 1020
gcagaacgtc aagcaaagaa cttgcctaaa gctgataaga aggcagttat ccagcatttc 1080
caggagaaag tggaaatctt ggaacaggaa gcagccaacg agagacagca gctggtggag 1140
acacacatgg ccagagtggg agccatgctc aatgaccgcc gccgcctggc cctgggagaa 1200
tacatcaccc ctctgcaggc tgttctctct cggcctcgtc acgtgttcaa tatgttaaag 1260
aagtagtccc gcgcgaaca gaaggacaga cagcacaccc taaagcattt cgagcatgtg 1320
cgatggtgg atcccaagaa agccgctcag atccggtccc aggttatgac acacctccgt 1380
gtgatttatg agcgcatgaa tcagtctctc tccctgctct acaacgtgcc tgcagtggcc 1440
gaggagattc aggatgaagt tgatgagctg cttcagaaaag agcaaaacta ttcagatgac 1500
gtcttgacca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
tctttgaccg aaacgaaaac caccgtggag ctcttccccg tgaatggaga gttcagcctg 1620
gacgatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaac 1680
gaagttgagc ctgttgatgc ccgcoctgct gccgaccgag gactgaccac tcgaccagg 1740

```

```

tctgggttga caaatatcaa gacggaggag atctctgaag tgaatctaga tgcagaattc 1800
cgacatgact caggatatga agttcatcat caagtattgg tggtctttgc agaagatgtg 1860
ggttcaaaca aagggtgcaat cattggactc atgggtggcg gtgttgatcat agcgacagtg 1920
atcgatcatca ccttggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
agtccagtgt ggtggaattc tgcagatatc ctggagccag tagatcctag actagagccc 2040
tggaagcatc caggaagtca gcctaaaact gcttgtagca attgctattg taaaaagtgt 2100
tgctttcatt gccaaagtttg tttcatgaca aaagccttag gcatctccta tggcaggaag 2160
aagcggagac agcgacgaag agctcatcag aacagtcaga ctcacaaagc ttctctatca 2220
aagcagagga tatccagcac agtggcggcc gcagacgccg ctgtcacccc agaggagcgc 2280
cacctgtcca agatgcagca gaacggctac gaaaatccaa cctacaagtt ctttgagcag 2340
atgcagaact ag                                     2352

```

<210> 2

<211> 783

<212> PRT

<213> fusion protein - human

<400> 2

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
1      5      10      15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
20     25     30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
35     40     45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
50     55     60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
65     70     75     80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
85     90     95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100    105    110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
115    120    125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
130    135    140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
145    150    155    160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
165    170    175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
180    185    190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
195    200    205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
210    215    220
Val Val Glu Val Ala Glu Glu Glu Val Ala Glu Val Glu Glu Glu
225    230    235    240
Glu Ala Asp Asp Asp Glu Asp Asp Glu Asp Gly Asp Glu Val Glu Glu
245    250    255
Glu Ala Glu Glu Pro Tyr Glu Glu Ala Thr Glu Arg Thr Thr Ser Ile
260    265    270
Ala Thr Thr Thr Thr Thr Thr Thr Glu Ser Val Glu Glu Val Val Arg
275    280    285
Val Pro Thr Thr Ala Ala Ser Thr Pro Asp Ala Val Asp Lys Tyr Leu
290    295    300
Glu Thr Pro Gly Asp Glu Asn Glu His Ala His Phe Gln Lys Ala Lys
305    310    315    320
Glu Arg Leu Glu Ala Lys His Arg Glu Arg Met Ser Gln Val Met Arg
325    330    335
Glu Trp Glu Glu Ala Glu Arg Gln Ala Lys Asn Leu Pro Lys Ala Asp
340    345    350

```

```

Lys Lys Ala Val Ile Gln His Phe Gln Glu Lys Val Glu Ser Leu Glu
      355      360      365
Gln Glu Ala Ala Asn Glu Arg Gln Gln Leu Val Glu Thr His Met Ala
      370      375      380
Arg Val Glu Ala Met Leu Asn Asp Arg Arg Arg Leu Ala Leu Glu Asn
385      390      395      400
Tyr Ile Thr Ala Leu Gln Ala Val Pro Pro Arg Pro Arg His Val Phe
      405      410      415
Asn Met Leu Lys Lys Tyr Val Arg Ala Glu Gln Lys Asp Arg Gln His
      420      425      430
Thr Leu Lys His Phe Glu His Val Arg Met Val Asp Pro Lys Lys Ala
      435      440      445
Ala Gln Ile Arg Ser Gln Val Met Thr His Leu Arg Val Ile Tyr Glu
      450      455      460
Arg Met Asn Gln Ser Leu Ser Leu Leu Tyr Asn Val Pro Ala Val Ala
465      470      475      480
Glu Glu Ile Gln Asp Glu Val Asp Glu Leu Leu Gln Lys Glu Gln Asn
      485      490      495
Tyr Ser Asp Asp Val Leu Ala Asn Met Ile Ser Glu Pro Arg Ile Ser
      500      505      510
Tyr Gly Asn Asp Ala Leu Met Pro Ser Leu Thr Glu Thr Lys Thr Thr
      515      520      525
Val Glu Leu Leu Pro Val Asn Gly Glu Phe Ser Leu Asp Asp Leu Gln
      530      535      540
Pro Trp His Ser Phe Gly Ala Asp Ser Val Pro Ala Asn Thr Glu Asn
545      550      555      560
Glu Val Glu Pro Val Asp Ala Arg Pro Ala Ala Asp Arg Gly Leu Thr
      565      570      575
Thr Arg Pro Gly Ser Gly Leu Thr Asn Ile Lys Thr Glu Glu Ile Ser
      580      585      590
Glu Val Asn Leu Asp Ala Glu Phe Arg His Asp Ser Gly Tyr Glu Val
      595      600      605
His His Gln Val Leu Val Phe Phe Ala Glu Asp Val Gly Ser Asn Lys
      610      615      620
Gly Ala Ile Ile Gly Leu Met Val Gly Gly Val Val Ile Ala Thr Val
625      630      635      640
Ile Val Ile Thr Leu Val Met Leu Lys Lys Lys Lys Leu Gly Thr Glu
      645      650      655
Leu Gly Ser Thr Ser Pro Val Trp Trp Asn Ser Ala Asp Ile Leu Glu
      660      665      670
Pro Val Asp Pro Arg Leu Glu Pro Trp Lys His Pro Gly Ser Gln Pro
      675      680      685
Lys Thr Ala Cys Thr Asn Cys Tyr Cys Lys Lys Cys Cys Phe His Cys
      690      695      700
Gln Val Cys Phe Met Thr Lys Ala Leu Gly Ile Ser Tyr Gly Arg Lys
705      710      715      720
Lys Arg Arg Gln Arg Arg Arg Ala His Gln Asn Ser Gln Thr His Gln
      725      730      735
Ala Ser Leu Ser Lys Gln Arg Ile Ser Ser Thr Val Ala Ala Asp
      740      745      750
Ala Ala Val Thr Pro Glu Glu Arg His Leu Ser Lys Met Gln Gln Asn
      755      760      765
Gly Tyr Glu Asn Pro Thr Tyr Lys Phe Phe Glu Gln Met Gln Asn
770      775      780

```

```

<210> 3
<211> 2352
<212> DNA
<213> fusion protein - human

<400> 3

```

```

atgctgcccc gtttggcact gctcctgctg gccgcctgga cggctcgggc gctggaggta 60
ccactgatg gtaatgctgg cctgctggct gaaccccaga ttgccatgtt ctgtggcaga 120
ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaaa 180
acctgcattg ataccaagga aggcacccctg cagtattgcc aagaagtcta ccctgaactg 240
cagatcacca atgtggtaga agccaaccaa ccagtgaacca tccagaactg gtgcaagcgg 300
ggccgcaagc agtgcaagac ccatcccccac tttgtgattc cctaccgctg cttagttggg 360
gagtttataa gtgatgccct tctcgttcct gacaagtgca aattcttaca ccaggagagg 420
atggatgttt gcgaaactca tcttcaactgg cacaccgtcg ccaaagagac atgcagttag 480
aagagtacca acttgcatga ctacggcatg ttgctgccct gcggaattga caagttccga 540
ggggtagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgctgat 600
gcgaggagg atgactcgga tgtctgttgg ggccgagcag acacagacta tgcagatggg 660
agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgaggt ggaagaagaa 720
gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaga ggctgaggaa 780
ccctacgaag aagccacaga gagaaccacc agcattgcca ccaccaccac caccaccaca 840
gagtcgtggg aagaggtggg tcgagttcct cagatgcccg ccagtacccc tgatgccgtt 900
gacaagtatc tcgagacacc tggggatgag aatgaacatg cccatttcca gaaagccaaa 960
gagaggcttg aggccaagca ccgagagaga atgtcccagg tcatgagaga atgggaagag 1020
gcagaacgtc aagcaaagaa cttgcctaaa gctgataaga aggcagttat ccagcatttc 1080
caggagaaag tggaaatcttt ggaacaggaa gcagccaacg agagacagca gctgggtggg 1140
acacacatgg ccagagtggg agccatgctc aatgaccgcc gccgcctggc cctggagaac 1200
tacatcaccc ctctgcaggg tgttcctcct cggcctcgtc acgtgttcaa tatgctaaag 1260
aagtatgtcc gcgcagaaca gaaggacaga cagcacaccc taaagcattt cgagcatgtg 1320
cgcatggtgg atcccaagaa agccgctcag atccggctcc aggttatgac acacctccgt 1380
gtgatttatg agcgcatgaa tcagtctctc tccctgctct acaacgtgcc tgcagtggcc 1440
gaggagattc aggtgaagt tgatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
gtcttggcca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
tctttgaccg aaacgaaaac caccgtggag ctccctcccc tgaatggaga gttcagcctg 1620
gacgatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaaac 1680
gaagttgagc ctgttgatgc ccgcctgct gccgaccgag gactgaccac tcgaccaggt 1740
tctgggttga caaatatcaa gacggaggag atctctgaag tgaagatgga tgcagaattc 1800
cgacatgact caggatatga agttcatcat caagtattgg tgttctttgc agaagatgtg 1860
ggttcaaaca aaggtgcaat cattggactc atggtgggcg gtgttgcatt agcgacagtg 1920
atcgatcatc ccttgggtg gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
agtcagtggt ggtggaattc tgcagatatc ctggagccag tagatcctag actagagccc 2040
tggaagcatc caggaagtca gcctaaaact gcttgtagca attgctattg taaaaagtgt 2100
tgctttcatt gccaaagttt tttcatgaca aaagccttag gcattctcta tggcaggaag 2160
aagcggagac agcgacgaag agctcatcag aacagtcagc ctcatcaagc ttctctatca 2220
aagcagagga tatccagcac agtggcggcc gcagacggcg ctgtcacccc agaggagcgc 2280
cacctgtcca agatgcagca gaacggctac gaaaatccaa cctacaagtt ctttgagcag 2340
atgcagaact ag                                     2352

```

<210> 4

<211> 783

<212> PRT

<213> fusion protein - human

<400> 4

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1          5          10          15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
 20          25          30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
 35          40          45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
 50          55          60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
 65          70          75          80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
 85          90          95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100          105          110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu

```

Val	Pro	Asp	Lys	Cys	Lys	Phe	Leu	His	Gln	Glu	Arg	Met	Asp	Val	Cys
130						135					140				
Glu	Thr	His	Leu	His	Trp	His	Thr	Val	Ala	Lys	Glu	Thr	Cys	Ser	Glu
145					150					155					160
Lys	Ser	Thr	Asn	Leu	His	Asp	Tyr	Gly	Met	Leu	Leu	Pro	Cys	Gly	Ile
				165					170					175	
Asp	Lys	Phe	Arg	Gly	Val	Glu	Phe	Val	Cys	Cys	Pro	Leu	Ala	Glu	Glu
			180					185					190		
Ser	Asp	Asn	Val	Asp	Ser	Ala	Asp	Ala	Glu	Glu	Asp	Asp	Ser	Asp	Val
		195				200						205			
Trp	Trp	Gly	Gly	Ala	Asp	Thr	Asp	Tyr	Ala	Asp	Gly	Ser	Glu	Asp	Lys
210						215					220				
Val	Val	Glu	Val	Ala	Glu	Glu	Glu	Glu	Val	Ala	Glu	Val	Glu	Glu	Glu
225					230					235					240
Glu	Ala	Asp	Asp	Asp	Glu	Asp	Asp	Glu	Asp	Gly	Asp	Glu	Val	Glu	Glu
				245					250					255	
Glu	Ala	Glu	Glu	Pro	Tyr	Glu	Glu	Ala	Thr	Glu	Arg	Thr	Thr	Ser	Ile
			260					265					270		
Ala	Thr	Thr	Thr	Thr	Thr	Thr	Thr	Glu	Ser	Val	Glu	Glu	Val	Val	Arg
		275					280					285			
Val	Pro	Thr	Thr	Ala	Ala	Ser	Thr	Pro	Asp	Ala	Val	Asp	Lys	Tyr	Leu
290						295					300				
Glu	Thr	Pro	Gly	Asp	Glu	Asn	Glu	His	Ala	His	Phe	Gln	Lys	Ala	Lys
305					310					315					320
Glu	Arg	Leu	Glu	Ala	Lys	His	Arg	Glu	Arg	Met	Ser	Gln	Val	Met	Arg
				325					330					335	
Glu	Trp	Glu	Glu	Ala	Glu	Arg	Gln	Ala	Lys	Asn	Leu	Pro	Lys	Ala	Asp
			340					345					350		
Lys	Lys	Ala	Val	Ile	Gln	His	Phe	Gln	Glu	Lys	Val	Glu	Ser	Leu	Glu
		355					360					365			
Gln	Glu	Ala	Ala	Asn	Glu	Arg	Gln	Gln	Leu	Val	Glu	Thr	His	Met	Ala
370					375						380				
Arg	Val	Glu	Ala	Met	Leu	Asn	Asp	Arg	Arg	Arg	Leu	Ala	Leu	Glu	Asn
385					390					395					400
Tyr	Ile	Thr	Ala	Leu	Gln	Ala	Val	Pro	Pro	Arg	Pro	Arg	His	Val	Phe
			405						410				415		
Asn	Met	Leu	Lys	Lys	Tyr	Val	Arg	Ala	Glu	Gln	Lys	Asp	Arg	Gln	His
			420					425					430		
Thr	Leu	Lys	His	Phe	Glu	His	Val	Arg	Met	Val	Asp	Pro	Lys	Lys	Ala
		435					440					445			
Ala	Gln	Ile	Arg	Ser	Gln	Val	Met	Thr	His	Leu	Arg	Val	Ile	Tyr	Glu
450					455						460				
Arg	Met	Asn	Gln	Ser	Leu	Ser	Leu	Leu	Tyr	Asn	Val	Pro	Ala	Val	Ala
465					470					475					480
Glu	Glu	Ile	Gln	Asp	Glu	Val	Asp	Glu	Leu	Leu	Gln	Lys	Glu	Gln	Asn
			485						490					495	
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg	Ile	Ser
			500					505					510		
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys	Thr	Thr
		515					520					525			
Val	Glu	Leu	Leu	Pro	Val	Asn	Gly	Glu	Phe	Ser	Leu	Asp	Asp	Leu	Gln
530					535							540			
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr	Glu	Asn
545					550					555					560
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly	Leu	Thr
				565					570				575		
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu	Ile	Ser
			580					585					590		
Glu	Val	Lys	Met	Asp	Ala	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr	Glu	Val
		595					600					605			
His	His	Gln	Val	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser	Asn	Lys

610		615		620
Gly Ala Ile Ile Gly	Leu Met Val Gly Gly Val	Val Ile Ala Thr Val		
625	630	635		640
Ile Val Ile Thr Leu	Val Met Leu Lys Lys Lys	Lys Leu Gly Thr Glu		
	645	650		655
Leu Gly Ser Thr Ser	Pro Val Trp Trp Asn Ser	Ala Asp Ile Leu Glu		
	660	665		670
Pro Val Asp Pro Arg	Leu Glu Pro Trp Lys His	Pro Gly Ser Gln Pro		
	675	680		685
Lys Thr Ala Cys Thr	Asn Cys Tyr Cys Lys Lys	Cys Cys Phe His Cys		
	690	695		700
Gln Val Cys Phe Met	Thr Lys Ala Leu Gly Ile	Ser Tyr Gly Arg Lys		
705	710	715		720
Lys Arg Arg Gln Arg	Arg Arg Ala His Gln Asn	Ser Gln Thr His Gln		
	725	730		735
Ala Ser Leu Ser Lys	Gln Arg Ile Ser Ser Thr	Val Ala Ala Ala Asp		
	740	745		750
Ala Ala Val Thr Pro	Glu Glu Arg His Leu Ser	Lys Met Gln Gln Asn		
	755	760		765
Gly Tyr Glu Asn Pro	Thr Tyr Lys Phe Phe Glu	Gln Met Gln Asn		
770	775	780		

<210> 5
 <211> 2823
 <212> DNA
 <213> fusion protein - human

<400> 5
 atgtctgccg gtttggcact gctcctgctg gccgcctgga cggctcgggc gctggaggta 60
 cccactgatg gtaatgctgg cctgctggct gaaccccaga ttgccatgtt ctgtggcaga 120
 ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaaa 180
 acctgcattg ataccaagga aggcacccctg cagtattgcc ccctgaactg 240
 cagatcacca atgtggtaga agccaaccaa ccagtgaacca tccagaactg gtgcaagcgg 300
 ggccgcaagc agtgcaagac ccatccccac tttgtgatcc cctaccgctg cttagtgtgt 360
 gagttttataa gtgatgccct tctcgttcct gacaagtgc aattcttaca ccaggagagg 420
 atggatgttt gcgaaactca tcttcactgg cacaccgtcg ccaaagagac atgcagtgag 480
 aagagtacca acttgcctga ctacggcatg ttgctgacct gcggaattga caagtccga 540
 ggggtagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgctgat 600
 gcggaggagg atgactcgga tgtctggtgg ggcggagcag acacagacta tgcagatggg 660
 agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgaggt ggaagaagaa 720
 gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaaga ggctgaggaa 780
 ccctacgaag aagccacaga gagaaccacc agcattgcca ccaccaccac caccaccaca 840
 gagtctgtgg aagaggtggt tctgagttcct acaacagcag ccagtacccc tgatgccgtt 900
 gacaagtatc tctgagacac tggggatgag aatgaacatg cccatttcca gaaagccaaa 960
 gagaggcttg aggcacaagc ccgagagaga atgtcccagg tcatgagaga atgggaagag 1020
 gcagaacgta aagcaaaaga cttgcctaaa gctgataaga aggcagttat ccagcatttc 1080
 caggagaaag tggaaatcttt ggaacaggaa gcagccaacg agagacagca gctgggtggg 1140
 acacacatgg ccagagtggg agccatgctc aatgaccgcc gccgcctggc cctgggagaa 1200
 tacatcaccg ctctgcaggc tgttctcctc cggcctcgtc acgtgttcaa tatgctaaag 1260
 aagtattgtc gcgcagaaca gaaggacaga cagcacaccc taaagcattt cgagcatgtg 1320
 cgcattggtg atcccaagaa agccgctcag atccgggtccc aggttatgac acacctccgt 1380
 gtgatttatg agcgcatgaa tcagtctctc tcctgctctc acaacgtgcc tgcagtggcc 1440
 gaggagattc aggatgaagt tgatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
 gtcttggcca acatattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
 tctttgaccg aaacgaaaac caccgtggag ctccctcccc tgaatggaga gttcagcctg 1620
 gacgatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaaac 1680
 gaagttgagc ctgttgatgc ccgccctgct gccgaccgag gactgaccac tgcaccaggt 1740
 tctgggttga caaatatcaa gacggaggag atctctgaag tgaatctaga tgcagaattc 1800
 cgacatgact caggatatga agttcatcat caagtattgg tgttctttgc agaagatgtg 1860
 ggttcaaaca aaggtgcaat cattggactc atggtgggag gtgttgtcat agcgacagtg 1920
 atcgatcatca ccttggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980

```

agtccagtgt ggtggaattc tgcagatatac aagctactgt cttctatcga acaagcatgc 2040
gatattttgcc gacttaaaaa gctcaagtgc tccaaagaaa aaccgaagtg cgccaagtgt 2100
ctgaagaaca actgggagtg tgcgtactct cccaaaacca aaaggtctcc gctgactagg 2160
gcacatctga cagaagtgga atcaaggcta gaaagactgg aacagctatt tctactgatt 2220
tttcctcgag aagaccttga catgattttg aaaatggatt ctttacagga tataaaagca 2280
ttgttaacag gattatttgt acaagataat gtgaataaag atgccgtcac agatagattg 2340
gcttcagtgg agactgatat gcctctaaca ttgagacagc atagaataag tgcgacatga 2400
tcacgcgaag agagtagtaa caaagggtcaa agacagtga ctgtatcggg aattccccggg 2460
gatctggccc ccccgaccga tgtcagcctg ggggacgagc tccacttaga cggcgaggac 2520
gtggcgatgg cgcagtcgga cgcgctagac gatttcgatac tggacatgtt gggggacggg 2580
gattccccgg gtccgggatt tacccccac gactccgcc cctacggcgc tctggatatg 2640
gccgacttcg agtttgagca gatgtttacc gatgcccttg gaattgacga gtacgggtggg 2700
gatatccagc acagtggcgg ccgcgacgcc gctgtcacc cagaggagcg ccacctgtcc 2760
aagatgcagc agaacggcta cgaaaatcca acctacaagt tctttgagca gatgcagaac 2820
tag 2823

```

<210> 6

<211> 941

<212> PRT

<213> fusion protein - human

<400> 6

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
1      5      10      15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
20     25     30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
35     40     45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
50     55     60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
65     70     75     80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
85     90     95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100    105    110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
115    120    125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
130    135    140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
145    150    155    160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
165    170    175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
180    185    190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
195    200    205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
210    215    220
Val Val Glu Val Ala Glu Glu Glu Val Ala Glu Val Glu Glu Glu
225    230    235    240
Glu Ala Asp Asp Asp Glu Asp Asp Glu Asp Gly Asp Glu Val Glu Glu
245    250    255
Glu Ala Glu Glu Pro Tyr Glu Glu Ala Thr Glu Arg Thr Thr Ser Ile
260    265    270
Ala Thr Thr Thr Thr Thr Thr Glu Ser Val Glu Glu Val Val Arg
275    280    285
Val Pro Thr Thr Ala Ala Ser Thr Pro Asp Ala Val Asp Lys Tyr Leu
290    295    300
Glu Thr Pro Gly Asp Glu Asn Glu His Ala His Phe Gln Lys Ala Lys
305    310    315    320

```

Glu	Arg	Leu	Glu	Ala	Lys	His	Arg	Glu	Arg	Met	Ser	Gln	Val	Met	Arg
				325					330					335	
Glu	Trp	Glu	Glu	Ala	Glu	Arg	Gln	Ala	Lys	Asn	Leu	Pro	Lys	Ala	Asp
				340				345					350		
Lys	Lys	Ala	Val	Ile	Gln	His	Phe	Gln	Glu	Lys	Val	Glu	Ser	Leu	Glu
				355			360					365			
Gln	Glu	Ala	Ala	Asn	Glu	Arg	Gln	Gln	Leu	Val	Glu	Thr	His	Met	Ala
				370		375					380				
Arg	Val	Glu	Ala	Met	Leu	Asn	Asp	Arg	Arg	Arg	Leu	Ala	Leu	Glu	Asn
385					390					395				400	
Tyr	Ile	Thr	Ala	Leu	Gln	Ala	Val	Pro	Pro	Arg	Pro	Arg	His	Val	Phe
				405					410					415	
Asn	Met	Leu	Lys	Lys	Tyr	Val	Arg	Ala	Glu	Gln	Lys	Asp	Arg	Gln	His
				420				425					430		
Thr	Leu	Lys	His	Phe	Glu	His	Val	Arg	Met	Val	Asp	Pro	Lys	Lys	Ala
				435			440					445			
Ala	Gln	Ile	Arg	Ser	Gln	Val	Met	Thr	His	Leu	Arg	Val	Ile	Tyr	Glu
						455					460				
Arg	Met	Asn	Gln	Ser	Leu	Ser	Leu	Leu	Tyr	Asn	Val	Pro	Ala	Val	Ala
465					470					475					480
Glu	Glu	Ile	Gln	Asp	Glu	Val	Asp	Glu	Leu	Leu	Gln	Lys	Glu	Gln	Asn
				485				490						495	
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg	Ile	Ser
				500				505					510		
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys	Thr	Thr
				515			520					525			
Val	Glu	Leu	Leu	Pro	Val	Asn	Gly	Glu	Phe	Ser	Leu	Asp	Asp	Leu	Gln
				530		535					540				
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr	Glu	Asn
545					550					555					560
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly	Leu	Thr
				565					570					575	
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu	Ile	Ser
				580				585					590		
Glu	Val	Asn	Leu	Asp	Ala	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr	Glu	Val
				595			600					605			
His	His	Gln	Val	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser	Asn	Lys
				610		615					620				
Gly	Ala	Ile	Ile	Gly	Leu	Met	Val	Gly	Gly	Val	Val	Ile	Ala	Thr	Val
625					630					635					640
Ile	Val	Ile	Thr	Leu	Val	Met	Leu	Lys	Lys	Lys	Lys	Leu	Gly	Thr	Glu
				645				650						655	
Leu	Gly	Ser	Thr	Ser	Pro	Val	Trp	Trp	Asn	Ser	Ala	Asp	Ile	Lys	Leu
				660				665					670		
Leu	Ser	Ser	Ile	Glu	Gln	Ala	Cys	Asp	Ile	Cys	Arg	Leu	Lys	Lys	Leu
				675			680					685			
Lys	Cys	Ser	Lys	Glu	Lys	Pro	Lys	Cys	Ala	Lys	Cys	Leu	Lys	Asn	Asn
				690		695					700				
Trp	Glu	Cys	Arg	Tyr	Ser	Pro	Lys	Thr	Lys	Arg	Ser	Pro	Leu	Thr	Arg
705					710					715					720
Ala	His	Leu	Thr	Glu	Val	Glu	Ser	Arg	Leu	Glu	Arg	Leu	Glu	Gln	Leu
				725					730					735	
Phe	Leu	Leu	Ile	Phe	Pro	Arg	Glu	Asp	Leu	Asp	Met	Ile	Leu	Lys	Met
				740				745				750			
Asp	Ser	Leu	Gln	Asp	Ile	Lys	Ala	Leu	Leu	Thr	Gly	Leu	Phe	Val	Gln
				755			760					765			
Asp	Asn	Val	Asn	Lys	Asp	Ala	Val	Thr	Asp	Arg	Leu	Ala	Ser	Val	Glu
				770		775					780				
Thr	Asp	Met	Pro	Leu	Thr	Leu	Arg	Gln	His	Arg	Ile	Ser	Ala	Thr	Ser
785					790					795					800
Ser	Ser	Glu	Glu	Ser	Ser	Asn	Lys	Gly	Gln	Arg	Gln	Leu	Thr	Val	Ser
				805					810					815	

Gly Ile Pro Gly Asp Leu Alaⁿ Pro Pro Thr Asp Val Ser Leu Gly Asp
 820 825 830
 Glu Leu His Leu Asp Gly Glu Asp Val Ala Met Ala His Ala Asp Ala
 835 840 845
 Leu Asp Asp Phe Asp Leu Asp Met Leu Gly Asp Gly Asp Ser Pro Gly
 850 855 860
 Pro Gly Phe Thr Pro His Asp Ser Ala Pro Tyr Gly Ala Leu Asp Met
 865 870 875 880
 Ala Asp Phe Glu Phe Glu Gln Met Phe Thr Asp Ala Leu Gly Ile Asp
 885 890 895
 Glu Tyr Gly Gly Asp Ile Gln His Ser Gly Ala Ala Ala Asp Ala Ala
 900 905 910
 Val Thr Pro Glu Glu Arg His Leu Ser Lys Met Gln Gln Asn Gly Tyr
 915 920 925
 Glu Asn Pro Thr Tyr Lys Phe Phe Glu Gln Met Gln Asn
 930 935 940

<210> 7
 <211> 2823
 <212> DNA
 <213> fusion protein - human

<400> 7
 atgctgcccc gtttggcact gctcctgctg gccgcctgga cggctcgggc gctggaggta 60
 ccactgatg gtaatgctgg cctgctggct gaaccccaga ttgccatgtt ctgtggcaga 120
 ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaaa 180
 acctgcattg ataccaagga aggcacatctg cagtattgcc aagaagtcta ccctgaactg 240
 cagatcacca atgtggtaga agccaaccaa ccagtgcaca tccagaactg gtgcaagcgg 300
 ggccgcaagc agtgcaagac ccatccccac tttgtgattc cctaccgctg cttagtgtgt 360
 gagtttataa gtgatgccct tctcgttcc tacaagtgca aattcttaca ccaggagagg 420
 atggatgttt gcgaaactca tcttactggt cacaccgtcg ccaaagagac atgcagttag 480
 aagagtacca acttgcatga ctacggcatg ttgctgccct gcggaattga caagttccga 540
 ggggttagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgctgat 600
 gcggaggagg atgactcgga tgtctggttg ggcggagcag acacagacta tgcagatggg 660
 agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgagggt ggaagaagaa 720
 gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaaag ggctgaggaa 780
 ccctacgaag aagccacaga gagaaccacc agcattgcca ccaccaccac caccaccaca 840
 gagtctgtgg aagaggtggt tctgagttct acaacagcag ccagtacccc tgatgccgtt 900
 gacaagtatc tctgagacac tggggatgag aatgaacatg cccatttcca gaaagccaaa 960
 gagaggcttg aggccaaagc ccgagagaga atgtcccagg tcatgagaga atgggaagag 1020
 gcagaacgtc aagcaaagaa cttgcctaaa gctgataaga aggcagttat ccagcatttc 1080
 caggagaaag tggaaatctt ggaacaggaa gcagccaacg agagacagca gctggtggag 1140
 acacacatgg ccagagtggg agccatgctc aatgaccgcc gccgcctggc cctggagaac 1200
 tacatcaccc ctctgcaggg tgttctctct cggcctcgct acgtgttcaa tatgctaaag 1260
 aagtatgtcc gcgcagaaca gaaggacaga cagcaccccc taaagcattt cgagcatgtg 1320
 cgcatggtgg atcccaagaa agccgctcag atccgggtccc aggttatgac acacctccgt 1380
 gtgatttatg agcgcatgaa tcagtctctc tccctgctct acaacgtgcc tgcagtggcc 1440
 gaggagattc aggatgaagt tcatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
 gtcttggcca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
 tctttgaccg aaacgaaaac caccgtggag ctcttcccg tgaatggaga gttcagcctg 1620
 gacgatctcc agccgtggca tctcttttgg gctgactctg tgccagccaa cacagaaaac 1680
 gaagttgagc ctgttgatgc ccgccctgct gccgaccgag gactgaccac tgcaccaggt 1740
 tctgggttga caaatatcaa gacggaggag atctctgaag tgaagatgga tgcagaattc 1800
 cgcatgact caggaatgga agttcatcat caagtattgg tgttctttgc agaagatgtg 1860
 ggttcaaaca aaggtgcaat cattggactc atggtgggag gtgttgtcat agcgacagtg 1920
 atcgtcatca ccttggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
 agtccagtgt ggtggaattc tgcagatata aagctactgt cttctatcga acaagcatgc 2040
 gatatttggc gacttaaaaa gctcaagtgc tccaaagaaa aaccgaagtg cgccaagtgt 2100
 ctgaagaaca actgggagtg tctgctactc cccaaaacca aaaggtctcc gctgactagg 2160
 gcacatctga cagaagtgga atcaaggcta gaaagactgg aacagctatt tctactgatt 2220
 tttcctcag aagaccttga catgattttg aaaatggatt ctttacagga tataaaagca 2280

```

ttgttaacag gattatttgt acaagataat gtgaataaag atgccgtcac agatagattg 2340
gcttcagtgg agactgatat gcctctaaca ttgagacagc atagaataag tgcgacatca 2400
tcatacggaag agagtagtaa caaagggtcaa agacagttga ctgtatcggg aattccccggg 2460
gatctggccc ccccgaccga tgtcagcctg ggggacgagc tccacttaga cggcgaggac 2520
gtggcgatgg cgcagtcgga cgcgctagac gatttcgatc tggacatggt gggggacggg 2580
gattccccgg gtccgggatt taccccccac gactccgccc cctacggcgc tctggatatg 2640
gccgacttcg agtttgagca gatgtttacc gatgcccttg gaattgacga gtacgggtggg 2700
gatatccagc acagtggcgg ccgcgacgcc gctgtcacc cagaggagcg ccacctgtcc 2760
aagatgcagc agaacggcta cgaaaatcca acctacaagt tctttgagca gatgcagaac 2820
tag

```

<210> 8

<211> 941

<212> PRT

<213> fusion protein - human

<400> 8

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
1      5      10      15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
20     25     30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
35     40     45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
50     55     60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
65     70     75     80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
85     90     95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100    105    110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
115    120    125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
130    135    140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
145    150    155    160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
165    170    175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
180    185    190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
195    200    205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
210    215    220
Val Val Glu Val Ala Glu Glu Glu Val Ala Glu Val Glu Glu Glu
225    230    235    240
Glu Ala Asp Asp Asp Glu Asp Asp Glu Asp Gly Asp Glu Val Glu Glu
245    250    255
Glu Ala Glu Glu Pro Tyr Glu Glu Ala Thr Glu Arg Thr Thr Ser Ile
260    265    270
Ala Thr Thr Thr Thr Thr Thr Thr Glu Ser Val Glu Glu Val Val Arg
275    280    285
Val Pro Thr Thr Ala Ala Ser Thr Pro Asp Ala Val Asp Lys Tyr Leu
290    295    300
Glu Thr Pro Gly Asp Glu Asn Glu His Ala His Phe Gln Lys Ala Lys
305    310    315    320
Glu Arg Leu Glu Ala Lys His Arg Glu Arg Met Ser Gln Val Met Arg
325    330    335
Glu Trp Glu Glu Ala Glu Arg Gln Ala Lys Asn Leu Pro Lys Ala Asp
340    345    350
Lys Lys Ala Val Ile Gln His Phe Gln Glu Lys Val Glu Ser Leu Glu

```

Gln	Glu	Ala	Ala	Asn	Glu	Arg	Gln	Gln	Leu	Val	Glu	Thr	His	Met	Ala
370															
Arg	Val	Glu	Ala	Met	Leu	Asn	Asp	Arg	Arg	Arg	Leu	Ala	Leu	Glu	Asn
385															
Tyr	Ile	Thr	Ala	Leu	Gln	Ala	Val	Pro	Pro	Arg	Pro	Arg	His	Val	Phe
Asn	Met	Leu	Lys	Lys	Tyr	Val	Arg	Ala	Glu	Gln	Lys	Asp	Arg	Gln	His
Thr	Leu	Lys	His	Phe	Glu	His	Val	Arg	Met	Val	Asp	Pro	Lys	Lys	Ala
Ala	Gln	Ile	Arg	Ser	Gln	Val	Met	Thr	His	Leu	Arg	Val	Ile	Tyr	Glu
450															
Arg	Met	Asn	Gln	Ser	Leu	Ser	Leu	Leu	Tyr	Asn	Val	Pro	Ala	Val	Ala
465															
Glu	Glu	Ile	Gln	Asp	Glu	Val	Asp	Glu	Leu	Leu	Gln	Lys	Glu	Gln	Asn
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg	Ile	Ser
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys	Thr	Thr
Val	Glu	Leu	Leu	Pro	Val	Asn	Gly	Glu	Phe	Ser	Leu	Asp	Asp	Leu	Gln
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr	Glu	Asn
545															
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly	Leu	Thr
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu	Ile	Ser
Glu	Val	Lys	Met	Asp	Ala	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr	Glu	Val
His	His	Gln	Val	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser	Asn	Lys
Gly	Ala	Ile	Ile	Gly	Leu	Met	Val	Gly	Gly	Val	Val	Ile	Ala	Thr	Val
625															
Ile	Val	Ile	Thr	Leu	Val	Met	Leu	Lys	Lys	Lys	Lys	Leu	Gly	Thr	Glu
Leu	Gly	Ser	Thr	Ser	Pro	Val	Trp	Trp	Asn	Ser	Ala	Asp	Ile	Lys	Leu
Leu	Ser	Ser	Ile	Glu	Gln	Ala	Cys	Asp	Ile	Cys	Arg	Leu	Lys	Lys	Leu
Lys	Cys	Ser	Lys	Glu	Lys	Pro	Lys	Cys	Ala	Lys	Cys	Leu	Lys	Asn	Asn
Trp	Glu	Cys	Arg	Tyr	Ser	Pro	Lys	Thr	Lys	Arg	Ser	Pro	Leu	Thr	Arg
705															
Ala	His	Leu	Thr	Glu	Val	Glu	Ser	Arg	Leu	Glu	Arg	Leu	Glu	Gln	Leu
Phe	Leu	Leu	Ile	P											

850	855	860
Pro Gly Phe Thr Pro His Asp Ser Ala Pro Tyr Gly Ala Leu Asp Met		
865	870	875
Ala Asp Phe Glu Phe Glu Gln Met Phe Thr Asp Ala Leu Gly Ile Asp		880
	885	890
Glu Tyr Gly Gly Asp Ile Gln His Ser Gly Ala Ala Ala Asp Ala Ala		895
	900	905
Val Thr Pro Glu Glu Arg His Leu Ser Lys Met Gln Gln Asn Gly Tyr		910
	915	920
Glu Asn Pro Thr Tyr Lys Phe Phe Glu Gln Met Gln Asn		925
	930	935
		940

<210> 9
 <211> 2352
 <212> DNA
 <213> fusion protein - human

<400> 9
 atgctgcccg gtttggcact gctcctgctg gccgcctgga cggctcgggc gctggaggtg 60
 cccactgatg gtaatgctgg cctgctggct gaaccccaga ttgccatgtt ctgtggcaga 120
 ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaaa 180
 acctgcattg ataccaagga aggcattcctg cagtattgcc aagaagtcta ccctgaactg 240
 cagatcacca atgtggtaga agccaaccaa ccagtgacca tccagaactg gtgcaagcgg 300
 ggccgcaagc agtgcaagac ccataccccc tttgtgattc cctaccgctg cttagttagt 360
 gagtttataa gtgatgccct tctcgttccct gacaagtgca aattcttaca ccaggagagg 420
 atggatgttt gcgaaactca tcttccactgg cacaccgtcg ccaaagagac atgcagttag 480
 aagagtacca acttgcctga ctacggcatg ttgctgcctt gcggaattga caagttccga 540
 ggggtagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgctgat 600
 gcgaggaggg atgactcgga tgtctggtgg ggcggagcag acacagacta tgcagatggg 660
 agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgaggt ggaagaagaa 720
 gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaaga ggctgaggaa 780
 ccctacgaag aagccacaga gagaaccacc agcattgcca ccaccaccac caccaccaca 840
 gagtctgtgg aagaggtggt tcgagttcct acaacagcag ccagtacccc tgatgccgtt 900
 gacaagatc tcgagacacc tggggatgag aatgaacatg cccatttcca gaaagccaaa 960
 gagaggcttg aggccaagca ccgagagaga atgtcccagg tcatgagaga atgggaagag 1020
 gcagaacgtc aagcaaagaa cttgcctaaa gctgataaga aggcaattat ccagcatttc 1080
 caggagaaag tggaaatctt ggaacaggaa gcagccaacg agagacagca gctgggtggag 1140
 acacacatgg ccagagtggg agccatgctc aatgaccgcc gccgcctggc cctgggagaa 1200
 tacatcaccc ctctgcaggc tgttcctcct cggcctcgtc acgtgttcaa tatgctaaag 1260
 aagtatgtcc gcgcagaaca gaaggacaga cagcacaccc taaagcattt cgagcatgtg 1320
 cgcattggtg atcccaagaa agccgctcag atccggtccc aggttatgac acacctccgt 1380
 gtgatttatg agcgcagtaa tcagtctctc tccctgctct acaacgtgcc tgcagtggcc 1440
 gaggagattc aggatgaagt tgatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
 gtcttgacca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
 tctttgaccg aaacgaaaac caccgtggag ctccctcccg tgaatggaga gttcagcctg 1620
 gacgatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaaac 1680
 gaagttgagc ctgttgatgc ccgccctgct gccgaccgag gactgaccac tgcaccaggt 1740
 tctgggttga caaatatcaa gacggaggag atctctgaag tgaatctaga tgcagaattc 1800
 cgacatgact caggatatga agttcatcat caaaaattgg tgttctttgc agaagatgtg 1860
 ggttcaaaca aaggtgcaat cattggactc atggtgggag gtgttgatc agcgacagtg 1920
 atcgtcatca ctttgggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
 agtccagtgt ggtggaattc tgcagatatc ctggagccag tagatccctag actagagccc 2040
 tggaagcatc caggaagtca gcctaaaaact gcttgtacca attgctattg taaaaagtgt 2100
 tgctttcatt gccaaagtgt ttctcatgaca aaagccttag gcatctocta tggcaggagc 2160
 aagcggagac agcgacgaag agctcatcag aacagtcaga ctcatcaagc ttctctatca 2220
 aagcagagga tatccagcac agtggcggcc gcagacgccg ctgtcacccc agaggagcgc 2280
 cacctgtcca agatgcagca gaacggctac gaaaatccaa cctacaagtt ctttgagcag 2340
 atgcagaact ag 2352

<210> 10
 <211> 783

<212> PRT

<213> fusion protein - human

<400> 10

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1      5      10      15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
 20      25      30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
 35      40      45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
 50      55      60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
 65      70      75      80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
 85      90      95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100      105      110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
115      120      125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
130      135      140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
145      150      155      160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
165      170      175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
180      185      190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
195      200      205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
210      215      220
Val Val Glu Val Ala Glu Glu Glu Val Ala Glu Val Glu Glu Glu
225      230      235      240
Glu Ala Asp Asp Asp Glu Asp Asp Glu Asp Gly Asp Glu Val Glu Glu
245      250      255
Glu Ala Glu Glu Pro Tyr Glu Glu Ala Thr Glu Arg Thr Thr Ser Ile
260      265      270
Ala Thr Thr Thr Thr Thr Thr Thr Glu Ser Val Glu Glu Val Val Arg
275      280      285
Val Pro Thr Thr Ala Ala Ser Thr Pro Asp Ala Val Asp Lys Tyr Leu
290      295      300
Glu Thr Pro Gly Asp Glu Asn Glu His Ala His Phe Gln Lys Ala Lys
305      310      315      320
Glu Arg Leu Glu Ala Lys His Arg Glu Arg Met Ser Gln Val Met Arg
325      330      335
Glu Trp Glu Glu Ala Glu Arg Gln Ala Lys Asn Leu Pro Lys Ala Asp
340      345      350
Lys Lys Ala Val Ile Gln His Phe Gln Glu Lys Val Glu Ser Leu Glu
355      360      365
Gln Glu Ala Ala Asn Glu Arg Gln Gln Leu Val Glu Thr His Met Ala
370      375      380
Arg Val Glu Ala Met Leu Asn Asp Arg Arg Arg Leu Ala Leu Glu Asn
385      390      395      400
Tyr Ile Thr Ala Leu Gln Ala Val Pro Pro Arg Pro Arg His Val Phe
405      410      415
Asn Met Leu Lys Lys Tyr Val Arg Ala Glu Gln Lys Asp Arg Gln His
420      425      430
Thr Leu Lys His Phe Glu His Val Arg Met Val Asp Pro Lys Lys Ala
435      440      445
Ala Gln Ile Arg Ser Gln Val Met Thr His Leu Arg Val Ile Tyr Glu
450      455      460

```


Arg	Met	Asn	Gln	Ser	Leu	Ser	Leu	Leu	Tyr	Asn	Val	Pro	Ala	Val	Ala		
465					470					475					480		
Glu	Glu	Ile	Gln	Asp	Glu	Val	Asp	Glu	Leu	Leu	Gln	Lys	Glu	Gln	Asn		
			485					490						495			
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg	Ile	Ser		
			500					505					510				
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys	Thr	Thr		
		515					520					525					
Val	Glu	Leu	Leu	Pro	Val	Asn	Gly	Glu	Phe	Ser	Leu	Asp	Asp	Leu	Gln		
	530					535					540						
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr	Glu	Asn		
545					550					555					560		
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly	Leu	Thr		
				565					570					575			
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu	Ile	Ser		
			580					585					590				
Glu	Val	Asn	Leu	Asp	Ala	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr	Glu	Val		
		595					600					605					
His	His	Gln	Lys	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser	Asn	Lys		
	610					615					620						
Gly	Ala	Ile	Ile	Gly	Leu	Met	Val	Gly	Gly	Val	Val	Ile	Ala	Thr	Val		
625					630					635					640		
Ile	Val	Ile	Thr	Leu	Val	Met	Leu	Lys	Lys	Lys	Lys	Leu	Gly	Thr	Glu		
				645					650					655			
Leu	Gly	Ser	Thr	Ser	Pro	Val	Trp	Trp	Asn	Ser	Ala	Asp	Ile	Leu	Glu		
			660					665					670				
Pro	Val	Asp	Pro	Arg	Leu	Glu	Pro	Trp	Lys	His	Pro	Gly	Ser	Gln	Pro		
		675					680					685					
Lys	Thr	Ala	Cys	Thr	Asn	Cys	Tyr	Cys	Lys	Lys	Cys	Cys	Phe	His	Cys		
	690					695					700						
Gln	Val	Cys	Phe	Met	Thr	Lys	Ala	Leu	Gly	Ile	Ser	Tyr	Gly	Arg	Lys		
705					710					715					720		
Lys	Arg	Arg	Gln	Arg	Arg	Ala	His	Gln	Asn	Ser	Gln	Thr	His	Gln			
				725				730					735				
Ala	Ser	Leu	Ser	Lys	Gln	Arg	Ile	Ser	Ser	Thr	Val	Ala	Ala	Ala	Asp		
				740				745					750				
Ala	Ala	Val	Thr	Pro	Glu	Glu	Arg	His	Leu	Ser	Lys	Met	Gln	Gln	Asn		
		755					760					765					
Gly	Tyr	Glu	Asn	Pro	Thr	Tyr	Lys	Phe	Phe	Glu	Gln	Met	Gln	Asn			
	770					775					780						

<210> 11

<211> 2352

<212> DNA

<213> fusion protein - human

<400> 11

atgctgcccg	gtttggcact	gctcctgctg	gccgcctgga	cggctcgggc	gctggaggta	60
cccactgatg	gtaatgctgg	cctgctggct	gaaccccaga	ttgccatggt	ctgtggcaga	120
ctgaacatgc	acatgaatgt	ccagaatggg	aagtggggatt	cagatccatc	agggaccaa	180
acctgcattg	ataccaagga	aggcatcctg	cagtattgcc	aagaagtcta	ccctgaactg	240
cagatcacca	atgtggtaga	agccaaccaa	ccagtgacca	tccagaactg	gtgcaagcgg	300
ggccgcaagc	agtgcagac	ccatccccac	tttgtgattc	cctaccgctg	cttagttggt	360
gagtttataa	gtgatgccct	tctcgttcct	gacaagtgca	aattcttaca	ccaggagagg	420
atggatgttt	gcgaaactca	tcttctactg	cacaccgtcg	ccaaagagac	atgcagtggg	480
aagagtacca	acttgcatga	ctacggcatg	ttgctgccct	gcggaattga	caagttccga	540
ggggtagagt	ttgtgtgttg	cccactggct	gaagaaagtg	acaatgtgga	ttctgctgat	600
gcggaggagg	atgactcgga	tgtctggtgg	ggcggagcag	acacagacta	tgcagatggg	660
agtgaagaca	aagtagtaga	agtagcagag	gaggaagaag	tggctgaggt	ggaagaagaa	720
gaagccgatg	atgacgagga	cgatgaggat	ggtgatgagg	tagaggaaga	ggctgaggaa	780
ccctacgaag	aagccacaga	gagaaccacc	agcattgcca	ccaccaccac	caccaccaca	840

```

gagtctgtgg aagaggtggt tcgagttcct acaacagcag ccagtacccc tgatgccgtt 900
gacaagtatc tcgagacacc tggggatgag aatgaacatg cccattttcca gaaagccaaa 960
gagaggcttg aggccaagca ccgagagaga atgtcccagg tcatgagaga atgggaagag 1020
gcagaacgtc aagcaaagaa cttgcctaaa gctgataaga aggcagttat ccagcatttc 1080
caggagaaaag tggaatcttt ggaacaggaa gcagccaacg agagacagca gctgggtggag 1140
acacacatgg ccagagtggg agccatgctc aatgaccgcc gccgcctggc cctgggagaac 1200
tacatcacccg ctctgcaggc tgttcctcct cggcctcgtc acgtgttcaa tatgctaaag 1260
aagtatgtcc gcgcagaaca gaaggacaga cagcacaccc taaagcattt cgagcatgtg 1320
cgcatgggtg atcccaagaa agccgctcag atccgggtccc aggttatgac acacctccgt 1380
gtgatttatg agcgcatgaa tcagtctctc tccctgctct acaacgtgcc tgcagtggcc 1440
gaggagattc aggatgaagt tgatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
gtcttggcca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
tctttgaccg aaacgaaaac caccgtggag ctcttcccg tgaatggaga gttcagcctg 1620
gacgatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaaac 1680
gaagttgagc ctgttgatgc ccgccctgct gccgaccgag gactgaccac tcgaccaggt 1740
tctgggttga caaatatcaa gacggaggag atctctgaag tgaagatgga tgcagaattc 1800
cgacatgact caggatatga agttcatcat caaaaattgg tgttctttgc agaagatgtg 1860
ggttcaaaca aaggtgcaat cattggactc atggtgggcg gtgttgtcat agcgacagt 1920
atcgctcatca ccttggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
agtccaggtg ggtggaattc tgcagatcct ctggagccag tagatccctag actagagccc 2040
tggaagcatc caggaagtca gcctaaaact gcttgtacca attgctattg taaaaagtgt 2100
tgctttcatt gccaaagttt tttcatgaca aaagccttag gcatctccta tggcaggaag 2160
aagcggagac agcgacgaag agctcatcag aacagtcaga ctcatcaagc ttctctatca 2220
aagcagagga tatccagcac agtggcggcc gcagacgccg ctgtcacccc agaggagcgc 2280
cacctgtcca agatgcagca gaacggctac gaaaatccaa cctacaagtt ctttgagcag 2340
atgcagaact ag                                     2352

```

<210> 12

<211> 783

<212> PRT

<213> fusion protein - human

<400> 12

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1          5          10          15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
 20          25          30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
 35          40          45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
 50          55          60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
 65          70          75          80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
 85          90          95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100          105          110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
115          120          125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
130          135          140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
145          150          155          160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
165          170          175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
180          185          190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
195          200          205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
210          215          220
Val Val Glu Val Ala Glu Glu Glu Glu Val Ala Glu Val Glu Glu Glu

```

225					230					235				240
Glu	Ala	Asp	Asp	Asp	Glu	Asp	Asp	Glu	Asp	Gly	Asp	Glu	Val	Glu
				245					250					255
Glu	Ala	Glu	Glu	Pro	Tyr	Glu	Glu	Ala	Thr	Glu	Arg	Thr	Thr	Ser
				260				265					270	
Ala	Thr	Thr	Thr	Thr	Thr	Thr	Thr	Glu	Ser	Val	Glu	Glu	Val	Val
				275				280				285		
Val	Pro	Thr	Thr	Ala	Ala	Ser	Thr	Pro	Asp	Ala	Val	Asp	Lys	Tyr
				290			295				300			
Glu	Thr	Pro	Gly	Asp	Glu	Asn	Glu	His	Ala	His	Phe	Gln	Lys	Ala
				305			310			315				Lys
Glu	Arg	Leu	Glu	Ala	Lys	His	Arg	Glu	Arg	Met	Ser	Gln	Val	Met
				325					330					335
Glu	Trp	Glu	Glu	Ala	Glu	Arg	Gln	Ala	Lys	Asn	Leu	Pro	Lys	Ala
				340				345					350	Asp
Lys	Lys	Ala	Val	Ile	Gln	His	Phe	Gln	Glu	Lys	Val	Glu	Ser	Leu
				355			360					365		Glu
Gln	Glu	Ala	Ala	Asn	Glu	Arg	Gln	Gln	Leu	Val	Glu	Thr	His	Met
				370			375				380			Ala
Arg	Val	Glu	Ala	Met	Leu	Asn	Asp	Arg	Arg	Arg	Leu	Ala	Leu	Glu
				385			390			395				Asn
Tyr	Ile	Thr	Ala	Leu	Gln	Ala	Val	Pro	Pro	Arg	Pro	Arg	His	Val
				405						410				415
Asn	Met	Leu	Lys	Tyr	Val	Arg	Ala	Glu	Gln	Lys	Asp	Arg	Gln	His
				420				425				430		
Thr	Leu	Lys	His	Phe	Glu	His	Val	Arg	Met	Val	Asp	Pro	Lys	Lys
				435				440				445		Ala
Ala	Gln	Ile	Arg	Ser	Gln	Val	Met	Thr	His	Leu	Arg	Val	Ile	Tyr
				450			455				460			Glu
Arg	Met	Asn	Gln	Ser	Leu	Ser	Leu	Leu	Tyr	Asn	Val	Pro	Ala	Val
				465			470			475				Ala
Glu	Glu	Ile	Gln	Asp	Glu	Val	Asp	Glu	Leu	Leu	Gln	Lys	Glu	Gln
				485					490					Asn
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg	Ile
				500				505					510	Ser
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys	Thr
				515			520					525		Thr
Val	Glu	Leu	Leu	Pro	Val	Asn	Gly	Glu	Phe	Ser	Leu	Asp	Asp	Leu
				530			535				540			Gln
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr	Glu
				545			550			555				Asn
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly	Leu
				565					570					Thr
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu	Ile
				580				585					590	Ser
Glu	Val	Lys	Met	Asp	Ala	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr	Glu
				595				600				605		Val
His	His	Gln	Lys	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser	Asn
				610			615				620			Lys
Gly	Ala	Ile	Ile	Gly	Leu	Met	Val	Gly	Gly	Val	Val	Ile	Ala	Thr
				625			630			635				Val
Ile	Val	Ile	Thr	Leu	Val	Met	Leu	Lys	Lys	Lys	Lys	Leu	Gly	Thr
				645					650					Glu
Leu	Gly	Ser	Thr	Ser	Pro	Val	Trp	Trp	Asn	Ser	Ala	Asp	Ile	Leu
				660				665					670	Glu
Pro	Val	Asp	Pro	Arg	Leu	Glu	Pro	Trp	Lys	His	Pro	Gly	Ser	Gln
				675			680					685		Pro
Lys	Thr	Ala	Cys	Thr	Asn	Cys	Tyr	Cys	Lys	Lys	Cys	Cys	Phe	His
				690			695				700			Cys
Gln	Val	Cys	Phe	Met	Thr	Lys	Ala	Leu	Gly	Ile	Ser	Tyr	Gly	Arg
				705			710			715				Lys
Lys	Arg	Arg	Gln	Arg	Arg	Arg	Ala	His	Gln	Asn	Ser	Gln	Thr	His
														Gln

725										730				735			
Ala	Ser	Leu	Ser	Lys	Gln	Arg	Ile	Ser	Ser	Thr	Val	Ala	Ala	Ala	Asp		
			740				745						750				
Ala	Ala	Val	Thr	Pro	Glu	Glu	Arg	His	Leu	Ser	Lys	Met	Gln	Gln	Asn		
			755				760						765				
Gly	Tyr	Glu	Asn	Pro	Thr	Tyr	Lys	Phe	Phe	Glu	Gln	Met	Gln	Asn			
			770				775						780				

```
<210> 13
<211> 2823
<212> DNA
<213> fusion protein - human
```

<400> 13							
atgctgccccg	gtttggcact	gctcctgctg	gcgccttgga	cggctcgggc	gctggaggta	60	
cccactgatg	gtaatgtgtg	cctgctggct	gaacccaga	ttgccattgt	ctgtggcaga	120	
ctgaacatgc	acatgaatgt	ccagaatggg	aagtgggatt	catagctatc	agggacaaa	180	
acctgcattg	ataccaagga	aggcatcctg	cagatttgcc	aagaagtcta	ccctgaactg	240	
cagatcacca	atgtggtaga	agccaaccaa	ccagtgacca	tccagaactg	gtgcaagcgg	300	
ggccgcgaagc	agtgcgaagc	ccatccccac	tttgtgattc	cctaccgctg	cttagttggt	360	
gagttttataa	gtgatgccct	tctcgttctc	gacaagtgca	aattcttaca	ccaggagagg	420	
atggatgtttt	gcgaaactca	tttctactgg	cacaccgtcg	ccaaagagac	ctgcagtgag	480	
aagagtacca	acttgcatga	ctacggcatg	ttgctgccct	gcggaattga	caagttccga	540	
ggggtagagt	ttgtgtgttg	cccactggct	gaagaaagtg	acaatgtgga	ttctgctgat	600	
gcggaggagg	atgactcgga	tgtctggttg	ggcggagcag	acacagacta	tgcagatggg	660	
agtgcaagaca	aagttagtaga	agtagcagag	gggaagaag	tggctgaggt	ggaagaagaa	720	
gaagcgcgatg	atgacgagga	cgatgaggat	ggtgatgag	tagaggaaga	ggctgaggaa	780	
ccctacgaag	aagccacaga	gagaaccacc	agcattgcca	ccaccaccac	caccaccaca	840	
gagttctgtg	aagaggtggg	tcgagttcct	acaacagcag	ccagtatccc	tgatgccgtt	900	
gacaagtatc	tcgagacac	ttgggatgag	aatgaacatg	ccattttcca	gaagcgaaa	960	
gagaggcttg	agccaagca	ccgagagaga	atgtcccagg	tcatgagaga	atgggaagag	1020	
gcagaacgtc	aagcaaagaa	cttgccataa	gctgataaga	aggcagttat	ccagcatttc	1080	
cagggaagaag	tggaatcttt	ggaacaggaa	gcagccaacc	agagacagca	gctgggtggg	1140	
acacacatgg	ccagatggga	agccatgtct	aatgaccgcc	cgcgcctggc	cttggagaac	1200	
tacatcaccg	ctctgcaggc	gtttctctct	cgcctctcgt	acgtgttcaa	tatgttaaag	1260	
aagtatgtcc	gcgcagaaca	gaaggacaga	cagcaccccc	taaagcattt	cgagcatgtg	1320	
cgcatgggtg	atoccaaagaa	agccgctcag	atccgggtcc	aggttatgac	acacctccgt	1380	
gtgattttatg	agcgcgatgaa	tcagtctctc	tccttgctct	acaacgtgcc	tgcagtggcc	1440	
gaggagattc	agatgaaagt	tgtatcagctg	cttcagaaga	agcaaaaacta	tcagatgac	1500	
gtcttggcca	acatgattag	tgaaccaagg	atcagttacg	gaaacgatgc	tctcatgcca	1560	
tctttgaccg	aaacgaaaac	caccgtggag	ctccttcccc	tgaatggaga	gttcagcctg	1620	
gacgatctcc	agccgtggca	ttcttttggg	gctgactctg	tgccagccaa	cacagaaaac	1680	
gaagttagtc	ctaattgatc	cgcgcctggt	gcgcaccgag	gactgaccac	tcgaccaggt	1740	
tctgggttga	caaatatcaa	gacggaggag	atctctgaag	tgaatctaga	tgcagaattt	1800	
cgacatgact	caggatatga	agttcatcat	caaaaattgg	tgttctttgc	agaagatgtg	1860	
ggttcaaaca	aaggtgcaat	cattggactc	atggtgggcg	gtgttgtcat	agcgacagtg	1920	
adctgcatca	ccttgggtat	gtgaaagaag	aaaaagcttg	gtaccagagct	cgatccactt	1980	
agtcacagtg	gttggaaatt	tgcagatata	aagctactgt	cttctatcga	acaagcatgc	2040	
gatattttgcc	gacttaaaaa	gctcaagtcg	tccaaagaaa	aaccgaagtg	cgccaagtgt	2100	
ctgaagaaca	actggggagt	tcgctactct	cccaaaaacca	aaaggtctcc	gctgactagg	2160	
gcacatctga	cagaagttgga	atcaaggcta	gaaagactgg	aacagctatt	tctactgatt	2220	
tttctctcag	aagaccttga	catgattttg	aaaattggatt	ctttacagga	tataaaagca	2280	
ttgttaacag	gattattttgt	acaagataat	gtgaataaag	atgccgtcac	agatagattg	2340	
gcttcagtg	agactgatata	gcctctaaca	ttgagacagc	atagaataag	tgcgacatca	2400	
tcactcggaag	agagtagtaa	caaaggtcaa	agacagttga	ctgtatcggg	aattccccgg	2460	
gatctggccc	ccccgacga	tgtcagcctg	ggggacgagc	tctacttaga	cggcgaggac	2520	
gtggcgatgg	cgcattgccga	cgcgctagac	gatttcgata	tggacatggt	ggggcgacgg	2580	
gattccccgg	gtccgggatt	taccccccac	gactccgccc	cctacggcgc	tctggatatg	2640	
gccgacttcg	agttttagca	gatgtttacc	gatgcccttg	gaattgacga	gtacgggtgg	2700	
gatatccagc	acagtggcgg	cgcgcagccc	gtgtgcacc	cagaggagcg	ccactgtccc	2760	
aagatgcagc	agaacggcta	cgaataatcca	acctacaagt	tctttgaaga	gatgcagaac	2820	

tag

2823

<210> 14
 <211> 941
 <212> PRT
 <213> fusion protein - human

<400> 14

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1          5          10          15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
 20          25          30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
 35          40          45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
 50          55          60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
 65          70          75          80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
 85          90          95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100          105          110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
115          120          125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
130          135          140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
145          150          155          160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
165          170          175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
180          185          190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
195          200          205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
210          215          220
Val Val Glu Val Ala Glu Glu Glu Val Ala Glu Val Glu Glu Glu
225          230          235          240
Glu Ala Asp Asp Asp Glu Asp Asp Glu Asp Gly Asp Glu Val Glu Glu
245          250          255
Glu Ala Glu Glu Pro Tyr Glu Glu Ala Thr Glu Arg Thr Thr Ser Ile
260          265          270
Ala Thr Thr Thr Thr Thr Thr Thr Glu Ser Val Glu Glu Val Val Arg
275          280          285
Val Pro Thr Thr Ala Ala Ser Thr Pro Asp Ala Val Asp Lys Tyr Leu
290          295          300
Glu Thr Pro Gly Asp Glu Asn Glu His Ala His Phe Gln Lys Ala Lys
305          310          315          320
Glu Arg Leu Glu Ala Lys His Arg Glu Arg Met Ser Gln Val Met Arg
325          330          335
Glu Trp Glu Glu Ala Glu Arg Gln Ala Lys Asn Leu Pro Lys Ala Asp
340          345          350
Lys Lys Ala Val Ile Gln His Phe Gln Glu Lys Val Glu Ser Leu Glu
355          360          365
Gln Glu Ala Ala Asn Glu Arg Gln Gln Leu Val Glu Thr His Met Ala
370          375          380
Arg Val Glu Ala Met Leu Asn Asp Arg Arg Arg Leu Ala Leu Glu Asn
385          390          395          400
Tyr Ile Thr Ala Leu Gln Ala Val Pro Pro Arg Pro Arg His Val Phe
405          410          415
Asn Met Leu Lys Lys Tyr Val Arg Ala Glu Gln Lys Asp Arg Gln His
420          425          430

```

Thr Leu Lys His Phe Glu His Val Arg Met Val Asp Pro Lys Lys Ala
 435 440 445
 Ala Gln Ile Arg Ser Gln Val Met Thr His Leu Arg Val Ile Tyr Glu
 450 455 460
 Arg Met Asn Gln Ser Leu Ser Leu Leu Tyr Asn Val Pro Ala Val Ala
 465 470 475 480
 Glu Glu Ile Gln Asp Glu Val Asp Glu Leu Leu Gln Lys Glu Gln Asn
 485 490 495
 Tyr Ser Asp Asp Val Leu Ala Asn Met Ile Ser Glu Pro Arg Ile Ser
 500 505 510
 Tyr Gly Asn Asp Ala Leu Met Pro Ser Leu Thr Glu Thr Lys Thr Thr
 515 520 525
 Val Glu Leu Leu Pro Val Asn Gly Glu Phe Ser Leu Asp Asp Leu Gln
 530 535 540
 Pro Trp His Ser Phe Gly Ala Asp Ser Val Pro Ala Asn Thr Glu Asn
 545 550 555 560
 Glu Val Glu Pro Val Asp Ala Arg Pro Ala Ala Asp Arg Gly Leu Thr
 565 570 575
 Thr Arg Pro Gly Ser Gly Leu Thr Asn Ile Lys Thr Glu Glu Ile Ser
 580 585 590
 Glu Val Asn Leu Asp Ala Glu Phe Arg His Asp Ser Gly Tyr Glu Val
 595 600 605
 His His Gln Lys Leu Val Phe Phe Ala Glu Asp Val Gly Ser Asn Lys
 610 615 620
 Gly Ala Ile Ile Gly Leu Met Val Gly Gly Val Val Ile Ala Thr Val
 625 630 635 640
 Ile Val Ile Thr Leu Val Met Leu Lys Lys Lys Lys Leu Gly Thr Glu
 645 650 655
 Leu Gly Ser Thr Ser Pro Val Trp Trp Asn Ser Ala Asp Ile Lys Leu
 660 665 670
 Leu Ser Ser Ile Glu Gln Ala Cys Asp Ile Cys Arg Leu Lys Lys Leu
 675 680 685
 Lys Cys Ser Lys Glu Lys Pro Lys Cys Ala Lys Cys Leu Lys Asn Asn
 690 695 700
 Trp Glu Cys Arg Tyr Ser Pro Lys Thr Lys Arg Ser Pro Leu Thr Arg
 705 710 715 720
 Ala His Leu Thr Glu Val Glu Ser Arg Leu Glu Arg Leu Glu Gln Leu
 725 730 735
 Phe Leu Leu Ile Phe Pro Arg Glu Asp Leu Asp Met Ile Leu Lys Met
 740 745 750
 Asp Ser Leu Gln Asp Ile Lys Ala Leu Leu Thr Gly Leu Phe Val Gln
 755 760 765
 Asp Asn Val Asn Lys Asp Ala Val Thr Asp Arg Leu Ala Ser Val Glu
 770 775 780
 Thr Asp Met Pro Leu Thr Leu Arg Gln His Arg Ile Ser Ala Thr Ser
 785 790 795 800
 Ser Ser Glu Glu Ser Ser Asn Lys Gly Gln Arg Gln Leu Thr Val Ser
 805 810 815
 Gly Ile Pro Gly Asp Leu Ala Pro Pro Thr Asp Val Ser Leu Gly Asp
 820 825 830
 Glu Leu His Leu Asp Gly Glu Asp Val Ala Met Ala His Ala Asp Ala
 835 840 845
 Leu Asp Asp Phe Asp Leu Asp Met Leu Gly Asp Gly Asp Ser Pro Gly
 850 855 860
 Pro Gly Phe Thr Pro His Asp Ser Ala Pro Tyr Gly Ala Leu Asp Met
 865 870 875 880
 Ala Asp Phe Glu Phe Glu Gln Met Phe Thr Asp Ala Leu Gly Ile Asp
 885 890 895
 Glu Tyr Gly Gly Asp Ile Gln His Ser Gly Ala Ala Ala Asp Ala Ala
 900 905 910
 Val Thr Pro Glu Glu Arg His Leu Ser Lys Met Gln Gln Asn Gly Tyr
 915 920 925

WO 03/072041

PCT/US03/05458
PCT/US03/05458

Glu Asn Pro Thr Tyr Lys Phe Phe Glu Gln Met Gln Asn
930 935 940

<210> 15
<211> 2823
<212> DNA
<213> fusion protein - human

<400> 15
atgctgcccc gtttggcact gctcctgctg gccgcctgga cggctcgggc gctggaggta 60
cccactgatg gtaatgctgg cctgctggct gaaccccaga ttgccatgtt ctgtggcaga 120
ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaaa 180
acctgcattg ataccaagga aggcacacct cagtattgcc aagaagtcta ccctgaactg 240
cagatcacca atgtggtaga agccaaccaa ccagtgacca tccagaactg gtgcaagcgg 300
ggccgcaagc agtgcaagac ccatcccac tttgtgattc cctaccgctg cttagtgtgt 360
gagtttataa gtgatgccct tctcgttcct gacaagtgca aattcttaca ccaggagagg 420
atggatgttt gcgaaactca tcttcactgg cacaccgtcg ccaaagagac atgcagttag 480
aagagtacca acttgcctga ctacggcatg ttgctgccct gcggaattga caagtccga 540
ggggtagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgctgat 600
gcggaaggag atgactcgga tgtctgggtg ggcggagcag acacagacta tgcagatggg 660
agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgaggt ggaagaagaa 720
gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaaga ggctgaggaa 780
ccctacgaag aagccacaga gagaaccacc agcattgcca ccaccaccac caccaccaca 840
gagtcctgtg aagaggtggg tcgagttcct acaacagcag ccagtacccc tgatgccgtt 900
gacaagtatc tcgagacacc tggggatgag aatgaacatg cccatttcca gaaagccaaa 960
gagaggcttg aggccaagca ccgagagaga atgtcccagg tcatgagaga atgggaagag 1020
gcagaacgtc aagcaaagaa cttgcctaaa gctgataaga aggcagttat ccagcatttc 1080
caggagaaag tggaatcttt ggaacaggaa gcagccaacg agagacagca gctggtggag 1140
acacacatgg ccagagtggg agccatgtct aatgaccgcc gccgcctggc cctggagaa 1200
tacatcaccg ctctgcaggc tgttccctct cggcctcgtc acgtgttcaa tatgtaaaag 1260
aagtatgtcc gcgcagaaca gaaggacaga cagcacaccc taaagcattt cgagcatgtg 1320
cgcatggtgg atcccaagaa agccgctcag atccggtccc aggttatgac acacctcctg 1380
gtgatttatg agcgcatgaa tcagttctct tcctgctct ccaacgtgcc tgcagtggcc 1440
gaggagattc aggatgaagt tgatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
gtcttggcca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
tctttgaccg aaacgaaaac caccgtggag ctccctcccg tgaatggaga gttcagcctg 1620
cagcatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaaac 1680
gaagttgagc ctgttgatgc ccgccctgct gccgaccgag gactgaccac tcgaccaggt 1740
tctgggttga caaatatcaa gacggaggag atctctgaag tgaagatgga tgcagaattc 1800
cgacatgact caggatatga agttcatcat caaaaattgg tgttctttgc agaagatgtg 1860
ggttcaaaac aaggtgcaat cattggactc atggtgggag gtgttgcac agcgacagtg 1920
atcgtcatca ccttgggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
agtccagtgt ggtggaattc tgcagatata aagctactgt cttctatcga acaagcatgc 2040
gatatttgcc gacttaaaaa gctcaagtgc tccaaagaaa aaccgaagtg cgccaagtgt 2100
ctgaagaaca actgggagtg tcgctactct cccaaaacca aaaggtctcc gctgactagg 2160
gcacatctga cagaagtggg atcaaggcta gaaagactgg aacagctatt tctactgatt 2220
tttctcagag aagaccttga catgattttg aaaatggatt ctttacagga tataaaagca 2280
ttgttaacag gattatttgt acaagataat gtgaataaag atgccgtcac agatagattg 2340
gcttcagtgg agactgatat gcctctaaca ttgagacagc atagaataag tgcgacatca 2400
tcacggaag agagttagta caaagggtcaa agacagttga ctgtatcggg aattcccggg 2460
gatctggccc ccccgaccga tgtcagcctg ggggacgagc tccacttaga cggcgaggac 2520
gtggcgatgg cgcatgccga cgcgctagac gatttcgatc tggacatgtt gggggacggg 2580
gattccccgg gtccgggatt taccctccac gactccgccc cctacggcgc tctggatatg 2640
gccgacttcg agtttagaca gatgtttacc gatgcccttg gaattgacga gtacggtggg 2700
gatatccagc acagtggcgg ccgcgacgcc gctgtcacc cagaggagcg ccacctgtcc 2760
aagatgcagc agaacggcta cgaaaatcca acctacaagt tctttgagca gatgcagaac 2820
tag 2823

<210> 16
<211> 941
<212> PRT

<213> fusion protein - human

<400> 16

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1          5          10          15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
 20          25          30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
 35          40          45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
 50          55          60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
 65          70          75          80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
 85          90          95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100          105          110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
115          120          125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
130          135          140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
145          150          155          160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
165          170          175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
180          185          190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
195          200          205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
210          215          220
Val Val Glu Val Ala Glu Glu Glu Val Ala Glu Val Glu Glu Glu
225          230          235          240
Glu Ala Asp Asp Asp Glu Asp Asp Glu Asp Gly Asp Glu Val Glu Glu
245          250          255
Glu Ala Glu Glu Pro Tyr Glu Glu Ala Thr Glu Arg Thr Thr Ser Ile
260          265          270
Ala Thr Thr Thr Thr Thr Thr Thr Glu Ser Val Glu Glu Val Val Arg
275          280          285
Val Pro Thr Thr Ala Ala Ser Thr Pro Asp Ala Val Asp Lys Tyr Leu
290          295          300
Glu Thr Pro Gly Asp Glu Asn Glu His Ala His Phe Gln Lys Ala Lys
305          310          315          320
Glu Arg Leu Glu Ala Lys His Arg Glu Arg Met Ser Gln Val Met Arg
325          330          335
Glu Trp Glu Glu Ala Glu Arg Gln Ala Lys Asn Leu Pro Lys Ala Asp
340          345          350
Lys Lys Ala Val Ile Gln His Phe Gln Glu Lys Val Glu Ser Leu Glu
355          360          365
Gln Glu Ala Ala Asn Glu Arg Gln Gln Leu Val Glu Thr His Met Ala
370          375          380
Arg Val Glu Ala Met Leu Asn Asp Arg Arg Arg Leu Ala Leu Glu Asn
385          390          395          400
Tyr Ile Thr Ala Leu Gln Ala Val Pro Pro Arg Pro Arg His Val Phe
405          410          415
Asn Met Leu Lys Lys Tyr Val Arg Ala Glu Gln Lys Asp Arg Gln His
420          425          430
Thr Leu Lys His Phe Glu His Val Arg Met Val Asp Pro Lys Lys Ala
435          440          445
Ala Gln Ile Arg Ser Gln Val Met Thr His Leu Arg Val Ile Tyr Glu
450          455          460
Arg Met Asn Gln Ser Leu Ser Leu Leu Tyr Asn Val Pro Ala Val Ala

```


465	Glu	Glu	Ile	Gln	Asp	470	Glu	Val	Asp	Glu	Leu	475	Leu	Gln	Lys	Glu	Gln	480	Asn
					485							490						495	
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg	Ile	Ser				
			500					505										510	
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys	Thr	Thr				
			515					520										525	
Val	Glu	Leu	Leu	Pro	Val	Asn	Gly	Glu	Phe	Ser	Leu	Asp	Asp	Leu	Gln				
			530				535											540	
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr	Glu	Asn				
545							550								555				560
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly	Leu	Thr				
							565											575	
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu	Ile	Ser				
																		590	
Glu	Val	Lys	Met	Asp	Ala	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr	Glu	Val				
																		595	
His	His	Gln	Lys	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser	Asn	Lys				
																		605	
Gly	Ala	Ile	Ile	Gly	Leu	Met	Val	Gly	Gly	Val	Val	Ile	Ala	Thr	Val				
625																		635	
Ile	Val	Ile	Thr	Leu	Val	Met	Leu	Lys	Lys	Lys	Lys	Leu	Gly	Thr	Glu				
																		645	
Leu	Gly	Ser	Thr	Ser	Pro	Val	Trp	Trp	Asn	Ser	Ala	Asp	Ile	Lys	Leu				
																		660	
Leu	Ser	Ser	Ile	Glu	Gln	Ala	Cys	Asp	Ile	Cys	Arg	Leu	Lys	Lys	Leu				
																		675	
Lys	Cys	Ser	Lys	Glu	Lys	Pro	Lys	Cys	Ala	Lys	Cys	Leu	Lys	Asn	Asn				
																		690	
Trp	Glu	Cys	Arg	Tyr	Ser	Pro	Lys	Thr	Lys	Arg	Ser	Pro	Leu	Thr	Arg				
705																		710	
Ala	His	Leu	Thr	Glu	Val	Glu	Ser	Arg	Leu	Glu	Arg	Leu	Glu	Gln	Leu				
																		725	
Phe	Leu	Leu	Ile	Phe	Pro	Arg	Glu	Asp	Leu	Asp	Met	Ile	Leu	Lys	Met				
																		740	
Asp	Ser	Leu	Gln	Asp	Ile	Lys	Ala	Leu	Leu	Thr	Gly	Leu	Phe	Val	Gln				
																		755	
Asp	Asn	Val	Asn	Lys	Asp	Ala	Val	Thr	Asp	Arg	Leu	Ala	Ser	Val	Glu				
																		770	
Thr	Asp	Met	Pro	Leu	Thr	Leu	Arg	Gln	His	Arg	Ile	Ser	Ala	Thr	Ser				
785																		790	
Ser	Ser	Glu	Glu	Ser	Ser	Asn	Lys	Gly	Gln	Arg	Gln	Leu	Thr	Val	Ser				
																		805	
Gly	Ile	Pro	Gly	Asp	Leu	Ala	Pro	Pro	Thr	Asp	Val	Ser	Leu	Gly	Asp				
																		820	
Glu	Leu	His	Leu	Asp	Gly	Glu	Asp	Val	Ala	Met	Ala	His	Ala	Asp	Ala				
																		835	
Leu	Asp	Asp	Phe	Asp	Leu	Asp	Met	Leu	Gly	Asp	Gly	Asp	Ser	Pro	Gly				
																		850	
Pro	Gly	Phe	Thr	Pro	His	Asp	Ser	Ala	Pro	Tyr	Gly	Ala	Leu	Asp	Met				
865																		870	
Ala	Asp	Phe	Glu	Phe	Glu	Gln	Met	Phe	Thr	Asp	Ala	Leu	Gly	Ile	Asp				
																		885	
Glu	Tyr	Gly	Gly	Asp	Ile	Gln	His	Ser	Gly	Ala	Ala	Ala	Asp	Ala	Ala				
																		900	
Val	Thr	Pro	Glu	Glu	Arg	His	Leu	Ser	Lys	Met	Gln	Gln	Asn	Gly	Tyr				
																		915	
Glu	Asn	Pro	Thr	Tyr	Lys	Phe	Phe	Glu	Gln	Met	Gln	Asn							
																		930	
																		935	
																		940	

<210> 17

<211> 3354
<212> DNA
<213> human

<400> 17

```

agtttctctg gcagcggtag gcgagagcac gcgaggagcg gtgcgcgggg gccccgggag 60
acggcgcgcg tggcgggcg ggcagagcaa ggacgcggcg gatccactc gcacagcagc 120
gcactcgggtg ccccgcgag ggtcgcgatg ctgccgggtt tggcactgct cctgctggcc 180
gcctggacgg ctcggggcgt ggaggtaccc actgatggta atgctggcct gctggctgaa 240
ccccagattg ccatgttctg tggcagactg aacatgcaca tgaatgtcca gaatgggaag 300
tgggattcag atccatcagg gaccaaacc tgcattgata ccaaggagg catcctgcag 360
tattgccaa gagtctaccc tgaactgcag atcaccaatg tggtagaagc caaccaacca 420
gtgaccatcc agaactgggt caagcggggc cgcaagcagt gcaagaccca tccccacttt 480
gtgattccct accgctgctt agttgggtgag tttgtaagt atgcccttct cgttcctgac 540
aagtgcacaa tcttacacca ggagaggatg gatgtttgcg aaactcatct tcaatggcac 600
accgtcgcca aagagacatg cagtgaagag agtaccact tgcattgacta cggcatgttg 660
ctgccctgcg gaattgacaa gttccgaggg gtagagtttg tgtgttgccc actggctgaa 720
gaaagtgcac atgtggattc tgctgatgag gaggaggatg actcggatgt ctggtggggc 780
ggagcagaca cagactatgc agatgggagt gaagacaaag tagtagaagt agcagaggag 840
gaagaagtgg ctgaggtgga agaagaagaa gccgatgatg acgaggacga tgaggatggt 900
gatgaggtag aggaagaggc tgaggaaccc tacgaagaag ccacagagag aaccaccagc 960
attgccacca ccaccaccac caccacagag tctgtggaag aggtggttcg agttcctaca 1020
acagcagcca gtacccttga tgccgttgac aagtatctcg agacacctgg ggatgagaat 1080
gaacatgccc atttccagaa agccttgagg aggtctcagg ccaagcaccg agagagaatg 1140
tcccaggta tgagagaatg ggaagaggca gaacgtcaag caaagaactt gcctaaagct 1200
gataagaagg cagttatcca gcatttccag gagaaagtgg aatctttgga acaggaagca 1260
gccaacgaga gacagcagct ggtggagaca cacatggcca gagtgggaagc catgctcaat 1320
gaccgcccgc gcttggccct ggagaactac atcaccgctc tgcaggctgt tctcctcgg 1380
cctcgtcacg gttcaatat gctaaagaag tatgtccgag cagaacagaa ggacagacag 1440
cacaccctaa agcatttctg gcattgtcgc atgttgcgc ccaagaaagc cgctcagatc 1500
cgggtcccagg ttatgacaca cctccgtgtg atgttgatc atttatgagc gcattgaatca gtctctctcc 1560
ctgctctaca acgtgcctgc agtggccgag gagattcagg atgaagtga tgagctgctt 1620
cagaaagagc aaaactattc agatgacgtc ttggccaaca tgattagtga accaaggatc 1680
agttacggaa acgatgctct catgccatct ttgaccgaaa cgaaaaccac cgtggagctc 1740
cttcccgtga atggagagtt cagcctggac gatctccagc cgtggcattc ttttggggct 1800
gactctgtgc cagccaacac agaaaacgaa gttgagcctg ttgatgcccg ccctgctgcc 1860
gaccgaggac tgaccactcg accaggttct gggttgacaa atatcaagac ggaggagatc 1920
tctgaagtga agatggatgc agaattccga catgactcag gatattgaag tcatcatcaa 1980
aaattggtgt tctttgcaga agatgtgggt tcaaacaaag gtgcaatcat tggactcatg 2040
gtgggcggtg ttgtcatagc gacagtgatc gtcacacct ttggtgatgct gaagaagaaa 2100
cagtacacat ccattcatca tggtgtggtg gaggttgacg ccgctgtcac cccagaggag 2160
cgccacctgt ccaagatgca gcagaacggc tacgaaaatc caacctacaa gttctttgag 2220
cagatgcaga actagacccc cgccacagca gcctctgaag ttggacagca aaaccattgc 2280
ttcactaccc atcgggtgtc atttatagaa taatgtggga agaacaacac ccgttttatg 2340
atttactcat tatcgcttt tgacagctgt gctgtaacac aagtagatgc ctgaacttga 2400
attaatccac acatcagtaa tgtattctat ctctctttac attttggct ctatactaca 2460
ttattaatgg gttttgtgta ctgtaaagaa tttagctgta tcaaactagt gcatgaatag 2520
attctctcct gattatttat cacatagccc ctttagccag tgtatattat tcttgtggtt 2580
tgtgacccaa ttaagtccta ctttacatat gctttaagaa tctgatgggg atgcttcatg 2640
tgaacgtggg agttcagctg cttctcttgc ctaagtattc ctttctgat cactatgcat 2700
tttaaagtta aacattttta agtatttcag atgctttaga gagatttttt ttccatgact 2760
gcattttact gtacagattg ctgcttctgc tatatttgtg atataggaat taagaggata 2820
cacacgtttg tttcttcgtg cctgttttat gtgcacacat taggcattga gacttcaagc 2880
ttttcttttt ttgtccagct atctttgggt ctttgataaa gaaaagaatc cctgttcatt 2940
gtaagcactt ttacggggcg ggtggggagg gtgcagaatc tggctctcaa ttaccaagaa 3000
ttctccaaaa caattttctg caggatgatt gtacagaatc attgcttatg acatgatcgc 3060
tttctacact gtattacata aataaattaa ataaaataac cccgggcaag acttttcttt 3120
gaaggatgac tacagacatt aaataatcga agtaattttg ggtggggaga agaggcagat 3180
tcaattttct ttaaccagtc tgaagtttca tttatgatac aaaagaagat gaaaatggaa 3240
gtggcaatat aaggggatg cctggacaaa cccttctttt aagatgtgtc 3300
ttcaatttgt ataaaatggt gttttcatgt aaataaatac attcttggag gage 3354

```

<210> 18
 <211> 695
 <212> PRT
 <213> human

<400> 18

Met	Leu	Pro	Gly	Leu	Ala	Leu	Leu	Leu	Leu	Ala	Ala	Trp	Thr	Ala	Arg
1				5					10					15	
Ala	Leu	Glu	Val	Pro	Thr	Asp	Gly	Asn	Ala	Gly	Leu	Leu	Ala	Glu	Pro
			20					25					30		
Gln	Ile	Ala	Met	Phe	Cys	Gly	Arg	Leu	Asn	Met	His	Met	Asn	Val	Gln
		35				40					45				
Asn	Gly	Lys	Trp	Asp	Ser	Asp	Pro	Ser	Gly	Thr	Lys	Thr	Cys	Ile	Asp
	50				55						60				
Thr	Lys	Glu	Gly	Ile	Leu	Gln	Tyr	Cys	Gln	Glu	Val	Tyr	Pro	Glu	Leu
65					70					75				80	
Gln	Ile	Thr	Asn	Val	Val	Glu	Ala	Asn	Gln	Pro	Val	Thr	Ile	Gln	Asn
			85						90					95	
Trp	Cys	Lys	Arg	Gly	Arg	Lys	Gln	Cys	Lys	Thr	His	Pro	His	Phe	Val
			100					105					110		
Ile	Pro	Tyr	Arg	Cys	Leu	Val	Gly	Glu	Phe	Val	Ser	Asp	Ala	Leu	Leu
		115					120					125			
Val	Pro	Asp	Lys	Cys	Lys	Phe	Leu	His	Gln	Glu	Arg	Met	Asp	Val	Cys
		130				135					140				
Glu	Thr	His	Leu	His	Trp	His	Thr	Val	Ala	Lys	Glu	Thr	Cys	Ser	Glu
145					150					155				160	
Lys	Ser	Thr	Asn	Leu	His	Asp	Tyr	Gly	Met	Leu	Leu	Pro	Cys	Gly	Ile
			165						170					175	
Asp	Lys	Phe	Arg	Gly	Val	Glu	Phe	Val	Cys	Cys	Pro	Leu	Ala	Glu	Glu
			180					185					190		
Ser	Asp	Asn	Val	Asp	Ser	Ala	Asp	Ala	Glu	Glu	Asp	Asp	Ser	Asp	Val
		195				200					205				
Trp	Trp	Gly	Gly	Ala	Asp	Thr	Asp	Tyr	Ala	Asp	Gly	Ser	Glu	Asp	Lys
	210					215					220				
Val	Val	Glu	Val	Ala	Glu	Glu	Glu	Glu	Val	Ala	Glu	Val	Glu	Glu	Glu
225					230					235				240	
Glu	Ala	Asp	Asp	Asp	Glu	Asp	Asp	Glu	Asp	Gly	Asp	Glu	Val	Glu	Glu
			245						250					255	
Glu	Ala	Glu	Glu	Pro	Tyr	Glu	Glu	Ala	Thr	Glu	Arg	Thr	Thr	Ser	Ile
			260					265					270		
Ala	Thr	Thr	Thr	Thr	Thr	Thr	Thr	Glu	Ser	Val	Glu	Glu	Val	Val	Arg
		275				280						285			
Val	Pro	Thr	Thr	Ala	Ala	Ser	Thr	Pro	Asp	Ala	Val	Asp	Lys	Tyr	Leu
	290					295					300				
Glu	Thr	Pro	Gly	Asp	Glu	Asn	Glu	His	Ala	His	Phe	Gln	Lys	Ala	Lys
305					310					315					320
Glu	Arg	Leu	Glu	Ala	Lys	His	Arg	Glu	Arg	Met	Ser	Gln	Val	Met	Arg
			325						330					335	
Glu	Trp	Glu	Glu	Ala	Glu	Arg	Gln	Ala	Lys	Asn	Leu	Pro	Lys	Ala	Asp
			340					345					350		
Lys	Lys	Ala	Val	Ile	Gln	His	Phe	Gln	Glu	Lys	Val	Glu	Ser	Leu	Glu
		355				360						365			
Gln	Glu	Ala	Ala	Asn	Glu	Arg	Gln	Gln	Leu	Val	Glu	Thr	His	Met	Ala
	370				375						380				
Arg	Val	Glu	Ala	Met	Leu	Asn	Asp	Arg	Arg	Arg	Leu	Ala	Leu	Glu	Asn
385					390					395					400
Tyr	Ile	Thr	Ala	Leu	Gln	Ala	Val	Pro	Pro	Arg	Pro	Arg	His	Val	Phe
			405						410					415	
Asn	Met	Leu	Lys	Lys	Tyr	Val	Arg	Ala	Glu	Gln	Lys	Asp	Arg	Gln	His
			420					425					430		
Thr	Leu	Lys	His	Phe	Glu	His	Val	Arg	Met	Val	Asp	Pro	Lys	Lys	Ala
		435					440					445			

Ala	Gln	Ile	Arg	Ser	Gln	Val	Met	Thr	His	Leu	Arg	Val	Ile	Tyr	Glu
450						455					460				
Arg	Met	Asn	Gln	Ser	Leu	Ser	Leu	Leu	Tyr	Asn	Val	Pro	Ala	Val	Ala
465					470					475					480
Glu	Glu	Ile	Gln	Asp	Glu	Val	Asp	Glu	Leu	Leu	Gln	Lys	Glu	Gln	Asn
				485					490					495	
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg	Ile	Ser
			500					505					510		
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys	Thr	Thr
		515					520					525			
Val	Glu	Leu	Leu	Pro	Val	Asn	Gly	Glu	Phe	Ser	Leu	Asp	Asp	Leu	Gln
		530				535					540				
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr	Glu	Asn
545					550					555					560
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly	Leu	Thr
				565					570					575	
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu	Ile	Ser
			580					585					590		
Glu	Val	Lys	Met	Asp	Ala	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr	Glu	Val
		595					600					605			
His	His	Gln	Lys	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser	Asn	Lys
		610				615					620				
Gly	Ala	Ile	Ile	Gly	Leu	Met	Val	Gly	Gly	Val	Val	Ile	Ala	Thr	Val
625					630					635					640
Ile	Val	Ile	Thr	Leu	Val	Met	Leu	Lys	Lys	Lys	Gln	Tyr	Thr	Ser	Ile
				645					650					655	
His	His	Gly	Val	Val	Glu	Val	Asp	Ala	Ala	Val	Thr	Pro	Glu	Glu	Arg
			660				665						670		
His	Leu	Ser	Lys	Met	Gln	Gln	Asn	Gly	Tyr	Glu	Asn	Pro	Thr	Tyr	Lys
		675					680					685			
Phe	Phe	Glu	Gln	Met	Gln	Asn									
		690				695									

<210> 19
 <211> 3972
 <212> DNA
 <213> human

<400> 19
 atggtgagca agggcgagga gctgttcacc ggggtggtgc ccacccctgt cgagctggac 60
 ggcgacgtaa acggccacaa gttcagcgtg tccggcgagg gcgagggcga tgccacctac 120
 ggcaagctga ccctgaagtt catctgcacc accggcaagc tgcccgtgcc ctggccacc 180
 ctctgtacca cttcaccta cggcgtgcag tgcttcgccc gctacccga ccacatgaag 240
 cagcacgact tcttcaagtc cgccatgccc gaaggctacg tccaggagcg caccatcttc 300
 ttcaaggacg acggcaacta caagaccgcg gccgaggtga agttcgaggg cgacaccctg 360
 gtgaaccgca tcgagctgaa ggcatcgac ttcaaggagg acggcaacat cctggggcac 420
 aagctggagt acaactacaa cagccacaag gtctatatca ccgccgacaa gcagaagaac 480
 ggcacatcaag tgaacttcaa gacccgccac aacatcgagg acggcagcgt gcagctcgcc 540
 gaccactacc agcagaacac ccccatcggc gacggccccg tgctgctgcc cgacaaccac 600
 tacctgagca cccagtcgc cctgagcaaa gaccccaacg agaagcgcg tcacatggtc 660
 ctgctggagt tcgtgaccgc cgccgggatc actctcgga tggacgagct gtacaagtaa 720
 ctcgagtcta gagggcccg ttaaaccgc tgatcagcct cgactgtgcc ttctagttgc 780
 cagccatctg ttgtttgccc ctcccccggt ccttccttga ccctggaagg tgccactccc 840
 actgtccttt cctaataaaa tgaggaaatt gcatcgcatg attctgagtag gtgtcattct 900
 attctggggg gtgggggtgg gcaggacagc aagggggagg attgggaaga caatagcagg 960
 catgctgggg atgcggtggg ctctatggct tctgaggcgg aaagaaccag catgtgagca 1020
 aaaggccagc aaaaggccag gaaccgtaaa aaggccgcgt tgctggcggt tttccatagg 1080
 ctccgcccc ctgacgagca tcacaaaaat cgacgctcaa gtcagaggtg gcgaaaccgc 1140
 acaggactat aaagatacca ggcgtttccc ctgggaagct ccctcgtgcg ctctcctgtt 1200
 ccgaccctgc cgcttaccgg atacctgtcc gcctttctcc cttcggaag cgtggcgctt 1260
 tctcatagct cacgctgtag gtatctcagt tcggtgtagg tcgttcgctc caagctgggc 1320

tgtgtgcacg	aaccccccg	tcagcccgac	cgctgcgcct	tatccggtaa	ctatcgtctt	1380
gagtccaacc	cggtaagaca	cgacttatcg	ccactggcag	cagccactgg	taacaggatt	1440
agcagagcga	ggtatgtagg	cgggtgctaca	gagttcttga	agtgggtggc	taactacggc	1500
tacactagaa	gaacagtatt	tggatatctgc	gctctgctga	agccagttag	cttcggaaaa	1560
agagttggta	gctcttgatc	cggcaaaaca	accaccgctg	gtagcgggtg	tttttttgtt	1620
tgcaagcagc	agattacgcg	cagaaaaaaa	ggatctcaag	aagatccttt	gatcttttct	1680
acggggctcg	acgctcagtg	gaacgaaaaa	tcacgttaag	ggatttttgt	catgacatta	1740
acctataaaa	atagggcgtat	cacgaggccc	tttcgtctcg	cgcgtttcgg	tgatgacggg	1800
gaaaacctct	gacacatgca	gctcccggag	acggtcacag	cttgtctgta	agcggatgcc	1860
gggagcagac	aagcccgtca	gggcgcgtca	gcgggtgttg	gcgggtgtcg	gggctgggct	1920
aactatgcgg	catcagagca	gattgtactg	agagtgcacc	atatgcggtg	tgaaataaccg	1980
cacagatgcg	taaggagaaa	ataccgcata	aggacgcgcc	ctgtagcggc	gcattaagcg	2040
cggcggggtg	ggtgggttacg	cgcagcgtga	ccgtacact	tgccagcgcc	ctagcgcccg	2100
ctcctttcgc	tttcttccct	tcctttctcg	ccacgttcgc	cggctttccc	cgtcaagctc	2160
taaatcgggg	gctcccttta	gggttccgat	ttagtgtctt	acggcacctc	gaccccaaaa	2220
aacttgatta	gggtgatggt	tcacgtagtg	ggccatcgcc	ctgatagacg	gtttttcggc	2280
ctttgacgtt	ggagtccacg	ttctttaata	gtggactctt	gttccaaact	ggaacaacac	2340
tcaaccctat	ctcgggtctat	tcttttgatt	tataagggat	tttgccgatt	tcggcctatt	2400
ggttaaaaaa	tgagctgatt	taacaaaaat	ttaacgcgaa	ttttaacaaa	atattaacgc	2460
ttacaatttc	ctcgttttagt	tcaggctgaa	ctagatctag	agtccgttac	ataactttacg	2520
gtaaatggcc	cgcttggtcg	accgcccac	gacccccgcc	cattgacgtc	aataatgacg	2580
tatgttccca	tagtaacgcc	aatagggact	ttccattgac	gtcaatgggt	ggagtattta	2640
cggtaaaactg	cccacttggc	agtacatcaa	gtgtatcata	tgccaagtac	gccccctatt	2700
gacgtcaatg	acggtaaatg	gcccgcctgg	cattatgcc	agtacatgac	cttatgggag	2760
tttctactct	ggcagtagat	ctacgtatta	gtcatcgcta	ttaccatggg	gatgcgggtt	2820
tggcagtaca	tcaatgggcg	tggatagcgg	tttgactcac	ggggatttcc	aagtctccac	2880
cccattgacg	tcaatgggag	tttggttttg	caccaaaatc	aacgggactt	tccaaaatgt	2940
cgtaacaact	ccgccccatt	gacgcaaagt	ggcggtaggc	gtgtacgggt	ggaggtctat	3000
ataagcagag	ctcgttttagt	gaaccgtcag	atcgctgga	gacgccatcc	acgctgtttt	3060
gacctccata	gaagacaccg	ggaccgatcc	agcctccgcg	gccgggaacg	gtgcattgga	3120
acggaccgtg	ttgacaatta	atcatcgga	tagtatatcg	gcatagtata	atacgacaag	3180
gtgaggaact	aaacctatggc	caagttgacc	agtgccgttc	cgggtgctac	cgcgcgcgac	3240
gtcgccggag	cgggtcaagt	ctggaccgac	cggctcgggt	tctcccgga	cttcgtggag	3300
gacgacttcg	ccggtgtggt	ccgggacgac	gtgacctgt	tcacagcgcg	ggtccaggac	3360
caggtgtgtg	cggacaacac	cctggcctgg	gtgtgggtgc	gcggcctgga	cgagctgtac	3420
gccgagtggt	cggaggtcgt	gtccacgaac	ttccgggacg	cctccgggcc	ggccatgacc	3480
gagatcgggc	agcagccgtg	ggggcgggag	ttcgccctgc	gcgacccggc	cggcaactgc	3540
gtgcacttcg	tgcccgaggga	gcaggactga	cactcgacct	cgaaacttgt	ttattgcagc	3600
ttataatggt	tacaaataaa	gcaatagcat	cacaaatttc	acaaataaag	catttttttc	3660
actgcattct	agttgtggtt	tgtccaaact	catcaatgta	tcttatcatg	tctggatcga	3720
tacttcaaga	actgctgaca	tcgagcttgc	tacaagggag	tttccgctgg	ggactttcca	3780
gggagggcgtg	gcctgggagg	gactggggag	tgccgagccc	tcagatcctg	catataagca	3840
gctgcttttt	gcctgtactg	ggtctctctg	gttagaccag	atctgagcct	gggagctctc	3900
tggctaacta	gggaaccac	tgcttaagcc	tcaataaagc	ttggtaccga	gctcggatcc	3960
gaattcgcca	cc					3972

<210> 20
 <211> 3972
 <212> DNA
 <213> human

<400> 20						
taccactcgt	tcccgtctct	cgacaagtgg	ccccaccacg	ggtaggacca	gctcgacctg	60
ccgctgcatt	tgccgggtgtt	caagtgcgac	aggccgctcc	cgctcccgt	acgggtggatg	120
ccgttcgact	gggacttcaa	gtagacgttg	tgcccgcttcg	acgggcacgg	gaccgggtgg	180
gagcactggt	gggaagtggat	gccgcacgtc	agcaagcggg	cgatggggct	ggtgtacttc	240
gtcgtgctga	agaagtccag	gcggtacggg	cttccgatgc	aggtcctcgc	gtggtagaag	300
aagttcctgc	tgccggttgat	gttctggggc	cggctccact	tcaagctccc	gctgtgggac	360
cacttggcgt	agctcgactt	cccgtagctg	aagttcctcc	tgccgttgta	ggaccccggtg	420
ttcgacctca	gtgtgatggt	gtcgggtgtc	cagatatagt	ggcggtgtgt	cgtcttcttg	480
ccgtagtctc	acttgaagtt	ctgggcgggtg	ttgtagctcc	tgccgtcgca	cgtcgagcgg	540
ctgggtgatg	tcgtcttgtg	ggggtagccg	ctgccggggc	acgacgacgg	gctgttggtg	600

```

atggactcgt gggtcaggcg ggactcgttt ctgggggttgc tcttcgcgct agtgtaccag 660
gacgacctca agcactggcg gcgggccctag tgagagccgt acctgctcga catgttcatt 720
gagctcagat ctccccggca aatttgggag actagtcgga gctgacacgg aagatcaacg 780
gtcggtagac aacaaacggg gaggggggac ggaaggaact gggaccttc acggtgaggg 840
tgacaggaag ggattatatt actcctttaa cgtagcgtaa cagactcatc cacagtaaga 900
taagaccccc caccaccacc cgtcctgtcg tccccctcc taaccttct gttatcgtcc 960
gtacgacccc tacgccacc gagataccga agactccgcc tttcttggtc gtacactcgt 1020
tttccggtcg ttttccggtc cttggcattt ttcggcgca acgaccgcaa aaaggtatcc 1080
gaggcggggg gactgctcgt agtggtttta gctgcgagtt cagtctccac cgctttgggc 1140
tgtcctgata tttctatggt ccgcaaaggg ggaccttcga gggagcacgc gagaggacaa 1200
ggctgggacg gcgaatggcc tatggacagg cggaagagg gaagcccttc gcaccgcgaa 1260
agagtatcga gtgcgacatc catagagtca agccacatcc agcaagcgag gttcgacccg 1320
acacacgtgc ttggggggca agtcgggctg gcgacgcgga ataggccatt gatagcagaa 1380
ctcagggttg gccattctgt gctgaatagc ggtgaccgtc gtcggtgacc attgtcctaa 1440
tcgtctcgtc ccatacatcc gccacgatgt ccaagaact tcaccaccg attgatgccg 1500
atgtgatctt cttgtcataa accatagacg cgagacgact tcggtcaatg gaagcctttt 1560
tctcaaccat cgagaactag gccgtttgtt tggggcgac catcgccacc aaaaaacaa 1620
acgttcgtcg tctaattgctg gtcttttttt cctagagttc ttctaggaaa ctagaaaaga 1680
tgccccagac tgcgagtcac cttgcttttg agtgcaattc cctaaaacca gtactgtaa 1740
tggatatatt tatccgcata gtgtccggg caactgagag gcgcaaagcc actactgccg 1800
cttttggaga ctgtgtacgt cgagggcctc tgccagtgtc gaacagacat tcgcctacgg 1860
ccctcgtctg ttccggcagt cccgcgcagt cgccacacac cgccacagc cccgaccgaa 1920
ttgatacgcc gtagtctcgt ctaacatgac tctcacgtgg tatacgccac actttatggc 1980
gtgtctacgc attcctcttt tatggcgtg tcttcgcgga gacatcgccg cgtaattcgc 2040
gccgccaca ccaccaatgc gcgtcgact ggcgatgtga acggtcgcg gatcgcgggc 2100
gaggaaagcg aaagaaggga aggaaagagc ggtgcaagcg gccgaaaggg gcagttcgag 2160
atthagcccc cgaggggaaat cccaaggcta aatcacgaaa tgcgtggag ctgggggttt 2220
ttgaactaat cccactacca agtgcacac ccggtagcgg gactatctgc caaaaagcgg 2280
gaaactgcaa cctcaggtgc aagaaattat caactgagaa caaggtttga cctgtttgtg 2340
agttgggata gagccagata agaaaactaa atattcccta aaacggctaa agccggataa 2400
ccaatttttt actcgactaa attgttttta aattgcgctt aaaattgttt tataattgag 2460
aatgttaaag gtaagcggta agtccgactt gatctagatc tcaggcaatg tattgaatgc 2520
cattttaccg ggggaccgac tggcgggttg ctggggcgcg gtaactgcag ttattactgc 2580
atacaagggt atcattgcgg ttatccctga aaggtaactg cagttacca cctcataaat 2640
gccatttgac ggggtgaacc tcatgtagtt cacatagtat acggttcatt cgggggataa 2700
ctgcagttac tgccatttac cgggcggaac gtaatacggg tcatgtactg gaataccctg 2760
aaaggatgaa ccgtcatgta gatgcataat cagtagcgat aatggtacca ctacgcaaa 2820
accgtcatgt agttaccgc acctatcgcc aaactgagtg cccctaaagg ttcagaggtg 2880
gggtaactgc agttaccctc aaacaaaacc gtgggttttag ttgccctgaa aggttttaca 2940
gcattgttga gggcgggtta ctgcgtttac ccgccatccg cacatgccac cctccagata 3000
tattcgtctc gagcaaatca cttggcagtc tagcggacct ctgcggtagg tgcgacaaaa 3060
ctggaggtat cttctgtggc cctggctagg tccgagggcg cgcccttgc cacgtaacct 3120
tgctggcac aactgttaat tagtagccgt atcatatagc cgtatcata tctgctgttc 3180
cactccttga tttggtaccg gtccaactgg tcacggcaag gccacgagtg gcgcgcgctg 3240
cagcggcctc gccagctcaa gacctggctg gccgagccca agagggccct gaagcacctc 3300
ctgctgaagc accggctcct cgtcctgact gctgggaca actgctcgcg ccaggtcctg 3360
gtccaccacg gcctgttgtg ggaccggacc cacaccacg cgcgggacct gctcgacatg 3420
cggctacca gcctccagca caggtgcttg aaggccctgc ggaggcccg cgggtactgg 3480
ctctagccgc tcgtcggcac ccccgccctc aagcgggacg cgtggggcg gccgttgacg 3540
cacgtgaagc accggctcct cgtcctgact gtgagctgga gctttgaaca aataacgtcg 3600
aatattacca atgtttattt cgttatcgta gtgtttaaag tgtttatttc gtaaaaaaag 3660
tgacgtaaga tcaacaccaa acaggtttga gtagttacat agaatagtac agacctagct 3720
atgaagttct tgacgactgt agctcgaacg atgttccctg aaaggcgacc cctgaaaggt 3780
ccctccgcac cggaccgcc ctgaccctc accgctcggg agtctaggac gtatatctgt 3840
cgacgaaaaa cgagagatgc caatctggtc tagactcgga ccctcgagag 3900
accgattgat cccttgggtg acgaattcgg agttatttcg aaccatggct cgagcctagg 3960
cttaagcggg gg 3972

```

```

<210> 21
<211> 7153
<212> DNA
<213> human

```

<400> 21

```

gacggatcgg gagatctccc gatccccat ggtcgactct cagtacaatc tgctctgatg 60
ccgcatagtt aagccagtat ctgctccctg cttgtgtgtt ggaggctcgt gagtagtgcg 120
cgagcaaaat ttaagctaca acaaggcaag gcttgaccga caattgcatg aagaatctgc 180
ttagggttag gcgttttgcg ctgcttcgcg atgtacgggc cagatatacg cgttgacatt 240
gattattgac tagttattaa tagtaatcaa ttacggggtc attagttcat agccccata 300
tggagtcccg cgttacataa cttacggtaa atggcccgcg tggctgaccg cccaacgacc 360
ccccccatt gacgtcaata atgacgtatg tccccatagt aacgccaata gggactttcc 420
attgacgtca atgggtggac tatttacggt aaactgcccc cttggcagta catcaagtgt 480
atcatatgcc aagtacgccc cctattgacg tcaatgacgg taaatggccc gcctggcatt 540
atgcccagta catgacctta tgggactttc ctacttggca gtacatctac gtattagtca 600
tcgctattac catggtgatg cgggttttggc agtacatcaa tgggcgtgga tagcggtttg 660
actcacgggg atttccaagt ctccacccca ttgacgtcaa tgggagtttg ttttggcacc 720
aaaatcaacg ggactttcca aaatgtcgta acaactccgc cccattgacg caaatgggcg 780
gtaggcgtgt acggtgggag gtctatataa gcagagctct ctggctaact agagaacca 840
ctgcttactg gcttatcgaa attaatacga ctactatag ggagacccaa gctggctagc 900
gtttaaactt aagcttcccc gcgcagggtc gcgatgctgc atggtaatgc tggcctgctg 1020
ctggccgcct ggacggctcg ggcgctggag gtacccactg atgcagaat tgtccagaat 1080
gctgaacccc agattgccat atcagggacc atcagggacc aaaacctgca ttgataccaa ggaaggcatc 1140
gggaagtggg attcagatcc gccaagaagt ctaccctgaa ctgcagatca ccaatgtggt agaagccaac 1200
ctgcagtatt ccatccagaa ctgggtgcaag cggggccgca agcagtgcga gacctatccc 1260
caaccagtga ccttttgtga ttccctaccg ctgcttggtt ggtgatgtgc taagtgtatg ccttctcggt 1320
cctgacaagt ccaaatctct tgcacaaaga gacatgcagt tgacaagttc cgaggggtag agttgtgtg 1380
tggcacaccg tcgccaagaa gtgacaatgt ggattctgct gatcgaggag aggatgactc ggatgtctg 1440
atgttgcgtc cctgcggaat ctatgcagat ggtggaagaa gaagaagccg atgatgacga ggacgatgag 1500
gctgaagaaa gtgacacaga ggtggaagaa gaaccctacg aagaagccac agagagaacc 1560
tggggcggag cagacacaga ggtggaagaa acagagctcg tggagaggtt gggtcgagtt 1620
gaggaggaag aagtggctga agaggctgag caccaccacc atctcgagac acctggggtt 1680
gatggtgatg aggtagagga agaggctgag caccaccacc atctcgagac acctggggtt 1740
accagattg ccaccaccac cactgacgac ccagaaagcc aaagagaggg ttgaggccaa gcaccgagag 1800
cctacaacag cagccacgac cctgatgacg agaatgggaa gaggcagaac gtcaagcaaa gaacttgctt 1860
gagaatgaac atgcccattt ccagaaagcc agagcagaac aagtgggaatc tttggaacag 1920
agaatgtccc aggtcatgag agaatgggaa gatgacacac tggccagagt ggaagccatg 1980
aaagctgata agaaggcagt tatccagcat gcagctgggt ggcctgggag aactacatca cgcctctgca ggctgttctt 2040
gaagcagcca acgagagaca ggcctgggag caatatgcta aagaagtatg tccgcgcaga acagaaggac 2100
ctcaatgacc gccgcgcctc gtcacgtgtt caatagcaga gtgcgcatgg tggatcccaa gaaagccgct 2160
cctcgccctc cctaaagca tttcgagcat gacacacctc cgtgtgattt atgagcgcat gaatcagttc 2220
agacagcaca ccctaaagca tttcgagcat gacacacctc cgtgtgattt atgagcgcat gaatcagttc 2280
catgacgggt cccaggttat gacacacctc ggcctgagtg gccgaggaga ttccaggtga agttgatgag 2340
ctctccctgc tctacaacgt ctattcagat gacgtcttgg ccaacatgat tagtgaacca 2400
ctgcttcaga aagagcaaaa tgctctcatg ccatctttga ccgaaacgaa aaccaccgtg 2460
aggatcagtt acggaaacga agagttcagc ctggacgacg tccagccgtg gcattctttt 2520
gagctccttc ccgtgaatgg caacacagaa aacgaagttg agcctgttga tgccccctt 2580
ggggctgact ctgtgccagc cactcgacca ggttctgggt tgacaaatat caagacggag 2640
gctgcccacc gaggactgac agatgcagaa ttccgacatg actcaggata tgaagtcat 2700
gagatctctg aagtgaatct tgcagaagat gtgggttcaa acaaaaggtg aatcattgga 2760
catcaaaaat tgggtgttct catagcgaca gtgatcgta tcaccttggt gatgtgaag 2820
ctcatgggtg gcggtgttgt agtagatcct agactagagc cctggaagca tccaggaggt 2880
aagaaaagata tcatggagcc caattgctat tgtaaaaagt gttgctttca ttgccaagtt 2940
cagcctaaaa ctgcttgtac aggcattctc gactcatcaa gcttctctat caaagcagta agtaggcggc 3000
tgtttcatga caaaagcctt gactcatcaa gcttctctat caaagcagta agtaggcggc 3060
agagctcatc agaacagtca gtttaaaccc cctctgagcg ctcgactgtg ccttctagtt 3120
cgctcagtc tgggtgtttg ccctcccccg tgccttctct gaccctggaa ggtgccactc 3180
gccagccatc ttcttaataa aatgaggaaa ttgcatcgca ttgtctgagt aggtgtcatt 3240
ccactgtcct ttcttaataa aatgaggaaa ttgcatcgca ttgtctgagt aggtgtcatt 3300
ctattctggg ggggtggggtg gggcaggaca ggcctctatg cttctgaggg gaaagaacc 3360
ggcatgctgg gtaggcgggtg cctctgaggg ccctgtaagc cgcgccgggt gtgggtggtt 3420
ctagggggta tccccacgag gaccgctaca cttgccagcg ccctagcgcc cgctcctttc 3480
cgcgacgctg gcgcacgttc gccggctttc cccgtcaagg tctaaatcgg ggcattccct 3540
cttcctttct

```

taggggtccg	atttagtgct	ttacggcacc	tcgaccccaa	aaaacttgat	taggggtgatg	3660
gttcacgtag	tgggccatcg	ccctgataga	cgggtttttcg	ccctttgacg	ttggagtcca	3720
cgttctttta	tagtggactc	ttgttccaaa	ctggaacaac	actcaaccct	atctcggctc	3780
attcttttga	tttataaggg	atthttggga	tttcggccta	ttgggttaaaa	aatgagctga	3840
tttaacaaaa	atthaacgcg	aattaattct	gtggaatgtg	tgctcagttag	gggtgtggaaa	3900
gtccccaggc	tccccaggca	ggcagaagta	tgcaaagcat	gcactcfaat	tagtcagcaa	3960
ccaggtgtgg	aaagtcccca	ggctccccag	caggcagaag	tatgcaaagc	atgcatctca	4020
attagtcagc	aaccatagtc	ccgcccctaa	ctccgcccct	cccgcacct	actccgcccc	4080
gttccgcccc	ttctccgccc	catggctgac	taattttttt	tatttatgca	gaggccgagg	4140
ccgcctctgc	ctctgagcta	ttccagaagt	agtgaggagg	ctttttttgga	ggcctaggct	4200
tttgcaaaaa	gctcccggga	gcttgatat	ccatttttcg	atctgatcag	cacgtgttga	4260
caattaatca	tcggcatagt	atatcggcac	agtataatac	gacaagggtga	ggaactaaac	4320
catggccaag	ttgaccagtg	ccgttccggg	gtccaccgcg	cgcgacgtcg	ccggagcggg	4380
cgagttcttg	accgaccggc	tcgggttctc	ccgggacttc	gtggaggagc	acttcgcccg	4440
tgtggtccgg	gacgagtgta	ccctgttcac	cagcgccggc	caggaccagg	tggtgcccga	4500
caacaccctg	gcctgggtgt	gggtgctggg	ctgggacgag	ctgtacgcgg	agtgttcgga	4560
ggctgtgtcc	acgaacttcc	gggacgcctc	cgggcccggc	atgaccgaga	tcggcgagca	4620
gccgtggggg	cgggagttcg	ccctgcgcga	cccggccggc	aactgcgtgc	acttcgtggc	4680
cgaggagcag	gactgacacg	tgctacgaga	tttcgatttc	accgcccctc	tctatgaaag	4740
gttgggcttc	ggaatcggtt	tcggggacgc	cggctggatg	atcctccagc	gcggggatct	4800
catgctggag	ttcttcgccc	accccaactt	gtttatttga	gcttataatg	gttacaataa	4860
aagcaatagc	atcacaaatt	tcacaaataa	agcatttttt	tcactgcatt	ctagtgtgtg	4920
tttgtccaaa	ctcatcaatg	tatcttatca	tgtctgtata	ccgtcgacct	ctagctagag	4980
cttggcgtaa	tcattggtcat	agctgtttcc	tgtgtgaaat	tggttatccg	tcacaattcc	5040
acacaacata	cgagccggaa	gcataaagt	taaagcctgg	gggtgccta	gagtgtgcta	5100
actcacatta	attgcgttgc	gtcactgtcc	cgctttccag	tcgggaaacc	tgtctgtcca	5160
gctgcattaa	tgaatcgccc	aacgcgcggg	gagaggcggt	ttgcgtattg	ggcgctcttc	5220
cgttcctctg	ctcactgact	cgctgcgtcc	ggctgttcgg	ctgcggcgag	cggtatcagc	5280
tcactcaaa	gcggtaatac	gggttatccac	agaatcaggg	gataacgcag	gaaagaacat	5340
gtgagcaaaa	ggccagcaaa	aggccaggaa	ccgtaaaaag	gccgcgttgc	tggcgttttt	5400
ccataggctc	cgccccctcg	acgagcatca	caaaaatcga	cgctcaagtc	agagggtggc	5460
aaaccgcaga	ggactataaa	gataccaggc	gtttccccct	ggaagctccc	tcgtgcgctc	5520
tcctgttccg	accctgccgc	ttaccggata	ctgttcggcc	ttctcccttc	cggaagcgt	5580
ggcgctttct	caatgtctac	gctgtaggta	tctcagttcg	gtgtagggtc	ttcgctccaa	5640
gctgggctgt	gtgcacgaac	ccccggttca	gcccagaccg	tgccgcttat	ccggttaact	5700
tcgtcttgag	tccaaccggg	taagacacga	cttatcgcca	ctggcagcag	ccactggtta	5760
caggatttag	agagcgaggt	atgtaggcgg	tgctacagag	ttcttgaagt	gggtggccta	5820
ctacggctac	actagaagg	cagtatttgg	tatctgcgct	ctgctgaagc	cagttacctt	5880
cggaaaaaa	gttggttagct	cttgatccgg	caaacaaacc	accgctgggt	gcggtgggtt	5940
ttttgtttgc	aagcagcaga	ttacgcgcag	aaaaaaagga	tctcaagaag	atcctttgat	6000
cttttctacg	gggtctgacg	ctcagtggaa	cgaaaactca	cgtaaggga	ttttgggtcat	6060
gagattatca	aaaaggatct	tcacctaagt	cctttttaa	taaaaatgaa	gtttttaa	6120
aatctaaagt	atatatgagt	aaacttggtc	tgacagttac	caatgcttaa	tcagttaggc	6180
acctatctca	gcgatctgtc	tatttcgttc	atccatagtt	gcctgactcc	ccgtcgtgta	6240
gataactacg	atacgggagg	gcttaccatc	tggccccagt	gctgcaatga	taccgcgaga	6300
cccacgctca	ccggctccag	atthtaaccg	aataaaccag	ccagccggaa	gggcccagcg	6360
cagaagtggg	cctgcaactt	tatccgcctc	catccagttc	attaattgtt	gccgggaagc	6420
tagagtaagt	agttcgccag	ttaatagttt	gcgcaacgtt	gttgccattg	ctacaggcat	6480
cgtggtgtca	cgctcgtcgt	ttggtatggc	ttcattcagc	tccggttccc	aacgatcaag	6540
gcgagttaca	tgatccccca	tgttgtgcaa	aaaagcgggt	agctccttcg	gtcctccgat	6600
cgttgtcaga	agtaagtggg	ccgcagtgtt	atcactcatg	gttatggcag	cactgcataa	6660
ttctcttact	gtcatgccat	ccgtaagatg	cttttctgtg	actggtgagt	actcaaccaa	6720
gtcattctga	gaatagtgt	tgccggcgacc	gagttgtctc	tgcccggcgt	caatacggga	6780
taataccgcg	ccacatagca	gaactttaaa	agtgtctatc	attggaaaac	gttcttcggg	6840
gcgaaaactc	tcaaggtatc	taccgtgttt	gagatccagt	tcgatgtaac	ccactcgtgc	6900
acccaactga	tcttcagcat	cttttacttt	caccagcggt	tctgggtgag	caaaaacagg	6960
aaggcaaaat	gccgcaaaaa	aggggaataag	ggcgacacgg	aaatgttgaa	tactcatact	7020
cttccttttt	caatattatt	gaagcattta	tcagggttat	tgtctcatga	gcggatacat	7080
atttgaatgt	atttagaaaa	ataaacaat	aggggttccg	cgcacatttc	cccgaagaag	7140
gccacctgac	gtc					7153

<210> 22
<211> 7153
<212> DNA
<213> human

<400> 22
ctgcctagcc ctctagaggg ctaggggata ccagctgaga gtcattgtag acgagactac 60
ggcgtatcaa ttcgggtcata gacgagggac gaacacacaa cctccagcga ctcatcacgc 120
gctcgtttta aattcgatgt tgttccgttc cgaactggct gttaacgtac ttcttagacg 180
aatcccaatc cgcaaaacgc gacgaagcgc tacatgcccg gtctatatgc gcaactgtaa 240
ctaataactg atcaataatt atcattagtt aatgccccag taatcaagta tcgggtatat 300
acctcaaggg gcaatgtatt gaatgccatt taccgggcgg accgactggc ggggttgctgg 360
gggggggtaa ctgcagttat tactgcatac aagggtatca ttgctggtat ccctgaaagg 420
taactgcagt taccacacct ataaatgcc aattactggt gaaccgtcat gtagttcaca 480
tagtatacgg ttcatacggg ggataactgc agttactgcc atttaccggg cggaccgtaa 540
tacgggtcat gtactggaat accctgaaag gatgaaccgt catgtagatg cataatcagt 600
agcgataatg gtaccactac gccaaaaccg tcatgtagtt acccgcacct atcgccaaac 660
tgagtgtccc taaagggttca gaggtggggg aactgcagtt accctcaaac aaaaccgtgg 720
tttttagtgc cctgaaagggt tttacagcat tgttgaggcg gggtaactgc gtttaccggc 780
catccgcaca tgccaccctc cagatatatt cgtctcgaga gaccgattga tctcttgggt 840
gacgaatgac cgaatagctt taattatgct gagtgatc cctctgggtt cgaccgatcg 900
caaatttgaa ttcgaagggg cgctcccag cgctacgacg ggccaaaccg tgacgaggac 960
gaccggcgga cctgccgagc ccgcgacctc catgggtgac taccattacg accggacgac 1020
cgacttgggg tctaaccggt caagacaccg tctgacttgt acgtgtactt acagggtctta 1080
cccttcaccc taagtctagg tagtccctgg ttttgacgt aactatgggt ccttccgtag 1140
gacgtcataa cgggttcttca gatgggactt gacgtctagt gggttacacca tcttcgggtg 1200
gttggtcact ggttaggtctt gaccacgttc gccccggcgt tcgtcacgtt ctgggtaggg 1260
gtgaaacact aagggtggc gacgaatcaa ccaactcaaat attcactacg ggaagagcaa 1320
ggactgttca cgtttaagaa tgtggtcttc tctacactac aaacgctttg agtagaagtg 1380
accgtgtggc agcggtttct ctgtacgtca ctcttctcat ggttgaaact actgatgccg 1440
tacaacgacg ggacgcctta actgttcaag gctccccatc tcaaacacac aacgggtgac 1500
cgacttcttt cactgttaca cctaagacga ctaacgcttc tctactgag cctacagacc 1560
acccgcctc gtctgtgtct gatacgtcta cctcacttc tgtttcatca tcttcatcgt 1620
ctcctccttc ttcaccgact ccaccttctt cttcttcggc tactactgct cctgctactc 1680
ctaccactac tccatctcct tctccgactc cttgggatgc ttcttcgggt tctctcttgg 1740
tggtcgtaac ggtggtggtg gtggtggtgg tgtctcagac accttctcca ccaagctcaa 1800
ggatgttggt gtcggtcatg gggactacgg caactgttca tagagctctg tggaccctta 1860
ctcttacttg tacgggtaaa ggtctttcgg tttctctcgg aactccgggt cgtggctctc 1920
tcttacaggg tccagttact tcttaccctt ctccgtcttg cagttcgttt cttgaacgga 1980
tttcgactat tcttccgtca ataggtcgta aaggctcctt ttcaccttag aaaccttgct 2040
cttcgtcggt tgcctctgt cgtcgaccac accgggtctc ccttcgggtac ccttcgggtac 2100
gagttactgg cggcgccgga ccgggacctc ttgatgtagt ggcgagacgt ccgacaagga 2160
ggagccggag cagtgcacaa gttatacgtt ttcttcatac aggcgcgtct tgtcttccctg 2220
tctgtcgtgt gggatttcgt aaagctcgta cacgcgtacc acctagggtt ctttcggcga 2280
gtctaggcca ggggtcaata ctgtgtggag gcacactaaa tactcgctga cttagtcaga 2340
gagagggacg agatgttgca cggacgtcac cggctcctct aagtcctact tcaactactc 2400
gacgaagtct ttctcgtttt gataagtcta ctgcagaacc ggttgtagta atcacttggg 2460
tctagtcata tgcccttgc acgagagtac ggtagaaact ggctttgctt ttggtggcac 2520
ctcgaggaag ggcacttacc tctcaagtcg gacctgctag aggtcggcac cgtaagaaaa 2580
ccccgactga gacacggtcg gttgtgtctt ttgcttcaac tcggacaact acgggcggga 2640
cgacggctgg ctctgactg gtgagctggt ccaagaccca actgtttata gttctgcctc 2700
ctctagagac ttcacttaga tctacgtctt aaggctgtac tgagtcttat acttcaagta 2760
gtagttttta accacaagaa acgtcttcta caccacagtt tgtttccacg ttagtaacct 2820
gagtaaccac cgccacaaca gtatcgctgt cactagcagt agtggaacca ctacgacttc 2880
ttcttctat agtacctcgg tcatctagga tctgatctcg ggacctcgt aggtccttca 2940
gtcggatttt gacgaacatg gttaacgata acatttttca caacgaaagt aacggttcaa 3000
acaaagtact gttttcggaa tccgtagagg ataccgtcct tcttcgcctc tgtcgtctgt 3060
tctcgagtag tcttgtcagt ctgagtgtt cgaagagata gtttcgtcat tcatccggcg 3120
cgagctcag atctcccggt caaatttggg ctagtagtcg gagctgacac ggaagatcaa 3180
cggctcggtag acaacaaacg gggagggggc acggaaggaa ctgggacctt ccacggtgag 3240
ggtgacagga aaggattatt ttactccttt aacgtagcgt aacagactca tccacagtaa 3300

gataagaccc	cccacccac	cccgctcctgt	cgttccccct	cctaaccctt	ctgttatcgt	3360
ccgtacgacc	cctacgccac	ccgagataacc	gaagactccg	cctttcttgg	tcgaccccg	3420
gatcccccat	aggggtgcgc	gggacatcgc	cgcgtaattc	gcgcccacca	caccaccaat	3480
gcgcgtcgca	ctggcgatgt	gaacggtcgc	gggatcgcgg	gcgaggaaag	cgaaagaagg	3540
gaaggaaaga	gcgggtgcaag	cgggccgaaag	gggcagttcg	agatttagcc	ccgtagggaa	3600
atcccaaggc	taaatcacga	aatgcccgtg	agctgggggt	tttgaacta	atcccactac	3660
caagtgcata	acccggtagc	gggacttcat	gccaaaaagc	gggaaactgc	aacctcaggt	3720
gcaagaaatt	atcacctgag	aacaagggtt	gaccttgttg	tgagttggga	tagagccaga	3780
taagaaaact	aaatattccc	taaaacccct	aaagccggat	aaccaatttt	ttactcgact	3840
aaattgtttt	taaattgcgc	ttaattaaga	caccttacac	acagtcaatc	ccacaccttt	3900
caggggtccg	aggggtccgt	ccgtcttcat	acgtttcgta	cgtagagtta	atcagtcggt	3960
ggtccacacc	tttcaggggt	ccgaggggtc	gtccgtcttc	atacgtttcg	tacgtagagt	4020
taatcagtcg	ttggtatcag	ggcgggggatt	gaggcgggta	ggcgggggat	tgaggcgggt	4080
caaggcgggt	aagaggcggg	gtaccgactg	attaaaaaaa	ataaatacgt	ctccggctcc	4140
ggcggagacg	gagactcgat	aaggtcttca	gacctctccc	gaaaaaacct	ccggatccga	4200
aaacgttttt	cgagggccct	cgaacatata	ggtaaaagcc	tagactagtc	gtgcacaact	4260
gttaattagt	agccgtatca	tatagccgta	tcatattatg	ctgttccact	ccttgatttg	4320
gtaccgggtt	aactggtcac	ggcaaggcca	cgagtggcgc	gcgctgcagc	ggcctcgcca	4380
gtcgaagacc	tggtctggccg	agcccaagag	ggccctgaag	cacctcctgc	tgaagcggcc	4440
acaccaggcc	ctgactgcact	gggacaagta	gtcgcgccag	gtcctgggtcc	accacggcct	4500
gttgtgggac	cggacccaca	cccacgcgcc	ggacctgtct	gacatgcggc	tcaccagcct	4560
ccagcacagg	tgcttgaagg	ccctgcggag	gcccgccggg	tactggctct	agccgcctcg	4620
cggcaccccc	gccctcaagc	gggacgcgct	gggcccggcg	ttgacgcacg	tgaagcaccg	4680
gtcctcgtgc	ctgactgtgc	acgatgctct	aaagctaaag	tggcggcgga	agatacttcc	4740
caacccgaa	ccttagcaaa	aggccctgcg	gccgacctac	taggaggtcg	cgcccctaga	4800
gtacgacctc	aagaagcggg	tggggttgaa	caaataacgt	cgaatattac	caatgtttat	4860
ttcgttatcg	tagtggttaa	agtgtttatt	tcgtaaaaaa	agtgcgtaa	gatcaacacc	4920
aaacaggttt	gagtagttac	atagaatagt	acagacatat	ggcagctgga	gatcgatctc	4980
gaaccgcatt	agtaccagta	tcgacaaagg	acacacttta	acaataggcg	agtgttaagg	5040
tgtgttgat	gctcggcctt	cgtatttcac	atttcggacc	ccacggatta	ctcactcgat	5100
tgagtgtaat	taacgcaacg	cgagtgcagg	gcgaaagggt	agcccttttg	acagcacggg	5160
cgacgtaatt	acttagccgg	ttgcgcgccc	ctctccgcca	aacgcataac	ccgcgagaag	5220
gcgaaggagc	gagtagctga	gcgacgcgag	ccagcaagcc	gacgccgctc	gccatagtcg	5280
agtgaagtct	cgccattatg	ccaatagggt	tcttagtccc	ctattgcgtc	ctttcttgta	5340
cactcgtttt	ccggctcggt	tccggtcctt	ggcatttttc	cggcgcaacg	accgcaaaaa	5400
ggtatccgag	gcggggggac	tgctcgtagt	gttttttagt	gcgagttcag	tctccaccgc	5460
tttgggctgt	cctgatattt	ctatgggtccg	caaaggggga	ccttcgaggg	agcacgcgag	5520
aggacaaggc	tgggacggcg	aatggcctat	ggacaggcgg	aaagagggaa	gcccttcgca	5580
ccgcgaaaga	gttacgagtg	cgacatccat	agagtcaagc	cacatccagc	aagcgaggtt	5640
cgaccgcgaca	cacgtgcttg	gggggcaagt	cgggctggcg	acgcggaata	ggccattgat	5700
agcagaactc	aggttggggc	attctgtgct	gaatagcggg	gaccgtcgtc	ggtgaccatt	5760
gtcctaatac	tctcgtcca	tacatccgcc	acgatgtctc	aagaacttca	ccaccggatt	5820
gatgccgatg	tgatcttctt	gtcataaacc	atagacgcga	gacgacttcg	gtcaatggaa	5880
gcctttttct	caaccatcga	gaactaggcc	gtttgttttg	tggcgaccat	cgccaccaaa	5940
aaaacaaacg	ttcgtcgtct	aatgcgcgtc	tttttttctt	agagtcttct	taggaaacta	6000
gaaaagatgc	cccagactgc	gagtcacctt	gcttttgagt	gcaattccct	aaaaccagta	6060
ctctaatagt	ttttcctaga	agtggatcta	ggaaaaattt	atttttactt	caaaatttag	6120
ttagatttca	tatatactca	tttgaaccag	actgtcaatg	gttacgaatt	agtcactccg	6180
tggatagagt	cgctagacag	ataaagcaag	taggtatcaa	cggactgagg	ggcagcacat	6240
ctattgatgc	tatgccctcc	cgaatggtag	accgggggtc	cgacgttact	atggcgctct	6300
gggtgcgagt	ggccgaggtc	taaatagtcg	ttatttggtc	ggtcggcctt	cccggctcgc	6360
gtcttcacca	ggacgttgaa	ataggcggag	gtaggtcaga	taattaacaa	cggcccttcg	6420
atctcattca	tcaagcggtc	aattatcaaa	cgcgttgcaa	caacggtaac	gatgtccgta	6480
gcaccacagt	gcgagcagca	aaccataccg	aagtaagtcg	aggccaaggg	ttgctagtct	6540
cgctcaatgt	actagggggt	acaacaggtt	ttttcgccaa	tcgagggaag	caggagcgta	6600
gcaacagtct	tcattcaacc	ggcgctcaca	tagtgagtac	caataccgtc	gtgacgtatt	6660
aagagaatga	cagtacggta	ggcattctac	gaaaagacac	tgaccactca	tgagttgggt	6720
cagtaagact	cttatcacat	acgcgcgtgg	ctcaacgaga	acgggcccga	gttatgccct	6780
attatggcgc	ggtgtatcgt	cttgaaattt	tcacgagtag	taaccttttg	caagaagccc	6840
cgcttttgag	agttcctaga	atggcgcaaa	ctctagggtc	agctacattg	ggtgagcacg	6900
tgggttgact	agaagtcgta	gaaaatgaaa	gtgggtcgcaa	agaccacttc	gtttttgtcc	6960
ttccgtttta	cggcgttttt	tcccttattc	ccgctgtgcc	tttacaactt	atgagtatga	7020

gaaggaaaaa gttataataa cttcgtaaat agtcccaata acagagtact cgcctatgta 7080
 taaacttaca taaatctttt tatttgttta tccccaaggg gcgtgtaaag gggcttttca 7140
 cgggtggactg cag 7153

<210> 23
 <211> 2352
 <212> DNA
 <213> fusion protein - human

<400> 23
 atgctgcccg gtttggcact gctcctgctg gccgcctgga cggctcgggc gctggaggta 60
 cccactgatg gtaatgctgg cctgctggct gaaccccaga ttgccatgtt ctgtggcaga 120
 ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaa 180
 acctgcattg ataccaagga aggcacacct cagtattgcc aagaagtcta ccctgaactg 240
 cagatcacca atgtggtaga agccaaccaa ccagtgacca tccagaactg gtgcaagcgg 300
 ggccgcaagc agtgcaagac ccatcccccac tttgtgattc cctaccgctg cttagtgtgt 360
 gagtttataa gtgatgccct tctcgttcct gacaagtgca aattcttaca ccaggagagg 420
 atggatgttt gcgaaactca tcttcactgg cacaccgtcg ccaaagagac atgcagttag 480
 aagagtacca acttgcattg ctacggcatg ttgctgccct gcggaattga caagtccga 540
 ggggttagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgctgat 600
 gcggaggagg atgactcggg tgtctgtgtg ggcggagcag acacagacta tgcagatggg 660
 agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgaggt ggaagaagaa 720
 gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaaga ggctgaggaa 780
 ccctacgaag aagccacaga gagaaccacc agcattgcca ccaccaccac caccaccaca 840
 gagtctgttg aagaggtggt tctgagttcct acaacagcag ccagtacccc tgatgccgtt 900
 gacaagtatc tctgagacacc tggggatgag aatgaacatg cccatttcca gaaagccaaa 960
 gagaggcttg aggccaaagc ccgagagaga atgtcccagg tcatgagaga atgggaagtc 1020
 gcagaacgtc aagcaaagaa cttgcctaaa gctgataaga aggcagttat ccagcatttc 1080
 caggagaag tggaatcttt ggaacaggaa gcagccaacg agagacagca gctgggtggg 1140
 acacacatgg ccagagtggg agccatgtct aatgaccgct gccgcctggc cctgggagaa 1200
 tacatcccg cctgcaggc tgttcctcct cggcctcgtc acgtgttcaa tatgctaaag 1260
 aagtatgtcc gcgcagaaca gaaggacaga cagcacaccc taaagcattt cgagcatgtg 1320
 cgcattggtg atcccaagaa agccgctcag atccgggtccc aggttatgac acacctccgt 1380
 gtgatttatg agcgcattga tcatgtctct tcctgtctct acaacgtgcc tgcagtggcc 1440
 gaggagattc aggatgaagt tgatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
 gtcttggcca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
 tctttgaccg aaacgaaaac caccgtggag ctccctcccg tgaatggaga gttcagcctg 1620
 gacgatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaaac 1680
 gaagttgagc ctgttgatgc ccgccctgct gccgaccgag gactgaccac tgcaccaggt 1740
 tctgggttga caaatatcaa gacggaggag atctctgaag tgaactttga agtggaaatc 1800
 cgacatgact caggatatga agttcatcat caagtattgg tgttctttgc agaagatgtg 1860
 ggttcaaaca aaggtgcaat cattggactc atggtgggag gtgttgtcat agcgacagt 1920
 atcgatcatc ctttgggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
 agtccagtgt ggtggaattc tgcagatatc cttggagccag tagatcctag actagagccc 2040
 tggaagcatc caggaagtca gcctaaaact gcttgtacca attgctattg taaaaagtgt 2100
 tgctttcatt gccaaagtgt ttctcatgaca aaagccttag gcatctccta tggcaggaag 2160
 aagcggagac agcgacgaag agctcatcag aacagtcaga ctcatcaagc ttctctatca 2220
 aagcagagga tatccagcac agtggcggcc gcagacgccc ctgtcacccc agaggagcgc 2280
 cacctgtcca agatgcagca gaacgggtac gaaaatccaa cctacaagtt ctttgagcag 2340
 atgcagaact ag 2352

<210> 24
 <211> 783
 <212> PRT
 <213> fusion protein - human

<400> 24
 Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1 5 10 15
 Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro

WO 03/072041

PCT/US03/05458

Gln	Ile	Ala	Met	Phe	Cys	Gly	Arg	Leu	Asn	Met	His	Met	Asn	Val	Gln
		35					40					45			
Asn	Gly	Lys	Trp	Asp	Ser	Asp	Pro	Ser	Gly	Thr	Lys	Thr	Cys	Ile	Asp
	50					55					60				
Thr	Lys	Glu	Gly	Ile	Leu	Gln	Tyr	Cys	Gln	Glu	Val	Tyr	Pro	Glu	Leu
65					70					75				80	
Gln	Ile	Thr	Asn	Val	Val	Glu	Ala	Asn	Gln	Pro	Val	Thr	Ile	Gln	Asn
			85						90					95	
Trp	Cys	Lys	Arg	Gly	Arg	Lys	Gln	Cys	Lys	Thr	His	Pro	His	Phe	Val
			100					105					110		
Ile	Pro	Tyr	Arg	Cys	Leu	Val	Gly	Glu	Phe	Ile	Ser	Asp	Ala	Leu	Leu
		115					120					125			
Val	Pro	Asp	Lys	Cys	Lys	Phe	Leu	His	Gln	Glu	Arg	Met	Asp	Val	Cys
	130					135					140				
Glu	Thr	His	Leu	His	Trp	His	Thr	Val	Ala	Lys	Glu	Thr	Cys	Ser	Glu
145					150					155					160
Lys	Ser	Thr	Asn	Leu	His	Asp	Tyr	Gly	Met	Leu	Leu	Pro	Cys	Gly	Ile
				165					170					175	
Asp	Lys	Phe	Arg	Gly	Val	Glu	Phe	Val	Cys	Cys	Pro	Leu	Ala	Glu	Glu
			180					185					190		
Ser	Asp	Asn	Val	Asp	Ser	Ala	Asp	Ala	Glu	Glu	Asp	Asp	Ser	Asp	Val
		195					200					205			
Trp	Trp	Gly	Gly	Ala	Asp	Thr	Asp	Tyr	Ala	Asp	Gly	Ser	Glu	Asp	Lys
	210					215					220				
Val	Val	Glu	Val	Ala	Glu	Glu	Glu	Glu	Val	Ala	Glu	Val	Glu	Glu	Glu
225					230					235					240
Glu	Ala	Asp	Asp	Asp	Glu	Asp	Asp	Glu	Asp	Gly	Asp	Glu	Val	Glu	Glu
				245					250					255	
Glu	Ala	Glu	Glu	Pro	Tyr	Glu	Glu	Ala	Thr	Glu	Arg	Thr	Thr	Ser	Ile
			260					265					270		
Ala	Thr	Thr	Thr	Thr	Thr	Thr	Thr	Glu	Ser	Val	Glu	Glu	Val	Val	Arg
			275				280					285			
Val	Pro	Thr	Thr	Ala	Ala	Ser	Thr	Pro	Asp	Ala	Val	Asp	Lys	Tyr	Leu
	290					295					300				
Glu	Thr	Pro	Gly	Asp	Glu	Asn	Glu	His	Ala	His	Phe	Gln	Lys	Ala	Lys
305					310					315					320
Glu	Arg	Leu	Glu	Ala	Lys	His	Arg	Glu	Arg	Met	Ser	Gln	Val	Met	Arg
				325					330					335	
Glu	Trp	Glu	Glu	Ala	Glu	Arg	Gln	Ala	Lys	Asn	Leu	Pro	Lys	Ala	Asp
			340					345					350		
Lys	Lys	Ala	Val	Ile	Gln	His	Phe	Gln	Glu	Lys	Val	Glu	Ser	Leu	Glu
		355					360					365			
Gln	Glu	Ala	Ala	Asn	Glu	Arg	Gln	Gln	Leu	Val	Glu	Thr	His	Met	Ala
	370					375				</					

515	520	525
Val Glu Leu Leu Pro Val Asn Gly Glu Phe Ser Leu Asp Asp Leu Gln		
530	535	540
Pro Trp His Ser Phe Gly Ala Asp Ser Val Pro Ala Asn Thr Glu Asn		
545	550	555
Glu Val Glu Pro Val Asp Ala Arg Pro Ala Ala Asp Arg Gly Leu Thr		
565	570	575
Thr Arg Pro Gly Ser Gly Leu Thr Asn Ile Lys Thr Glu Glu Ile Ser		
580	585	590
Glu Val Asn Phe Glu Val Glu Phe Arg His Asp Ser Gly Tyr Glu Val		
595	600	605
His His Gln Val Leu Val Phe Phe Ala Glu Asp Val Gly Ser Asn Lys		
610	615	620
Gly Ala Ile Ile Gly Leu Met Val Gly Gly Val Val Ile Ala Thr Val		
625	630	635
Ile Val Ile Thr Leu Val Met Leu Lys Lys Lys Lys Leu Gly Thr Glu		
645	650	655
Leu Gly Ser Thr Ser Pro Val Trp Trp Asn Ser Ala Asp Ile Leu Glu		
660	665	670
Pro Val Asp Pro Arg Leu Glu Pro Trp Lys His Pro Gly Ser Gln Pro		
675	680	685
Lys Thr Ala Cys Thr Asn Cys Tyr Cys Lys Lys Cys Cys Phe His Cys		
690	695	700
Gln Val Cys Phe Met Thr Lys Ala Leu Gly Ile Ser Tyr Gly Arg Lys		
705	710	715
Lys Arg Arg Gln Arg Arg Arg Ala His Gln Asn Ser Gln Thr His Gln		
725	730	735
Ala Ser Leu Ser Lys Gln Arg Ile Ser Ser Thr Val Ala Ala Asp		
740	745	750
Ala Ala Val Thr Pro Glu Glu Arg His Leu Ser Lys Met Gln Gln Asn		
755	760	765
Gly Tyr Glu Asn Pro Thr Tyr Lys Phe Phe Glu Gln Met Gln Asn		
770	775	780

<210> 25

<211> 2823

<212> DNA

<213> fusion protein - human

<400> 25

atgctgcccg	gtttggcact	gctcctgctg	gccgcctgga	cggctcgggc	gctggaggta	60
cccactgatg	gtaatgctgg	cctgctggct	gaaccccaga	ttgccatgtt	ctgtggcaga	120
ctgaacatgc	acatgaatgt	ccagaatggg	aagtgggatt	cagatccatc	agggacccaa	180
acctgcattg	ataccaagga	aggcatcctg	cagtattgcc	agaagtcta	ccctgaactg	240
cagatcacca	atgtggtaga	agccaaccac	ccagtaccca	tccagaactg	gtgcaagcgg	300
ggccgcaagc	agtgcagac	ccatccccac	tttgtgattc	cctaccgctg	cttagttggt	360
gagtttataa	gtgatgccct	tctcgttcct	gacaagtgc	aattcttaca	ccaggagagg	420
atggatgttt	gcgaaactca	tcttcactgg	cacaccgtcg	caaagagac	atgcagtgg	480
aagagtacca	acttgcata	ctacggcatg	ttgctgccct	gcggaattga	caagttccga	540
ggggtagagt	ttgtgtgttg	cccactggct	gaagaaagt	acaatgtgga	ttctgctgat	600
gctggaggagg	atgactcgga	tgtctggtgg	ggcggagcag	acacagacta	tgcagatggg	660
agtgaagaca	aagtagtaga	agtagcagag	gaggaagaag	tggctgaggt	ggaagaagaa	720
gaagccgatg	atgacgagga	cgatgaggat	ggtgatgagg	tagaggaaga	ggctgaggaa	780
ccctacgaag	aagccacaga	gagaaccacc	agcattgcca	ccaccaccac	caccaccaca	840
gagtctgtgg	aagaggtggt	tgcagttcct	acaacagcag	ccagtacccc	tgatgccgtt	900
gacaagtatc	tcgagacacc	tggggatgag	aatgaacatg	cccatttcca	gaaagccaaa	960
gagaggcttg	aggccaagca	ccgagagaga	atgtcccagg	tcatgagaga	atgggaagag	1020
gcagaagcgt	aagcaagaa	cttgccataa	gctgataaga	aggcagttat	ccagcatttc	1080
caggagaaag	tggaatcttt	ggaacaggaa	gcagccaacg	agagacagca	gctggtggag	1140
acacacatgg	ccagagtggg	agccatgctc	aatgaccgcc	gccgcctggc	cctggagaac	1200
tacatcacccg	ctctgcaggc	tggttcctct	cggcctcgct	acgtgttcaa	tatgctaaag	1260

```

aagtatgtcc gcgcagaaca gaaggacaga cagcacaccc taaagcattt cgagcatgtg 1320
cgcatgggtgg atcccaagaa agccgctcag atccgggtccc aggttatgac acacctccgt 1380
gtgatttatg agcgcatgaa tcagtctctc tccctgctct acaacgtgcc tgcagtggcc 1440
gaggagattc aggatgaagt tgatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
gtcttgccca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgccca 1560
tctttgaccg aaacgaaaaac caccgtggag ctccctcccg tgaatggaga gttcagcctg 1620
gacgatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaaaac 1680
gaagttgagc ctgttgatgc ccgccctgct gccgaccgag gactgaccac tgcaccaggt 1740
tctgggttga caaatatcaa gacggaggag atctctgaag tgaactttga agtgggaattc 1800
cgacatgact caggatatga agttcatcat caagtattgg tgttctttgc agaagatgtg 1860
ggttcaaaca aaggtgcaat cattggactc atgggtggcg gtgttgatc agcgacagtg 1920
atcgtcatca ccttggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
agtccagtggt ggtggaattc tgcagatatc aagctactgt cttctatcga acaagcatgc 2040
gatattttgcc gacttaaaaa gctcaagtgc tccaaagaaa aaccgaagtg cgccaagtgt 2100
ctgaagaaca actgggagtg tcgctactct cccaaaacca aaagggtctcc gctgactagt 2160
gcacatctga cagaagtggg atcaaggcta gaaagactgg aacagctatt tctactgatt 2220
tttctcagag aagaccttga catgattttg aaaatggatt ctttacagga tataaaagca 2280
ttgttaacag gattattttg acaagataat gtgaataaag atgccgtcac agatagattg 2340
gcttcagtgg agactgatat gcctctaaca ttgagacagc atagaataag tgcgacatca 2400
tcacgcgaag agagttagta caaaggctcaa agacagttga ctgtatcggg aattcccggg 2460
gatctggccc ccccgaccga tgtcagcctg ggggacgagc tccacttaga cggcgaggac 2520
gtggcgatgg cgcagtcgga cgcgctagac gatttcgatc tggacatgtt gggggacggg 2580
gattccccgg gtccgggatt tccccccac gactccgccc cctacggcgc tctggatatg 2640
gccgacttcg agtttgagca gatgtttacc gatgcccttg gaattgacga gtacgggtggg 2700
gatatccagc acagtggcgg ccgcgacgcc gctgtcacc cagaggagcg ccacctgtcc 2760
aagatgcagc agaacggcta cgaaaatcca acctacaagt tctttgagca gatgcagaac 2820
tag 2823

```

<210> 26

<211> 941

<212> PRT

<213> fusion protein - human

<400> 26

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1          5          10          15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
 20          25          30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
 35          40          45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
 50          55          60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
 65          70          75          80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
 85          90          95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100          105          110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
115          120          125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
130          135          140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
145          150          155          160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
165          170          175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
180          185          190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
195          200          205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
210          215          220

```

Val	Val	Glu	Val	Ala	Glu	Glu	Glu	Glu	Val	Ala	Glu	Val	Glu	Glu	Glu
225					230					235					240
Glu	Ala	Asp	Asp	Asp	Glu	Asp	Asp	Glu	Asp	Gly	Asp	Glu	Val	Glu	Glu
				245					250					255	
Glu	Ala	Glu	Glu	Pro	Tyr	Glu	Glu	Ala	Thr	Glu	Arg	Thr	Thr	Ser	Ile
				260					265					270	
Ala	Thr	Thr	Thr	Thr	Thr	Thr	Thr	Glu	Ser	Val	Glu	Glu	Val	Val	Arg
				275				280						285	
Val	Pro	Thr	Thr	Ala	Ala	Ser	Thr	Pro	Asp	Ala	Val	Asp	Lys	Tyr	Leu
	290					295					300				
Glu	Thr	Pro	Gly	Asp	Glu	Asn	Glu	His	Ala	His	Phe	Gln	Lys	Ala	Lys
305					310				315						320
Glu	Arg	Leu	Glu	Ala	Lys	His	Arg	Glu	Arg	Met	Ser	Gln	Val	Met	Arg
				325					330					335	
Glu	Trp	Glu	Glu	Ala	Glu	Arg	Gln	Ala	Lys	Asn	Leu	Pro	Lys	Ala	Asp
				340				345						350	
Lys	Lys	Ala	Val	Ile	Gln	His	Phe	Gln	Glu	Lys	Val	Glu	Ser	Leu	Glu
				355				360						365	
Gln	Glu	Ala	Ala	Asn	Glu	Arg	Gln	Gln	Leu	Val	Glu	Thr	His	Met	Ala
	370					375					380				
Arg	Val	Glu	Ala	Met	Leu	Asn	Asp	Arg	Arg	Arg	Leu	Ala	Leu	Glu	Asn
385					390						395				400
Tyr	Ile	Thr	Ala	Leu	Gln	Ala	Val	Pro	Pro	Arg	Pro	Arg	His	Val	Phe
				405					410					415	
Asn	Met	Leu	Lys	Lys	Tyr	Val	Arg	Ala	Glu	Gln	Lys	Asp	Arg	Gln	His
				420				425						430	
Thr	Leu	Lys	His	Phe	Glu	His	Val	Arg	Met	Val	Asp	Pro	Lys	Lys	Ala
				435				440						445	
Ala	Gln	Ile	Arg	Ser	Gln	Val	Met	Thr	His	Leu	Arg	Val	Ile	Tyr	Glu
	450					455					460				
Arg	Met	Asn	Gln	Ser	Leu	Ser	Leu	Leu	Tyr	Asn	Val	Pro	Ala	Val	Ala
465					470					475					480
Glu	Glu	Ile	Gln	Asp	Glu	Val	Asp	Glu	Leu	Leu	Gln	Lys	Glu	Gln	Asn
				485					490					495	
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg	Ile	Ser
				500				505						510	
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys	Thr	Thr
				515				520						525	
Val	Glu	Leu	Leu	Pro	Val	Asn	Gly	Glu	Phe	Ser	Leu	Asp	Asp	Leu	Gln
	530					535					540				
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr	Glu	Asn
545					550					555					560
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly	Leu	Thr
				565					570					575	
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu	Ile	Ser
				580				585						590	
Glu	Val	Asn	Phe	Glu	Val	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr	Glu	Val
				595				600						605	
His	His	Gln	Val	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser	Asn	Lys
	610					615					620				
Gly	Ala	Ile	Ile	Gly	Leu	Met	Val	Gly	Gly	Val	Val	Ile	Ala	Thr	Val
625					630					635					640
Ile	Val	Ile	Thr	Leu	Val	Met	Leu	Lys	Lys	Lys	Lys	Leu	Gly	Thr	Glu
				645						650				655	
Leu	Gly	Ser	Thr	Ser	Pro	Val	Trp	Trp	Asn	Ser	Ala	Asp	Ile	Lys	Leu
				660				665						670	
Leu	Ser	Ser	Ile	Glu	Gln	Ala	Cys	Asp	Ile	Cys	Arg	Leu	Lys	Lys	Leu
				675				680						685	
Lys	Cys	Ser	Lys	Glu	Lys	Pro	Lys	Cys	Ala	Lys	Cys	Leu	Lys	Asn	Asn
	690					695					700				
Trp	Glu	Cys	Arg	Tyr	Ser	Pro	Lys	Thr	Lys	Arg	Ser	Pro	Leu	Thr	Arg
705					710					715					720

Ala	His	Leu	Thr	Glu	Val	Glu	Ser	Arg	Leu	Glu	Arg	Leu	Glu	Gln	Leu
				725					730					735	
Phe	Leu	Leu	Ile	Phe	Pro	Arg	Glu	Asp	Leu	Asp	Met	Ile	Leu	Lys	Met
				740				745					750		
Asp	Ser	Leu	Gln	Asp	Ile	Lys	Ala	Leu	Leu	Thr	Gly	Leu	Phe	Val	Gln
		755					760				765				
Asp	Asn	Val	Asn	Lys	Asp	Ala	Val	Thr	Asp	Arg	Leu	Ala	Ser	Val	Glu
	770					775					780				
Thr	Asp	Met	Pro	Leu	Thr	Leu	Arg	Gln	His	Arg	Ile	Ser	Ala	Thr	Ser
	785				790					795					800
Ser	Ser	Glu	Glu	Ser	Ser	Asn	Lys	Gly	Gln	Arg	Gln	Leu	Thr	Val	Ser
				805					810					815	
Gly	Ile	Pro	Gly	Asp	Leu	Ala	Pro	Pro	Thr	Asp	Val	Ser	Leu	Gly	Asp
			820					825						830	
Glu	Leu	His	Leu	Asp	Gly	Glu	Asp	Val	Ala	Met	Ala	His	Ala	Asp	Ala
		835					840					845			
Leu	Asp	Asp	Phe	Asp	Leu	Asp	Met	Leu	Gly	Asp	Gly	Asp	Ser	Pro	Gly
	850					855					860				
Pro	Gly	Phe	Thr	Pro	His	Asp	Ser	Ala	Pro	Tyr	Gly	Ala	Leu	Asp	Met
	865				870					875					880
Ala	Asp	Phe	Glu	Phe	Glu	Gln	Met	Phe	Thr	Asp	Ala	Leu	Gly	Ile	Asp
				885					890					895	
Glu	Tyr	Gly	Gly	Asp	Ile	Gln	His	Ser	Gly	Ala	Ala	Ala	Asp	Ala	Ala
		900						905					910		
Val	Thr	Pro	Glu	Glu	Arg	His	Leu	Ser	Lys	Met	Gln	Gln	Asn	Gly	Tyr
		915					920					925			
Glu	Asn	Pro	Thr	Tyr	Lys	Phe	Phe	Glu	Gln	Met	Gln	Asn			
	930					935					940				

<210> 27
 <211> 5015
 <212> DNA
 <213> human

<400> 27
 gacggatcgg gagatctccc gatcccctat ggtcgactct cagtacaatc tgctctgatg 60
 ccgcatagtt aagccagtat ctgctccctg cttgtgtgtt ggaggtcgct gtagtagtgcg 120
 cgagcaaaat ttaagctaca acaaggcaag gcttgaccga caattgcatg aagaatctgc 180
 ttagggtagt gcgtttttcg ctgcttcgcg atgtacgggc cagatatacg cgttgacatt 240
 gattattgac tagttattaa tagtaatcaa ttacgggggtc attagttcat agcccatata 300
 tggagttccg cgttacataa cttacggtaa atggcccgcc tggctgaccg cccaacgacc 360
 cccgccatt gagtcaata atgacgtatg ttcccatagt aacgccaata gggactttcc 420
 attgacgtca atgggtggac tatttacggt aaactgcccc cttggcagta catcaagtgt 480
 atcatatgcc aagtacgccc cctattgacg tcaatgacgg taaatggccc gcctggcatt 540
 atgcccagta catgacctta tgggactttc ctacttggca gtacatctac gtattagtca 600
 tcgctattac catggtgatg cggttttggc agtacatcaa tgggcgtgga tagcggtttg 660
 actcacgggg atttccaagt ctccacccca ttgacgtcaa tgggagtttg ttttggcacc 720
 aaaatcaacg ggactttcca aaatgtcgta acaactccgc cccattgacg caaatgggcg 780
 gtaggcgtgt acgggtgggag gtctatataa gcagagctct ctggctaact agagaaccca 840
 ctgcttactg gcttatcgaa attaatcaga ctcactatag ggagacccaa gctggctagc 900
 gtttaaactt aagcttggta ccgagctcgg atccactagt ccagtgtggt ggaattctgc 960
 agatatccag cacagtggcg gccgctcgag tctagagggc ccgtttaaac ccgctgatca 1020
 gcctcgactg tgccttctag ttgccagcca tctgttgttt gccctcccc cgctgccttc 1080
 ttgaccctgg aaggtgccac tcccactgtc ctttccaat aaaatgagga aattgcatcg 1140
 cattgtctga gtagggtgca ttctattctg ggggggtggg tggggcagga cagcaagggg 1200
 gaggattggg aagacaatag caggcatgct ggggatgcgg tgggctctat ggcttctgag 1260
 gcggaagaa ccagctgggg ctctaggggg tatccccacg cgccctgtag cggcgcatta 1320
 agcgcggcgg gtgtggtggt tacgcgcagc gtgaccgcta cacttgccag cgccctagcg 1380
 cccgctcctt tcgtcttctt ccctcctttt ctgcgccagt ctgcggcgtt tccccgtcaa 1440
 gctctaaatc ggggcatccc tttagggttc cgatttagtg ctttacggca cctcgacccc 1500
 aaaaaacttg attagggtga tggttcacgt agtgggccat cgccctgata gacggttttt 1560

cgccctttga	cggttgagtc	cacgttcttt	aatagtggac	tcttgttcca	aactggaaca	1620
acactcaacc	ctatctcggg	ctattctttt	gatttataag	ggattttggg	gatttcggcc	1680
tattggttaa	aaaatgagct	gatttaacaa	aaatttaacg	cgaattaatt	ctgtggaatg	1740
tgtgtcagtt	aggggtgtga	aagtccccag	gctccccagg	caggcagaag	tatgcaaagc	1800
atgcatctca	attagtccagc	aaccagggtg	ggaaagtcct	caggctcccc	agcaggcaga	1860
agtagcaaa	gcatgcatct	caattagtca	gcaaccatag	ccccgcccct	aactccgccc	1920
atcccccccc	taactccgcc	cagttccgcc	cattctccgc	cccatggctg	actaattttt	1980
tttatttatg	cagaggccga	ggccgcctct	gcctctgagc	tattccagaa	gtagttagga	2040
ggcttttttg	gaggcctagg	cttttgcaaa	aagctcccgg	gagcttgat	atccattttc	2100
ggatctgatc	agcacgtgtt	gacaattaat	catcggcata	gtatatcggc	atagtataat	2160
acgacaagg	gaggaaactaa	accatggcca	agttgaccag	tgccgttccg	gtgctcaccg	2220
cgcgcgagct	gcgcggagcg	gtcagattct	ggaccgaccg	gctcgggttc	tccccgggact	2280
tcgtggagga	cgacttcgcc	gggtgtgtcc	gggacgacgt	gaccctgttc	atcagcgcgg	2340
tccaggacca	gggtgtgccc	gacaacaccc	tggcctgggt	gtgggtgccc	ggcctggacg	2400
agctgtacgc	cgagtggctg	gaggtcgtgt	ccacgaactt	ccgggacgcc	tccgggcccg	2460
ccatgaccga	gatcgccgag	cagccgtggg	ggcgggagtt	cgccctgcgc	gacccggccg	2520
gcaactgcgt	gcacttcgtg	gccgaggagc	aggactgaca	cgtgctacga	gatttcgatt	2580
ccaccgccc	cttctatgaa	aggttgggct	tcggaatcgt	tttccgggac	gccggctgga	2640
tgatcctcca	gcgcggggat	ctcatgctgg	agttcttcgc	ccaccccaac	ttgtttattg	2700
cagcttataa	tggttacaaa	ttaagcaata	gcattcacaaa	tttcacaaat	aaagcatttt	2760
tttactgca	ttctagttgt	ggtttgtcca	aactcatcaa	tgatctttat	catgtctgta	2820
taccgtcgac	ctctagctag	agcttggcgt	aatcatggtc	atagctgttt	cctgtgtgaa	2880
attgttatcc	gtcaccaatt	ccacacaaca	tacgagccgg	aagcataaag	tgtaaagcct	2940
ggggtgccta	atgagtgagc	taactcacat	taattgcgtt	gcgctcactg	cccgctttcc	3000
agtcgggaaa	cctgtcgtgc	cagctgcatt	aatgaatcgg	ccaacgcgcg	gggagaggcg	3060
gtttgcgtat	tgggcgctct	tccgcttcc	cgctcactga	ctcgctgcgc	tcggctgttc	3120
ggctgcggcg	agcggtatca	gctcactcaa	aggcggtaat	acggttatcc	acagaatcag	3180
gggataacgc	aggaaagaac	atgtgagcaa	aaggccagca	aaaggccagg	aaccgtaaaa	3240
aggccgcgtt	gctggcggtt	ttccataggc	tccgcccccc	tgacgagcat	cacaaaaatc	3300
gacgctcaag	tcagaggtgg	cgaacccgga	caggactata	aagataccag	gcgtttcccc	3360
ctggaagctc	cctcgtgcgc	tctcctgttc	cgaccctgcc	gcttaccgga	tacctgtccg	3420
cctttctccc	ttcgggaagc	gtggcgcttt	ctcaatgtct	acgctgtagg	tatctcagtt	3480
cgggtgtagg	cgttcgctcc	aagctgggct	gtgtgcacga	acccccggtt	cagcccgacc	3540
gctgcgcctt	atccggtaac	tatcgtcttg	agtcacaacc	ggtaagacac	gacttatcgc	3600
cactggcagc	agccactggg	aacaggatta	gcagagcgag	gtatgtaggc	ggtgctacag	3660
agttcttgaa	gtgggtggcct	aactacggct	acactagaag	gacagtattt	ggtatctgcg	3720
ctctgctgaa	gccagttacc	ttcggaaaaa	gagttggtag	ctcttgatcc	ggcaaaaaaa	3780
ccaccgctgg	tagcgggttg	ttttttgttt	gattacgcgc	gattacgcgc	agaaaaaaag	3840
gatctcaaga	agatcctttg	atcttttcta	cggggtctga	cgctcagttg	aacgaaaact	3900
cacgttaagg	gatttttggtc	atgagattat	caaaaaggat	cttcacctag	atccttttaa	3960
attaaaaatg	aagttttaaa	tcaatctaaa	gtatatatga	gtaaaccttg	tctgacagtt	4020
accaatgctt	aatcagttag	gcacctatct	cagcgatctg	tctatttcgt	tcatccatag	4080
ttgcctgact	ccccgtcgtg	tagataacta	cgatacggga	gggcttacca	tctggcccca	4140
gtgctgcaat	gataccgcga	gacccacgct	caccggctcc	agatttatca	gcaataaacc	4200
agccagccgg	aagggccgag	cgcagaagtg	gtcctgcaac	tttatccgcc	tccatccagt	4260
ctattaattg	ttgccgggaa	gctagagtaa	gtagttcgcc	agttaatagt	ttgcgcaacg	4320
ttgttgccat	tgctacaggc	atcgtgggtg	cacgctcgtc	gtttggtagt	gcttcattca	4380
gctccgggtt	ccaacgatca	aggcgagtta	catgatcccc	catggttggtc	aaaaaagcgg	4440
ttagctcctt	cggtcctccg	atcgttgtca	gaagtaagtt	ggccgcagtg	ttatcactca	4500
tggttatggc	agcactgcat	aattctctta	ctgtcatgcc	atccgtaaga	tgcttttctg	4560
tgactggtga	gtactcaacc	aagtcattct	gagaatagtg	tatgcggcga	ccgagttgct	4620
cttgcgccgg	gtcaatacgg	gataataccg	cgccacatag	cagaacttta	aaagtgtcca	4680
tcattggaaa	acgttcttcg	gggcgaaaac	tctcaaggat	cttaccgctg	ttgagatcca	4740
gttcgatgta	acccactcgt	gcacccaact	gatccttcagc	atctttttact	ttcaccagcg	4800
tttctgggtg	agcaaaaaaca	ggaaggcaaa	atcccgcaaa	aaagggaata	aggcgacac	4860
ggaaatgttg	aatactcata	ctcttctctt	ttcaatatata	ttgaagcatt	tatcagggtt	4920
attgtctcat	gagcggatac	atatttgaat	gtatttagaa	aaataaacia	atagggggtc	4980
cgcgcacatt	tccccgaaaa	gtgccacctg	acgtc			5015

<211> 5015
<212> DNA
<213> human

<400> 28

ctgcctagcc	ctctagaggg	ctaggggata	ccagctgaga	gtcatgttag	acgagactac	60
ggcgatatcaa	ttcgggtcata	gacgaggagac	gaacacacaa	cctccagcga	ctcatcacgc	120
gctcgttttta	aattcagatgt	tggtccgttc	cgaactggct	gttaacgtac	ttcttagacg	180
aatcccaatc	cgaaaacgc	gacgaagcgc	tacatgccc	gtctatatgc	gcaactgtaa	240
ctaataactg	atcaataatt	atcattagtt	aatgccccag	taatcaagta	tcgggtatat	300
acctcaaggc	gcaatgtatt	gaatgccatt	taccgggcgg	accgactggc	gggttgctgg	360
gggggggtaa	ctgcagttat	tactgcatac	aagggtatca	ttgctggttat	ccctgaaagg	420
taactgcagt	taccacactg	ataaatgcc	tttgacgggt	gaaccgtcat	gtagttcaca	480
tagtatacgg	ttcatgcggg	ggataactgc	agttactgcc	atttaccggg	cggaccgtaa	540
tacgggtcat	gtactggaat	accctgaaag	gatgaaccgt	catgtagatg	cataatcagt	600
agcgataatg	gtaccactac	gcaaaaaccg	tcattgtagtt	accgcacact	atcgccaaac	660
tgagtgtccc	taaaagttca	gaggtgggg	aactgcagtt	accctcaaac	aaaaccgtgg	720
ttttagttgc	cctgaaaggt	tttacagcat	tggtgaggcg	gggtaactgc	gtttaccgcg	780
catccgcaca	tgccaccctc	cagatatatt	cgtctcgaga	gaccgattga	tctcttgggt	840
gacgaatgac	caaatgtgct	taattatgct	gagtgtatc	cctctgggtt	cgaccgatcg	900
caaatttgaa	ttcgaaccat	ggctcgagcc	taggtgatca	ggtcacacca	ccttaagacg	960
tctataggtc	gtgtcaccgc	cggcgagctc	agatctccc	ggcaaatttg	ggcgactagt	1020
cggagctgac	acggaagatc	aacggtcgg	agacaacaaa	cggggagggg	gcacggaagg	1080
aactgggacc	ttccacggtg	aggggtacag	gaaaggatta	ttttactcct	ttaacgtagc	1140
gtaacagact	catccacagt	aagataagac	ccccacccc	accccgctct	gtcgttcccc	1200
ctcctaacc	ttctgttatt	gtccgtacga	cccctacgcc	acccgagata	ccgaagactc	1260
cgcttttctt	ggtcgacccc	gagatcccc	ataggggtgc	gcgggacatc	gccgcgtaat	1320
tcgcgccgcc	cacaccacca	atgcgcgtcg	cactggcgat	gtgaacggtc	gcgggatcgc	1380
gggcgagaaa	agcgaagaa	gggaaggaaa	gagcgggtgca	agcggccgaa	aggggagcgt	1440
cgagatttag	ccccgtagg	aaatcccaag	gctaaatcac	gaaatgccgt	ggagctgggg	1500
ttttttgaac	taatccact	accaagtgc	tcacccggt	gcgggactat	ctgccccaaa	1560
gcgggaaact	gcaacctcag	gtgcaagaaa	ttatcacctg	agaacaaggt	ttgaccttgt	1620
tgtaggttgg	gatagagcca	gataagaaaa	ctaaaatttc	cctaaaaccc	ctaaagccgg	1680
ataaccaatt	ttttactcga	ctaaattgtt	tttaaattgc	gcttaattaa	gacaccttac	1740
acacagtcaa	ttccacacct	ttcaggggtc	cgaggggtcc	gtccgtcttc	atacgtttcg	1800
tacgtagagt	taatcagtcg	ttgggtccaca	cctttcaggg	gtccgagggg	tcgtccgtct	1860
tcatacgttt	cgtacgtaga	gttaatcagt	cgttggtatc	agggcgggga	ttgaggcggc	1920
tagggcgggg	attgaaggcg	gtcaaggcgg	gtcaaggcgg	gggtaccgac	tgattaaaaa	1980
aaataaatac	gtctccggct	ccggcgggaga	cggagactcg	ataaggtctt	catcactcct	2040
ccgaaaaaac	ctccggatcc	gaaaacgttt	ttcgagggcc	ctcgaacata	taggtaaaag	2100
cctagactag	tcgtgcacaa	ctgttaatta	gtagccgtat	catatagccg	tatcatatta	2160
tgctgttcca	ctccttgatt	ttgtaccggt	tcaactggtc	acggcaaggc	cacgagtgcc	2220
gcgcgctgca	gcggcctcgc	cagctcaaga	cctggctggc	cgagcccaag	agggccctga	2280
agcacctcct	gctgaagcgg	ccacaccagg	ccctgctgca	ctgggacaag	tagtcgcgcc	2340
aggtcctggt	ccaccacggc	ctgttggtgg	accggaccca	caccacgcgc	ccggacctgc	2400
tcgacatgcg	gctcaccagc	ctccagcaca	ggtgcttgaa	ggccctgcgc	aggccccggc	2460
ggtactggct	ctagccgctc	gtcggcaccc	ccgccctcaa	gcgggacgcg	ctgggcccgc	2520
cgttgacgca	cgtgaagcac	cggctcctcg	tcttgactgt	gcacgatgct	ctaaagctaa	2580
ggtggcgggc	gaagatactt	tccaacccga	agccttagca	aaaggccctg	cggccgacct	2640
actaggaggt	cgcgccctta	gagtacgacc	tcaagaagcg	ggtgggggtg	aacaaataac	2700
gtcgaatatt	accaatgttt	atttcgttat	cgtagtggtt	aaagtgttta	tttcgtaaaa	2760
aaagtgcagt	aagatcaaca	ccaaacaggt	ttgagtgttt	acatagaata	gtacagacat	2820
atggcagctg	gagatcgatc	tcgaaccgca	ttagtaccag	tatcgacaaa	ggacacactt	2880
taacaatagg	cgagtgttaa	ggtgtgttgt	atgctcggcc	ttcgtatttc	acatttcgga	2940
ccccacggat	tactcactcg	attgagtgt	attaacgcaa	cgcgagtgac	ggcgaaaagg	3000
tcagcccttt	ggacagcacg	gtcgacgtaa	ttacttagcc	ggttgccgcg	ccctctccgc	3060
caaacgcata	acccgcgaga	agggcgaagga	gcgagtgact	gagcgacgcg	agccagcaag	3120
ccgacgccgc	tcgccatagt	cgagtgtgtt	tccgccatta	tgccaatagg	tgtcttagtc	3180
ccctattgcg	tcctttcttg	tacactcgtt	ttccgggtcg	tttcgggtcc	ttggcatttt	3240
tcgggcgcaa	cgaccgcaaa	aaggtatccg	aggcgggggg	actgctcgta	gtgttttttag	3300
ctgcgagttc	agttctccacc	gctttgggct	gtcctgatat	ttctatgggtc	cgcaaaagggg	3360
gaccttcgag	ggagcacgcg	agaggacaag	gctgggacgg	cgaatggcct	atggacagggc	3420

ggaaagagggg	aagcccttcg	caccgcgaaa	gagttacgag	tgcgacatcc	atagagtcaa	3480
gccacatcca	gcaagcgagg	ttcgaccgga	caacacgtgct	tggggggcaa	gtcgggctgg	3540
cgacgcggaa	taggccattg	atagcagaac	tcagggttggg	ccattctgtg	ctgaatagcg	3600
gtgaccgtcg	tcgggtgacca	ttgtcctaata	cgtctcgctc	catacatccg	ccacgatgtc	3660
tcaagaactt	caccaccgga	ttgatgccga	tgtgatcttc	ctgtcataaa	ccatagacgc	3720
gagacgactt	cgggtcaatgg	aagcctttttt	ctcaaccatc	gagaactagg	ccgtttgttt	3780
gggtggcgacc	attcgccacca	aaaaaacaaa	cgttcgctcg	ctaattgcgcg	tctttttttc	3840
ctagagttct	tctaggaaac	tagaaaagat	gccccagact	gcgagtcacc	ttgcttttga	3900
gtgcaattcc	ctaaaaccag	tactctaata	gttttttcta	gaagtggatc	taggaaaatt	3960
taatttttac	ttcaaaattt	agtttagattt	catatatact	catttgaacc	agactgtcaa	4020
tggttacgaa	ttagtcactc	cgtggataga	gtcgctagac	agataaagca	agtaggtatc	4080
aacggactga	ggggcagcac	atctattgat	gctatgccct	cccgaatggg	agaccggggg	4140
cacgacgtta	ctatggcgct	ctgggtgcga	gtggccgagg	tctaaatagt	cgttatttgg	4200
tcggtcggcc	ttcccggctc	gcgtcttcac	caggacgttg	aaataggcgg	aggtaggtca	4260
gataattaac	aacggccctt	cgatctcatt	catcaagcgg	tcaattatca	aacgcgttgc	4320
aacaacggtg	atcgatgtccg	tagcaccaca	gtgcgagcag	caaaccatac	cgaagtaagt	4380
cgaggccaag	ggttgctagt	tccgctcaat	gtactagggg	gtacaacacg	ttttttcgcc	4440
aatcgaggaa	gccaggaggc	tagcaacagt	cttcattcaa	ccggcgctac	aatagttagt	4500
accaataccg	tcgtgacgta	ttaagagaat	gacagtacgg	taggcattct	acgaaaagac	4560
actgaccact	actgagttgg	ttcagtaaga	ctcttatcac	atacgcgcgt	ggctcaacga	4620
gaacgggccc	cagttatgcc	ctattatggc	gcggtgtatc	gtcttgaat	tttcacgagt	4680
agtaaccttt	tgcaagaagc	cccgcctttt	agagttccta	gaatggcgac	aactctaggt	4740
caagctacat	tgggtgagca	cgtgggttga	ctagaagtcg	tagaaaatga	aagtggctgc	4800
aaagaccac	tcgtttttgt	ccttccgttt	tacggcggtt	tttcccttat	tcccgctgtg	4860
cctttacaac	ttatgagtag	gagaaggaaa	aagttataat	aacttcgtaa	atagtcccaa	4920
taacagagta	ctcgcctatg	tataaactta	cataaatctt	tttatttgtt	tatccccaag	4980
gcgcgtgtaa	aggggctttt	cacggtggac	tgcag			5015

<210> 29

<211> 2352

<212> DNA

<213> fusion protein - human

<400> 29

atgctgcccg	gtttggcact	gctcctgctg	gccgcctgga	cggctcgggc	gctggaggta	60
ccactgatg	gtaatgctgg	cctgctggct	gaaccccaga	ttgccatggt	ctgtggcaga	120
ctgaacatgc	acatgaatgt	ccagaatggg	aagtgggatt	cagatccatc	agggaccaa	180
acctgcattg	ataccaagga	aggcatcctg	cagtattgcc	aagaagtcta	ccctgaactg	240
cagatcacca	atgtggtaga	agccaaccaa	ccagtgaacca	tccagaactg	gtgcaagcgg	300
ggcgcgaagc	agtgcgaagc	ccatcccac	tttgtgattc	cctaccgctg	cttagttggg	360
gagtttataa	gtgatgccct	tctcgttcct	gacaagtga	aattcttaca	ccaggagagg	420
atggatgttt	gcgaaactca	tcttcaactg	cacaccgtcg	ccaaaagagac	atgcagttag	480
aagagtacca	acttgcata	ctacggcatg	ttgctgccct	gcggaattga	caagttccga	540
ggggtagagt	ttgtgtgttg	cccactggct	gaagaaagtg	acaatgtgga	ttctgctgat	600
gcggaggagg	atgactcgga	tgtctggtgg	ggcggagcag	acacagacta	tgcagatggg	660
agtgaagaca	aagtagtaga	agtagcagag	gaggaagaag	tggctgagg	ggaagaagaa	720
gaagccgatg	atgacgagga	cgatgaggat	ggtgatgagg	tagaggaaga	ggctgaggaa	780
ccctacgaag	aagccacaga	gagaaccacc	agcattgcca	ccaccaccac	caccaccaca	840
gagtctgtgg	aagaggtgg	tcgagttcct	acaacagcag	ccagtacccc	tgatgccgtt	900
gacaagtatc	tcgagacacc	tggggatgag	aatgaacatg	cccatttcca	gaaagccaaa	960
gagaggcttg	aggccaagca	ccgagagaga	atgtcccagg	tcatgagaga	atgggaagag	1020
gcagaacgtc	aagcaaagaa	cttgccctaaa	gctgataaga	aggcagttat	ccagcatttc	1080
caggagaaa	tgggaatctt	ggaacaggaa	gcagccaacg	agagacagca	gctgggtggg	1140
acacacatgg	ccagagtggg	agccatgtct	aatgaccgcc	gccgcctggc	cctgggagaa	1200
tacatcaccc	ctctgcaggc	tgttcctcct	cggcctcgct	acgtgttcaa	tatgctaaag	1260
aagtatgtcc	gcgcagaaca	gaaggacaga	cagcacaccc	taaagcattt	cgagcatgtg	1320
cgcatggtgg	atcccaagaa	agccgctcag	atccggtccc	aggttatgac	acacctccgt	1380
gtgatttatg	agcgcagtaa	tcagtctctc	tcctgtctct	acaacgtgcc	tgcagtgagg	1440
gaggagattc	aggatgaagt	tgatgagctg	cttcagaaag	agcaaaacta	ttcagatgac	1500
gtcttggcca	acatgattag	tgaaccaagg	atcagttacg	gaaacgatgc	tctcatgcca	1560

```

tctttgaccg aaacgaaaac caccgtggag ctccttccc tgaatggaga gttcagcctg 1620
gacgatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaaac 1680
gaagttgagc ctgttgatgc ccgccctgct gccgaccgag gactgaccac tcgaccagggt 1740
tctgggttga caaatatcaa gacggaggag atctctgaag tgaactttga agtgggaattc 1800
cgacatgact caggatatga agttcatcat caaaaattgg tggtctttgc agaagatgtg 1860
ggttcaaaca aaggtgcaat cattggactc atggtgggcg gtgttgtcat agcgacagtg 1920
atcgatcatca ccttgggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
agtccagtgt ggtggaattc tgcagatcct ctggagccag tagatcctag actagagccc 2040
tggaagcatc caggaagtca gcctaaaact gcttgtagca attgctattg taaaaagtg 2100
tgctttcatt gccaaagttg tttcatgaca aaagccttag gcatctccta tggcaggaag 2160
aagcggagac agcgacgaag agctcatcag aacagtcaga ctcataagc ttctctatca 2220
aagcagagga tatccagcac agtggcggcc gcagacgccg ctgtcaccac agaggagcgc 2280
cacctgtcca agatgcagca gaacggctac gaaaatccaa cctacaagtt ctttgagcag 2340
atgcagaact ag                                     2352

```

<210> 30

<211> 783

<212> PRT

<213> fusion protein - human

<400> 30

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1          5          10          15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
 20          25          30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
 35          40          45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
 50          55          60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
 65          70          75          80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
 85          90          95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100          105          110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
115          120          125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
130          135          140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
145          150          155          160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
165          170          175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
180          185          190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
195          200          205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
210          215          220
Val Val Glu Val Ala Glu Glu Glu Val Ala Glu Val Glu Glu Glu
225          230          235          240
Glu Ala Asp Asp Asp Glu Asp Asp Glu Asp Gly Asp Glu Val Glu Glu
245          250          255
Glu Ala Glu Glu Pro Tyr Glu Glu Ala Thr Glu Arg Thr Thr Ser Ile
260          265          270
Ala Thr Thr Thr Thr Thr Thr Thr Glu Ser Val Glu Glu Val Val Arg
275          280          285
Val Pro Thr Thr Ala Ala Ser Thr Pro Asp Ala Val Asp Lys Tyr Leu
290          295          300
Glu Thr Pro Gly Asp Glu Asn Glu His Ala His Phe Gln Lys Ala Lys
305          310          315          320
Glu Arg Leu Glu Ala Lys His Arg Glu Arg Met Ser Gln Val Met Arg

```

					325					330					335	
Glu	Trp	Glu	Glu	Ala	Glu	Arg	Gln	Ala	Lys	Asn	Leu	Pro	Lys	Ala	Asp	
			340					345					350			
Lys	Lys	Ala	Val	Ile	Gln	His	Phe	Gln	Glu	Lys	Val	Glu	Ser	Leu	Glu	
		355					360					365				
Gln	Glu	Ala	Ala	Asn	Glu	Arg	Gln	Gln	Leu	Val	Glu	Thr	His	Met	Ala	
		370				375					380					
Arg	Val	Glu	Ala	Met	Leu	Asn	Asp	Arg	Arg	Arg	Leu	Ala	Leu	Glu	Asn	
385					390					395					400	
Tyr	Ile	Thr	Ala	Leu	Gln	Ala	Val	Pro	Pro	Arg	Pro	Arg	His	Val	Phe	
			405						410				415			
Asn	Met	Leu	Lys	Lys	Tyr	Val	Arg	Ala	Glu	Gln	Lys	Asp	Arg	Gln	His	
			420					425					430			
Thr	Leu	Lys	His	Phe	Glu	His	Val	Arg	Met	Val	Asp	Pro	Lys	Lys	Ala	
		435					440					445				
Ala	Gln	Ile	Arg	Ser	Gln	Val	Met	Thr	His	Leu	Arg	Val	Ile	Tyr	Glu	
	450					455					460					
Arg	Met	Asn	Gln	Ser	Leu	Ser	Leu	Leu	Tyr	Asn	Val	Pro	Ala	Val	Ala	
465					470					475					480	
Glu	Glu	Ile	Gln	Asp	Glu	Val	Asp	Glu	Leu	Leu	Gln	Lys	Glu	Gln	Asn	
			485						490					495		
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg	Ile	Ser	
		500						505					510			
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys	Thr	Thr	
		515					520					525				
Val	Glu	Leu	Leu	Pro	Val	Asn	Gly	Glu	Phe	Ser	Leu	Asp	Asp	Leu	Gln	
		530				535					540					
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr	Glu	Asn	
545					550					555					560	
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly	Leu	Thr	
			565						570					575		
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu	Ile	Ser	
			580					585					590			
Glu	Val	Asn	Phe	Glu	Val	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr	Glu	Val	
		595					600					605				
His	His	Gln	Lys	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser	Asn	Lys	
	610					615					620					
Gly	Ala	Ile	Ile	Gly	Leu	Met	Val	Gly	Gly	Val	Val	Ile	Ala	Thr	Val	
625					630					635					640	
Ile	Val	Ile	Thr	Leu	Val	Met	Leu	Lys	Lys	Lys	Lys	Leu	Gly	Thr	Glu	
			645						650					655		
Leu	Gly	Ser	Thr	Ser	Pro	Val	Trp	Trp	Asn	Ser	Ala	Asp	Ile	Leu	Glu	
			660													

<210> 31
<211> 2823
<212> DNA

<213> fusion protein - human

<400> 31

```

atgctgcccg gtttggcact gctcctgctg gccgcctgga cggctcgggc gctggaggta 60
cccactgatg gtaatgctgg cctgctggct gaaccccaga ttgccatgtt ctgtggcaga 120
ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaaa 180
acctgcattg ataccaagga aggcattcctg cagtattgcc aagaagtcta ccctgaactg 240
cagatcacca atgtggtaga agccaaccaa ccagtgacca tccagaactg gtgcaagcgg 300
ggccgcaagc agtgcaagac ccatccccac tttgtgattc cctaccgctg cttagtgtgg 360
gagtttataa gtgatgccct tctcgttcct gacaagtgca aattcttaca ccaggagagg 420
atggatgttt gcgaaactca tcttcaactg caccacgtcg ccaaagagac atgcagtgag 480
aagagtacca acttgcattg ctacggcatg ttgctgccct gcggaattga caagtccga 540
ggggttagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgctgat 600
gctggaggagg atgactcgga tgtctggttg ggcggagcag acacagacta tgcagatggg 660
agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgaggt ggaagaagaa 720
gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaaga ggctgaggaa 780
ccctacgaag aagccacaga gagaaccacc agcattgcc aacaccacc caccaccaca 840
gagtcctgtg aagaggtggt tctgagttcct acaacagcag ccagtacccc tcatgccgtt 900
gacaagtatc tctgagacac tggggatgag aatgaacatg cccatttcca gaaagccaaa 960
gagagcgctt agggcaagca ccgagagaga atgtcccagg tcatgagaga atgggaagag 1020
gcagaacgtc aagcaaagaa cttgcctaaa gctgataaga aggcagttat ccagcatttc 1080
caggagaaag tggaaatctt ggaacaggaa gcagccaacg agagacagca gctggtggag 1140
acacacatgg ccagagtgga agccatgctc aatgaccgcc gccgcctggc cctggagaac 1200
tacatcaccc ctctcgaggc tgttctcctc cgccctcgtc acgtgttcaa tatgctaaag 1260
aagtatgtcc gcgcagaaca gaaggacaga cagcacaccc taaagcattt cgagcatgtg 1320
cgcatggtgg atcccaagaa agccgctcag atccggctcc aggttatgac acacctcgt 1380
gtgatttatg agcgcatgaa tcatgtctct tccctgctct acaacgtgcc tgcagtggcc 1440
gaggagattc aggtgaagat tgatgagctg ctccagaaag agcaaaacta ttcagatgac 1500
gtcttgccca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
tctttgaccg aaacgaaaac caccgtggag ctccctcccc tgaatggaga gttcagcctg 1620
gacgatctcc agccgtggca ttcttttggt gctgactctg tgcagccaa cacagaaaac 1680
gaagttgagc ctgttgatgc ccgccctgct gccgaccgag gactgaccac tgcaccaggt 1740
tctgggttga caaatatcaa gacggaggag atctctgaag tgaactttga agtggaaattc 1800
cgacatgact caggatatga agttcatcat caaaaatttg tgttctttgc agaagatgtg 1860
ggttcaaaca aaggtgcaat cattggactc atggtgggag gtgttgatcat agcgacagtg 1920
atcgtcatca ccttggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
agtccaggtg ggtggaattc tgcagatatt cttctatcga acaagcatgc cggatccact 2040
gatatttgcc gacttaaaaa gctcaagtgc tccaaagaaa aaccgaagtg cgccaagtgt 2100
ctgaagaaca actgggagtg tgcgtactct cccaaaccaa aaaggtctcc gctgactagg 2160
gcacatctga cagaagtgga atcaaggcta gaaagactgg aacagctatt tctactgatt 2220
tttctcagag aagacccttg catgattttg aaaatggatt ctttacagga tataaaagca 2280
ttgttaacag gatattttgt acaagataat gtgaataaag atgccgtcac agatagattg 2340
gcttcagtgg agactgatat gcctctaaca ttgagacagc atagaataag tgcgacatca 2400
tcatcggaag agagtagtaa caaaggtcaa agacagttga ctgtatcggg aattcccggg 2460
gatctgcccc ccccgaccga tgtcagcctg ggggacgagc tccacttaga cggcgaggag 2520
gtggcgatgg cgcatgccga cgcgctagac gatttcgatc tggacatggt gggggacggg 2580
gattccccgg gtccgggatt tacccccac gactccgccc cctacggcgc tctggatatg 2640
gccgacttcg agtttgagca gatgtttacc gatgcccttg gaattgacga gtacggtggg 2700
gatatccagc acagtggcgg ccgcgacgcc gctgtcacc cagaggagcg ccacctgtcc 2760
aagatgcagc agaacggcta cgaaaatcca acctacaagt tctttgagca gatgcagaac 2820
tag

```

<210> 32

<211> 941

<212> PRT

<213> fusion protein - human

<400> 32

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Ala Ala Trp Thr Ala Arg
1           5           10           15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
20           25           30

```

Gln	Ile	Ala	Met	Phe	Cys	Gly	Arg	Leu	Asn	Met	His	Met	Asn	Val	Gln
		35					40					45			
Asn	Gly	Lys	Trp	Asp	Ser	Asp	Pro	Ser	Gly	Thr	Lys	Thr	Cys	Ile	Asp
	50					55					60				
Thr	Lys	Glu	Gly	Ile	Leu	Gln	Tyr	Cys	Gln	Glu	Val	Tyr	Pro	Glu	Leu
	65				70					75					80
Gln	Ile	Thr	Asn	Val	Val	Glu	Ala	Asn	Gln	Pro	Val	Thr	Ile	Gln	Asn
			85						90					95	
Trp	Cys	Lys	Arg	Gly	Arg	Lys	Gln	Cys	Lys	Thr	His	Pro	His	Phe	Val
			100					105				110			
Ile	Pro	Tyr	Arg	Cys	Leu	Val	Gly	Glu	Phe	Ile	Ser	Asp	Ala	Leu	Leu
		115					120					125			
Val	Pro	Asp	Lys	Cys	Lys	Phe	Leu	His	Gln	Glu	Arg	Met	Asp	Val	Cys
	130					135					140				
Glu	Thr	His	Leu	His	Trp	His	Thr	Val	Ala	Lys	Glu	Thr	Cys	Ser	Glu
	145				150					155					160
Lys	Ser	Thr	Asn	Leu	His	Asp	Tyr	Gly	Met	Leu	Leu	Pro	Cys	Gly	Ile
			165						170					175	
Asp	Lys	Phe	Arg	Gly	Val	Glu	Phe	Val	Cys	Cys	Pro	Leu	Ala	Glu	Glu
			180					185					190		
Ser	Asp	Asn	Val	Asp	Ser	Ala	Asp	Ala	Glu	Glu	Asp	Asp	Ser	Asp	Val
		195					200					205			
Trp	Trp	Gly	Gly	Ala	Asp	Thr	Asp	Tyr	Ala	Asp	Gly	Ser	Glu	Asp	Lys
	210					215					220				
Val	Val	Glu	Val	Ala	Glu	Glu	Glu	Glu	Val	Ala	Glu	Val	Glu	Glu	Glu
	225				230					235					240
Glu	Ala	Asp	Asp	Asp	Glu	Asp	Asp	Glu	Asp	Gly	Asp	Glu	Val	Glu	Glu
			245						250					255	
Glu	Ala	Glu	Glu	Pro	Tyr	Glu	Glu	Ala	Thr	Glu	Arg	Thr	Thr	Ser	Ile
			260					265					270		
Ala	Thr	Thr	Thr	Thr	Thr	Thr	Thr	Glu	Ser	Val	Glu	Glu	Val	Val	Arg
		275					280					285			
Val	Pro	Thr	Thr	Ala	Ala	Ser	Thr	Pro	Asp	Ala	Val	Asp	Lys	Tyr	Leu
	290					295					300				
Glu	Thr	Pro	Gly	Asp	Glu	Asn	Glu	His	Ala	His	Phe	Gln	Lys	Ala	Lys
	305				310					315					320
Glu	Arg	Leu	Glu	Ala	Lys	His	Arg	Glu	Arg	Met	Ser	Gln	Val	Met	Arg
			325						330					335	
Glu	Trp	Glu	Glu	Ala	Glu	Arg	Gln	Ala	Lys	Asn	Leu	Pro	Lys	Ala	Asp
			340					345					350		
Lys	Lys	Ala	Val	Ile	Gln	His	Phe	Gln	Glu	Lys	Val	Glu	Ser	Leu	Glu
		355					360					365			
Gln	Glu	Ala	Ala	Asn	Glu	Arg	Gln	Gln	Leu	Val	Glu	Thr	His	Met	Ala
	370					375						380			
Arg	Val	Glu	Ala	Met	Leu	Asn	Asp	Arg	Arg	Arg	Leu	Ala	Leu	Glu	Asn
	385				390					395					400
Tyr	Ile	Thr	Ala	Leu	Gln	Ala	Val	Pro	Pro	Arg	Pro	Arg	His	Val	Phe
			405					410						415	
Asn	Met	Leu	Lys	Lys	Tyr	Val	Arg	Ala	Glu	Gln	Lys	Asp	Arg	Gln	His
			420					425					430		
Thr	Leu	Lys	His	Phe	Glu	His	Val	Arg	Met	Val	Asp	Pro	Lys	Lys	Ala
		435					440					445			
Ala	Gln	Ile	Arg	Ser	Gln	Val	Met	Thr	His	Leu	Arg	Val	Ile	Tyr	Glu
	450					455					460				
Arg	Met	Asn	Gln	Ser	Leu	Ser	Leu	Leu	Tyr	Asn	Val	Pro	Ala	Val	Ala
	465				470					475					480
Glu	Glu	Ile	Gln	Asp	Glu	Val	Asp	Glu	Leu	Leu	Gln	Lys	Glu	Gln	Asn
			485					490						495	
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg	Ile	Ser
			500					505					510		
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys	Thr	Thr
		515					520					525			

Val	Glu	Leu	Leu	Pro	Val	Asn	Gly	Glu	Phe	Ser	Leu	Asp	Asp	Leu	Gln
530						535					540				
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr	Glu	Asn
545					550					555					560
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly	Leu	Thr
				565				570						575	
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu	Ile	Ser
			580				585						590		
Glu	Val	Asn	Phe	Glu	Val	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr	Glu	Val
		595					600					605			
His	His	Gln	Lys	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser	Asn	Lys
		610				615					620				
Gly	Ala	Ile	Ile	Gly	Leu	Met	Val	Gly	Gly	Val	Val	Ile	Ala	Thr	Val
625					630					635					640
Ile	Val	Ile	Thr	Leu	Val	Met	Leu	Lys	Lys	Lys	Lys	Leu	Gly	Thr	Glu
				645				650						655	
Leu	Gly	Ser	Thr	Ser	Pro	Val	Trp	Trp	Asn	Ser	Ala	Asp	Ile	Lys	Leu
			660				665						670		
Leu	Ser	Ser	Ile	Glu	Gln	Ala	Cys	Asp	Ile	Cys	Arg	Leu	Lys	Lys	Leu
		675					680					685			
Lys	Cys	Ser	Lys	Glu	Lys	Pro	Lys	Cys	Ala	Lys	Cys	Leu	Lys	Asn	Asn
		690				695					700				
Trp	Glu	Cys	Arg	Tyr	Ser	Pro	Lys	Thr	Lys	Arg	Ser	Pro	Leu	Thr	Arg
705					710					715					720
Ala	His	Leu	Thr	Glu	Val	Glu	Ser	Arg	Leu	Glu	Arg	Leu	Glu	Gln	Leu
				725					730					735	
Phe	Leu	Leu	Ile	Phe	Pro	Arg	Glu	Asp	Leu	Asp	Met	Ile	Leu	Lys	Met
			740				745						750		
Asp	Ser	Leu	Gln	Asp	Ile	Lys	Ala	Leu	Leu	Thr	Gly	Leu	Phe	Val	Gln
		755					760					765			
Asp	Asn	Val	Asn	Lys	Asp	Ala	Val	Thr	Asp	Arg	Leu	Ala	Ser	Val	Glu
		770				775					780				
Thr	Asp	Met	Pro	Leu	Thr	Leu	Arg	Gln	His	Arg	Ile	Ser	Ala	Thr	Ser
785					790					795					800
Ser	Ser	Glu	Glu	Ser	Ser	Asn	Lys	Gly	Gln	Arg	Gln	Leu	Thr	Val	Ser
				805					810					815	
Gly	Ile	Pro	Gly	Asp	Leu	Ala	Pro	Pro	Thr	Asp	Val	Ser	Leu	Gly	Asp
			820				825						830		
Glu	Leu	His	Leu	Asp	Gly	Glu	Asp	Val	Ala	Met	Ala	His	Ala	Asp	Ala
		835					840					845			
Leu	Asp	Asp	Phe	Asp	Leu	Asp	Met	Leu	Gly	Asp	Gly	Asp	Ser	Pro	Gly
		850				855					860				
Pro	Gly	Phe	Thr	Pro	His	Asp	Ser	Ala	Pro	Tyr	Gly	Ala	Leu	Asp	Met
865					870					875					880
Ala	Asp	Phe	Glu	Phe	Glu	Gln	Met	Phe	Thr	Asp	Ala	Leu	Gly	Ile	Asp
				885					890					895	
Glu	Tyr	Gly	Gly	Asp	Ile	Gln	His	Ser	Gly	Ala	Ala	Ala	Asp	Ala	Ala
			900				905						910		
Val	Thr	Pro	Glu	Glu	Arg	His	Leu	Ser	Lys	Met	Gln	Gln	Asn	Gly	Tyr
		915					920						925		
Glu	Asn	Pro	Thr	Tyr	Lys	Phe	Phe	Glu	Gln	Met	Gln	Asn			
		930				935						940			

<210> 33
 <211> 63
 <212> PRT
 <213> human

<400> 33
 Glu Glu Ile Ser Glu Val Lys Met Asp Ala Glu Phe Arg His Asp Ser
 1 5 10 15

WO 03/072041

PCT/US03/05458
PCT/US03/05458

Gly Tyr Glu Val His His Gln Lys Leu Val Phe Phe Ala Glu Asp Val
 20 25 30
 Gly Ser Asn Lys Gly Ala Ile Ile Gly Leu Met Val Gly Gly Val Val
 35 40 45
 Ile Ala Thr Val Ile Val Ile Thr Leu Val Met Leu Lys Lys Lys
 50 55 60

<210> 34
 <211> 4
 <212> PRT
 <213> human

<400> 34
 Lys Met Asp Ala
 1

<210> 35
 <211> 7
 <212> PRT
 <213> human

<400> 35
 Gly Val Val Ile Ala Thr Val
 1 5

<210> 36
 <211> 63
 <212> PRT
 <213> human

<400> 36
 Glu Glu Ile Ser Glu Val Lys Met Asp Ala Glu Phe Arg His Asp Ser
 1 5 10 15
 Gly Tyr Glu Val His His Gln Val Leu Val Phe Phe Ala Glu Asp Val
 20 25 30
 Gly Ser Asn Lys Gly Ala Ile Ile Gly Leu Met Val Gly Gly Val Val
 35 40 45
 Ile Ala Thr Val Ile Val Ile Thr Leu Val Met Leu Lys Lys Lys
 50 55 60

<210> 37
 <211> 63
 <212> PRT
 <213> human

<400> 37
 Glu Glu Ile Ser Glu Val Asn Leu Asp Ala Glu Phe Arg His Asp Ser
 1 5 10 15
 Gly Tyr Glu Val His His Gln Val Leu Val Phe Phe Ala Glu Asp Val
 20 25 30
 Gly Ser Asn Lys Gly Ala Ile Ile Gly Leu Met Val Gly Gly Val Val
 35 40 45
 Ile Ala Thr Val Ile Val Ile Thr Leu Val Met Leu Lys Lys Lys
 50 55 60

<210> 38
 <211> 4

WO 03/072041

PCT/US03/05458
PCT/US03/05458

<212> PRT
<213> human

<400> 38
Asn Leu Asp Ala
1

<210> 39
<211> 63
<212> PRT
<213> human

<400> 39
Glu Glu Ile Ser Glu Val Asn Phe Glu Val Glu Phe Arg His Asp Ser
1 5 10 15
Gly Tyr Glu Val His His Gln Val Leu Val Phe Phe Ala Glu Asp Val
20 25 30
Gly Ser Asn Lys Gly Ala Ile Ile Gly Leu Met Val Gly Gly Val Val
35 40 45
Ile Ala Thr Val Ile Val Ile Thr Leu Val Met Leu Lys Lys Lys
50 55 60

<210> 40
<211> 4
<212> PRT
<213> human

<400> 40
Asn Phe Glu Val
1

<210> 41
<211> 5
<212> PRT
<213> human

<400> 41
Val Asn Phe Ala Val
1 5

<210> 42
<211> 5
<212> PRT
<213> human

<400> 42
Val Lys Val Asp Ala
1 5

<210> 43
<211> 5
<212> PRT
<213> human

<400> 43
Trp Lys Met Asp Ala
1 5

WO 03/072041

PCT/US03/05458
PCT/US03/05458

<210> 44
<211> 5
<212> PRT
<213> human

<400> 44
Val Lys Ala Asp Ala
1 5

<210> 45
<211> 5
<212> PRT
<213> human

<400> 45
Val Lys Lys Asp Ala
1 5

<210> 46
<211> 5
<212> PRT
<213> human

<400> 46
Val Lys Glu Asp Ala
1 5

<210> 47
<211> 5
<212> PRT
<213> human

<400> 47
Val Lys Ile Asp Ala
1 5

<210> 48
<211> 5
<212> PRT
<213> human

<400> 48
Val Lys Met Ile Ala
1 5

<210> 49
<211> 5
<212> PRT
<213> human

<400> 49
Val Lys Met Asn Ala
1 5

<210> 50
<211> 5
<212> PRT
<213> human

<400> 50
Val Lys Met Glu Ala
1 5

<210> 51
<211> 5
<212> PRT
<213> human

<400> 51
Val Lys Met Asp Glu
1 5

<210> 52
<211> 5
<212> PRT
<213> human

<400> 52
Val Lys Met Asp Lys
1 5

<210> 53
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> PCR primer

<400> 53
ggagaggata tcatggagcc agtagat

27

<210> 54
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> PCR primer

<400> 54
tacatggcgg ccgcctactt actgctttg

29

<210> 55
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> PCR primer

<400> 55
ggatgtgata tctttcttct tcagcatcac caagg

35

<210> 56
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> PCR Primer

<400> 56
ctgagatatc aagctactgt cttctatcga acaagc 36

<210> 57
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> PCR Primer

<400> 57
gcgcgatatc cccaccgtac tcgtcaattc c 31

<210> 58
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> PCR Primer

<400> 58
ctgctgtggc ggccgcctag ttctgcatct gctc 34

<210> 59
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> PCR Primer

<400> 59
tgccccgcgc ggccgcgcga tgctgcccgg 30

<210> 60
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> PCR Primer

<400> 60
atggtgtggc ggccgcagac gccgctgtca cc 32

<210> 61
<211> 36
<212> DNA
<213> Artificial Sequence

<220>

<223> PCR Primer

<400> 61

agcgacacaag cttccccgcg cagggtcgcg atgctg

36

<210> 62

<211> 35

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR Primer

<400> 62

ggatgtaagc tttttcttct tcagcatcac caagg

35

<210> 63

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR Primer

<400> 63

tgcagatatc ctggagccag tagatcctag ac

32

<210> 64

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR Primer

<400> 64

gctggatatc ctctgctttg atagagaagc

30